

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 16, 1997
016-017

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 32s

1200 RTLTL=18h 18m 30s

0000 RTLTL=18h 18m 30s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -9.044 sec

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

31 ----- 65 [D] ----- | 1105

1110 |----- 25 [D] ----- | 1745

0430 - 0715 |----- 63 [D] ----- |

1830 |----- 15 [D] ----- | 2230

HPTXR
DSN COVERAGE

32 ----- 1800 |----- 45 [D] -----

HPTXR

RTLTL : 14h 20m 8s

1200 RTLTL=14h 20m 12s

0000 RTLTL=14h 20m 14s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:54.780 min

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 17, 1997
017-018

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 30s

█ 1200 RTLTL=18h 18m 30s

█ 0000 RTLTL=18h 18m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

31

1110

----- 25 [D] -----

2230

65 [D] 0800

DSN COVERAGE HPTXR

32

0835 45 [D]

1755

45 [D]

HPTXR

RTLTL : 14h 20m 14s

█ 1200 RTLTL=14h 20m 16s

█ 0000 RTLTL=14h 20m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 18, 1997
018-019

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 30s

1200 RTLT=18h 18m 30s

0000 RTLT=18h 18m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 14h 20m 18s

1200 RTLT=14h 20m 22s

0000 RTLT=14h 20m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 19, 1997
019-020

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 30s

1200 RTLT=18h 18m 28s

0000 RTLT=18h 18m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

31

0850 |----- 65 [D] -----| 1450

1435 |----- 25 [D] -----| 2225

HPTXR

DSN COVERAGE

32

45 [D] |----- 0910

1800 |----- 15 [D] -----| 2110

0330 |----- 45 [D] -----

HPTXR

RTLT : 14h 20m 24s

1200 RTLT=14h 20m 26s

0000 RTLT=14h 20m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 20, 1997
020-021

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 28s

1200 RTLT=18h 18m 28s

0000 RTLT=18h 18m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

31

1050

----- 25 [D] ----- 2220

65 [D] 0715

0345 ----- 63 [D] ----- 0700

HPTXR

DSN COVERAGE

32

45 [D] 0905

1745 ----- 45 [D] -----

HPTXR

RTLT : 14h 20m 28s

1200 RTLT=14h 20m 30s

0000 RTLT=14h 20m 32s

COMMAND MORATORIUM 0522 -----

VOYAGER 2

↓ 1655 BEGIN SEQUENCE B027

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE


----- VGR -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 22, 1997
022-023

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 26s

1200 RTLT=18h 18m 24s

0000 RTLT=18h 18m 24s

VOYAGER 1

▼ 1125 DUMMY (05:43)

FDSL : 11AF

U/L 1155 |----- TLC (SHORT-FORM) -----|
- 0741 | D/L -|

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31

----- 65 [D] ----- | 1100
1045 |----- 24 ----- | 1315
1300 |----- 25 [D] ----- | 2215
0430 - 0745 |----- 63 [D] -----|

HPTXR

DSN COVERAGE

32

45 [D] | 0900
2015 |----- 43 [o,B] -----
2015 |----- 45 [D] -----

HPTXR

RTLT : 14h 20m 36s

1200 RTLT=14h 20m 38s

0000 RTLT=14h 20m 40s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0456

FDSL : 11AF

↓ 2203 YAW=.05
2213 |----- PLAYBACK -----| 0448
↓ 0458 YAW=.10

DUMMY (BRACKETED 19:28) 0508 ▼

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

2213

PB-5

7.2K(41)

0448

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 23, 1997
023-024

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 24s

1200 RTLT=18h 18m 24s

0000 RTLT=18h 18m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31 |-----65 [D]-----|0820 - 1430 |0630 |-----65 [D]-----|

1415 |-----25 [D]-----|2210

0340 |-----63 [D]-----|0650

HPTXR

DSN COVERAGE

32 |---|0855 43 [o,B]

---|0855 45 [D]

1810 |-----45 [D]-----|0415

HPTXR

RTLT : 14h 20m 40s

1200 RTLT=14h 20m 42s

0000 RTLT=14h 20m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1843 | - TAPPOS - |2039

↓ 2313 SLEW->BD+28

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

2214

UV-5A

600(36)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 24, 1997
024-025

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 22s

█ 1200 RTLT=18h 18m 22s

█ 0000 RTLT=18h 18m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31 -----| 0855 65 [D] ----- 65 [D] 0710 |-----

1035 |----- 25 [D] -----| 1605

HPTXR

DSN COVERAGE

32 ----- 2145 |----- 45 [D] -----

1650 |----- 25 [D] -----| 2055

HPTXR

RTLT : 14h 20m 44s

| 0822 ----- COMMAND MORATORIUM -----

█ 0000 RTLT=14h 20m 46s

VOYAGER 2

↓ 2213 X/B LOW POWER
↓ 2217 BAY 1 HTR ON

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 25, 1997
025-026

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 20s

1200 RTLT=18h 18m 20s

0000 RTLT=18h 18m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31

65 [D]

1415

1430

25 [D]

2200

0305

65 [D]

DSN COVERAGE
HPTXR

32

0845 45 [D]

2115

45 [D]

HPTXR

RTLT : 14h 20m 46s

1200 RTLT=14h 20m 48s

0000 RTLT=14h 20m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

2314

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 26, 1997
026-027

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 18s

1200 RTLT=18h 18m 18s

0000 RTLT=18h 18m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31 ----- 65 [D] ----- | 1425 0625 | - 65 [D] - -

1410 | - 25 [D] - - | 1600

1620 | - - - 15 [D] - - - | 1845

0425 | - - 63 [D] - - - | 0640

DSN COVERAGE
HPTXR

32 - - - | 0845 45 [D] 0335 | - - - - - 45 [D] - - - - -

1645 | - - - - - 25 [D] - - - - - | 2045

HPTXR

RTLT : 14h 20m 50s

1200 RTLT=14h 20m 50s

0000 RTLT=14h 20m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 27, 1997
027-028

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 16s

1200 RTLT=18h 18m 16s

0000 RTLT=18h 18m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31 --- 65 [D] --- | 1030 0635 | 65 [D] -

1025 |----- 25 [D] -----| 1555

0315 |----- 63 [D] -----| 0640

DSN COVERAGE
HPTXR

32 --- | 0840 45 [D]

1640 |----- 25 [D] -----| 2045

2120 |----- 45 [D] -----| 0530

HPTXR

RTLT : 14h 20m 52s

1200 RTLT=14h 20m 54s

0000 RTLT=14h 20m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 28, 1997
028-029

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 14s

1200 RTLTL=18h 18m 14s

0000 RTLTL=18h 18m 12s

VOYAGER 1

2151 | 2152 PWS/RH

SLEW->BKGND 0510 ↓

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

2151
GS-4B 2152

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

CR-5T
160(32)

31

65 [D] ----- | 1415

1400 | - 25 [D] - - | 1550

0620 | - 61 [D] - -
0330 | - - - - 63 [D] - - - - | 0635

DSN COVERAGE
HPTXR

32

1635 | - - - - - 25 [D] - - - - - | 2040

2120 - 0745 | - - - - - 45 [D] - - - - - |

HPTXR

RTLTL : 14h 20m 54s

1200 RTLTL=14h 20m 56s

0000 RTLTL=14h 20m 56s

VOYAGER 2

2117 | 2118 PWS/RH

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

2117
GS-4B 2118

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

- [1] S/C 32=GS-4B @ 2117 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2151 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 29, 1997
029-030

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 12s

1200 RTLT=18h 18m 10s

0000 RTLT=18h 18m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1030 0615 | - 61 [D] - -

1015 |----- 25 [D] ----- | 1745

0345 |----- 63 [D] ----- | 0630

DSN COVERAGE
HPTXR

32

1700 | - - 43 [B] - - | 1900

1900 |----- 45 [D] -----

HPTXR

RTLT : 14h 20m 56s

1200 RTLT=14h 20m 58s

0000 RTLT=14h 20m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

▼ 1718 DUMMY (BRACKETED 07:39)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 30, 1997
030-031

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 10s

1200 RTLTL=18h 18m 8s

0000 RTLTL=18h 18m 6s

VOYAGER 1

▼ 1205 DUMMY (06:23)

FDSL : 11AF

U/L 1235 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 - - - - 61 [D] - - - - | 1035 0615 | - 61 [D] - -

1035 | - - - - 24 - - - - | 1305

0330 | - - - - 63 [D] - - - - | 0625

HPTXR

1250 | - - - - - 25 [D] - - - - - | 2140

DSN COVERAGE

32

- - | 0830 45 [D]

2105 | - - - - - 45 [D] - - - - - | 0200

HPTXR

RTLTL : 14h 20m 58s

1200 RTLTL=14h 21m 0s

0000 RTLTL=14h 21m 0s

VOYAGER 2

↓ 2313 SLEW->BKGND

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 31, 1997
031-032

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 6s

█ 1200 RTLTL=18h 18m 6s

█ 0000 RTLTL=18h 18m 4s

VOYAGER 1

- ↓ 1210 GYRO INIT
- ↓ 1210 GYROS AB ON
- ↓ 1220 GYRO FAULT TEST
- 1312 || 1315 CCSTIM(B)

FDSL : 11AF | 0821 D/L

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 61 [D] --- | 1015 0555 | --- 61 [D] ---

1010 | ----- 25 [D] ----- | 1540

DSN COVERAGE HPTXR

32

1625 | ----- 25 [D] ----- | 2030

2020 | ----- 45 [D] ----- | 0420

HPTXR

RTLTL : 14h 21m 0s

█ 1200 RTLTL=14h 21m 0s

█ 0000 RTLTL=14h 21m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 1, 1997
032-033

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 18m 4s

1200 RTLT=18h 18m 2s

0000 RTLT=18h 18m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1030 0550 | --- 61 [D] ---

1015 |----- 25 [D] -----| 2135

0215 |----- 63 [D] -----| 0610

DSN COVERAGE
HPTXR

32

1700 |----- 45 [D] -----| 0100

HPTXR

RTLT : 14h 21m 2s

1200 RTLT=14h 21m 2s

0000 RTLT=14h 21m 2s

↓ 0313 SLEW->HELIO-1A

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/15/97 - 10:37

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 2, 1997
033-034

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 18m 2s

1200 RTLTL=18h 18m 0s

0000 RTLTL=18h 17m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1025
1015 |----- 25 [D] ----- | 2130

0235 |----- 65 [D] -----

DSN COVERAGE
HPTXR

32

1700 |----- 45 [D] ----- | 2045

0330 |----- 45 [D] -----

HPTXR

RTLTL : 14h 21m 2s

1200 RTLTL=14h 21m 2s

0000 RTLTL=14h 21m 4s

VOYAGER 2

↓ 1513 SLEW->HELIO-2A

↓ 0313 SLEW->HELIO-3A

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8