

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 12, 1998
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 17m 42s

1200 RTLTL=19h 17m 42s

0000 RTLTL=19h 17m 40s

VOYAGER 1

FDSL : 11AF

TLC (S-FORM) -| D/L -| 1148

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -12.063 sec

ROLLREF = RIGIL
KENTAURUS

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

54 [D] | 0915

0250 |----- 54 [D] -----| 0645

0915 |----- 14 [D] -----| 1405

1405 |----- 24 [D] -----| 2015

DSN COVERAGE
HPTXR

32

1605 |----- 45 [D] -----| 2010

HPTXR

RTLTL : 15h 11m 6s

1200 RTLTL=15h 11m 4s

0000 RTLTL=15h 11m 4s

↓ 0137 SLEW->HELIO-9A

VOYAGER 2

FDSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:04.855 min

ROLLREF = VEGA

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 13, 1998
044-045

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 17m 40s

1200 RTLTL=19h 17m 38s

0000 RTLTL=19h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0930 |----- 15 [D] -----| 1630

0245 - 0730 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32 1605 |----- 45 [D] -----| 0035

HPTXR

RTLTL : 15h 11m 4s

1200 RTLTL=15h 11m 4s

0000 RTLTL=15h 11m 2s

↓ 0137 SLEW->HELIO-10A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 14, 1998
045-046

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 36s

1200 RTLT=19h 17m 34s

0000 RTLT=19h 17m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0920 |----- 15 [D] -----| 1700

0245 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32

1600 |----- 45 [D] -----| 1935

2225 |--- 42 [D] ---| 0045

0535 - 0750 |--- 43 [o] ---|

HPTXR

RTLT : 15h 11m 2s

1200 RTLT=15h 11m 2s

0000 RTLT=15h 11m 2s

VOYAGER 2

↓ 0137 SLEW->MIDPNT-1A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 15, 1998
046-047

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 17m 32s

1200 RTLTL=19h 17m 30s

0000 RTLTL=19h 17m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 54 [D] -| 0920 0240 |----- 54 [D] -----| 0630
0915 |----- 15 [D] -----| 1500

DSN COVERAGE HPTXR

32 1710 |----- 42 [D] -----| 2245 0645 - 0745 | 43 [o] |

HPTXR

RTLTL : 15h 11m 2s

1200 RTLTL=15h 11m 0s

0000 RTLTL=15h 11m 0s

VOYAGER 2

↓ 1737 SLEW->MIDPNT-2A

↓ 0137 SLEW->HELIO-11A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 16, 1998
047-048

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 17m 28s

1200 RTLTL=19h 17m 26s

0000 RTLTL=19h 17m 24s

VOYAGER 1

FDSL : 11AF

U/L 1430 | - | - - - - - TLC (SHORT FORM) - - - - -

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0955 | - - - - - 24 [T] - - - - - | 1515

1500 | - - - - - 25 [D] - - - - - | 2040

0120 | - - - - - 63 [D] - - - - - | 0645

DSN COVERAGE
HPTXR

32

1545 | - - - - - 43 [D] - - - - - | 2045

2030 | - - - - - 45 [D] - - - - - | 0040

HPTXR

RTLTL : 15h 11m 0s

1200 RTLTL=15h 10m 58s

0000 RTLTL=15h 10m 58s

VOYAGER 2

↓ 0137 SLEW->HELIO-12A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

JPL HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>TUESDAY FEBRUARY 17, 1998 048-049</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 19h 17m 24s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 17m 22s</p> <p>0000 RTLTL=19h 17m 20s</p> <p>2045 2046 PWS/RH</p> <p>----- TLC (SHORT FORM) D/L - 1115</p> <p>2045 GS-4B 2046</p> <p>CR-5T 160 (32)</p> <p>CR-5T 160(32)</p>
<p>31</p> <p>DSN COVERAGE</p> <p>HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>0910 ----- 25 [D] ----- 2035</p> <p>0115 ----- 63 [D] ----- 0645</p> <p>1540 ----- 43 [B] ----- 1940</p> <p>1925 ----- 45 [D] ----- 0040</p> <p>0240 - 0740 ----- 43 [D] ----- </p>
<p>RTLTL : 15h 10m 58s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B029 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=15h 10m 56s</p> <p>0000 RTLTL=15h 10m 56s</p> <p>2005 2006 PWS/RH</p> <p>↓ 0137 SLEW->HELIO-13A</p> <p>▼ 1558 DUMMY (BRACKETED 4MIN 07:08)</p> <p>2005 GS-4B 2006</p> <p>CR-5T 160 (32)</p> <p>CR-5T 160(32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL ----- - VGR - ----- ON CALL -----</p>
<p>NOTES</p>	<p>[1] S/C 32=GS-4B @ 2005 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 2045 XB=2.8K(41) NOT RECOVERABLE</p>

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 18, 1998
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 20s

1200 RTLT=19h 17m 18s

0000 RTLT=19h 17m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0905 |----- 25 [D] -----| 1650

0225 - 0715 |----- 54 [D] -----|

DSN COVERAGE HPTXR

32 1545 |----- 45 [D] -----| 1840

0230 |---- 42 [o] ----| 0510

HPTXR

RTLT : 15h 10m 56s

1200 RTLT=15h 10m 54s

0000 RTLT=15h 10m 52s

↓ 0137 SLEW->HELIO-14A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 19, 1998
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 16s

1200 RTLT=19h 17m 12s

0000 RTLT=19h 17m 10s

VOYAGER 1

FDSL : 11AF

▼ 0150 DUMMY (NO D/L)

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0900 |----- 15 [D] -----| 1650

0110 |----- 63 -----| 0645

DSN COVERAGE
HPTXR

32 1535 |----- 43 [D] -----| 1935

HPTXR

RTLT : 15h 10m 52s

1200 RTLT=15h 10m 52s

0000 RTLT=15h 10m 50s

VOYAGER 2

↓ 0137 SLEW->HELIO-15A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 20, 1998
051-052

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 10s

1200 RTLT=19h 17m 8s

0000 RTLT=19h 17m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0855 |----- 25 [D] -----| 1650

0220 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32 1535 |-- 45 [D] ---| 1750

2215 |----- 43 [o] -----| 0645

HPTXR

RTLT : 15h 10m 50s

1200 RTLT=15h 10m 48s

0000 RTLT=15h 10m 48s

VOYAGER 2

↓ 0137 SLEW->HELIO-16A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 21, 1998
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 6s

1200 RTLT=19h 17m 4s

0000 RTLT=19h 17m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 54 [D] --- | 1020 0625 - 0735 | 54 [D] |

1000 |----- 25 [D] -----| 1650

0100 |----- 63 [D] -----| 0640

HPTXR
DSN COVERAGE

32

1525 |----- 43 [D] -----| 1925

1910 |----- 45 [D] -----| 0030

HPTXR

RTLT : 15h 10m 48s

1200 RTLT=15h 10m 46s

0000 RTLT=15h 10m 44s

↓ 0137 SLEW->HELIO-17A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 22, 1998
053-054

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 2s

1200 RTLT=19h 17m 0s

0000 RTLT=19h 16m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0850 |----- 25 [D] -----| 1445

0210 |----- 54 [D] -----| 0705

DSN COVERAGE
HPTXR

32

1645 |----- 42 [D] -----| 2045

2025 - 0715 |----- 43 [o] -----|

HPTXR

RTLT : 15h 10m 44s

1200 RTLT=15h 10m 42s

0000 RTLT=15h 10m 40s

VOYAGER 2

↓ 0137 SLEW->HELIO-18A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 23, 1998
054-055

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 58s

1200 RTLT=19h 16m 56s

0000 RTLT=19h 16m 54s

VOYAGER 1

↓ 1239 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 0845 - 1700

0205 - 0710 |----- 54 [D] ----- |

DSN COVERAGE
HPTXR

32

1525 |----- 45 [D] ----- | 0035

0030 |----- 34 [D] ----- | 0600

0530 - 0715 | - 43 [D] - - |

HPTXR

RTLT : 15h 10m 40s

1200 RTLT=15h 10m 40s

0000 RTLT=15h 10m 38s

VOYAGER 2

↓ 0137 SLEW->HELIO-19A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
FEBRUARY 24, 1998
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 54s

1200 RTLTL=19h 16m 52s

0000 RTLTL=19h 16m 50s

VOYAGER 1

↓ 1239 SLEW->HELIO-19A

2021 | 2021 PWS/RH

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2021
GS-4B 2021

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

25 [D]

0840 - 2010

0200 - 0735

54 [D]

DSN COVERAGE
HPTXR

32

1525 | 45 [D] | 1725

2245 | 34 [D] | 0035

1810 | 43 [D] | 2300

0355 - 0710

43 [o]

HPTXR

RTLTL : 15h 10m 38s

1200 RTLTL=15h 10m 36s

0000 RTLTL=15h 10m 34s

VOYAGER 2

1941 | 1942 PWS/RH

↓ 0137 SLEW->HELIO-20A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1941
GS-4B 1942

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

[1] S/C 32=GS-4B @ 1941 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 2021 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 25, 1998
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 50s

1200 RTLT=19h 16m 48s

0000 RTLT=19h 16m 44s

VOYAGER 1

↓ 1239 SLEW->HELIO-18A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 0835 - 1700

0045 - 0745 |----- 63 [D] ----- |

DSN COVERAGE
HPTXR

32

1510 |----- 43 [D] ----- | 2030

HPTXR

RTLT : 15h 10m 34s

1200 RTLT=15h 10m 32s

0000 RTLT=15h 10m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 26, 1998
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 44s

1200 RTLT=19h 16m 42s

0000 RTLT=19h 16m 40s

VOYAGER 1

↓ 1239 SLEW->HELIO-17A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

----- 25 [D] ----- | 0835 - 1700

0040 - 0745 | ----- 63 [D] ----- |

DSN COVERAGE
HPTXR

32

1515 | ----- 34 [D] ----- | 2245

0345 | ----- 43 [B] ----- | 0705

HPTXR

RTLT : 15h 10m 30s

1200 RTLT=15h 10m 28s

0000 RTLT=15h 10m 26s

VOYAGER 2

DUMMY (BRACKETED 5MIN 19:37) 0427 ▼

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 27, 1998
058-059

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 40s

1200 RTLTL=19h 16m 38s

0000 RTLTL=19h 16m 36s

VOYAGER 1

▼ 0910 DUMMY (04:26)

FDSL : 11AF

U/L 1000 |-----| TLC (SHORT-FORM) |-----| D/L |0645

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1239 SLEW->HELIO-16A

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

|-----| 24 [T] |-----| 0845 - 1600

0150 |-----| 54 [D] |-----|

DSN COVERAGE
HPTXR

32

1515 |-----| 34 [D] |-----|

|0105

HPTXR

RTLTL : 15h 10m 26s

1200 RTLTL=15h 10m 24s

0000 RTLTL=15h 10m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

--- VGR --- |-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 28, 1998
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 36s

1200 RTLTL=19h 16m 34s

0000 RTLTL=19h 16m 32s

VOYAGER 1

↓ 1239 SLEW->HELIO-15A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

54 [D] ----- | 1125

1105 |

----- 25 [D] -----

| 1955

0145 |

----- 54 [D] -----

DSN COVERAGE
HPTXR

32

1510 |

----- 34 [D] -----

| 0035

HPTXR

RTLTL : 15h 10m 22s

1200 RTLTL=15h 10m 20s

0000 RTLTL=15h 10m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/11/98 - 08:38

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 1, 1998
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 32s

1200 RTLT=19h 16m 30s

0000 RTLT=19h 16m 28s

VOYAGER 1

↓ 1239 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

54 [D] ----- | 1125

1105 |----- 25 [D] ----- | 1700

0140 |----- 54 [D] -----

DSN COVERAGE
HPTXR

32

1505 |----- 34 [D] ----- | 0645

HPTXR

RTLT : 15h 10m 18s

1200 RTLT=15h 10m 16s

0000 RTLT=15h 10m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8