

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 5, 1998
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 14s

1200 RTLTL=19h 16m 12s

0000 RTLTL=19h 16m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -13.317 sec
ROLLREF = RIGIL
KENTAURUS

↓ 1239 SLEW->MIDPT2
↓ 1439 SLEW->MIDPT1

----- TLC (SHORT-FORM) ----- | D/L | 1444

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0815 63 [D]

----- 25 [D] ----- | 0805 - 1700

0015 - 0745 | ----- 63 [D] ----- |

DSN COVERAGE
HPTXR

32

1445 | --- 45 [D] --- | 1700

1645 | ---- 42 [D] ---- | 1930

HPTXR

RTLTL : 15h 9m 58s

1200 RTLTL=15h 9m 56s

0000 RTLTL=15h 9m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:02.364 min
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 6, 1998
065-066

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 10s

1200 RTLTL=19h 16m 8s

0000 RTLTL=19h 16m 6s

VOYAGER 1

↓ 1239 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0125 |----- 54 [D] -----
25 [D] 0800

DSN COVERAGE
HPTXR

32

1440 |----- 43 [D] -----| 1845

0315 |----- 34 [D] -----| 0625

HPTXR

RTLTL : 15h 9m 54s

1200 RTLTL=15h 9m 50s

0000 RTLTL=15h 9m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 7, 1998
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 6s

1200 RTLT=19h 16m 4s

0000 RTLT=19h 16m 0s

VOYAGER 1

↓ 1239 SLEW->HELIO-9A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0820 54 [D]

0120 | 54 [D]

25 [D] | 0800 - 1925

DSN COVERAGE
HPTXR

32

1440 | 34 [D]

0620

HPTXR

RTLT : 15h 9m 48s

1200 RTLT=15h 9m 46s

0000 RTLT=15h 9m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 8, 1998
067-068

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1200 RTLT=19h 15m 58s

0000 RTLT=19h 15m 56s

↓ 1239 SLEW->HELIO-8A

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 54 [D] --- | 1025
1010 |----- 25 [D] -----| 1720
0125 |----- 63 [D] -----| 0550
25 [D] 0750 |

DSN COVERAGE
HPTXR

32 1440 |----- 34 [D] -----| 0100

HPTXR

RTLT : 15h 9m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1200 RTLT=15h 9m 40s

0000 RTLT=15h 9m 38s

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 9, 1998
068-069

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 56s

1200 RTLT=19h 15m 54s

0000 RTLT=19h 15m 52s

VOYAGER 1

↓ 1239 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 25 [D] ----- | 1350

2355 | ----- 63 [D] ----- | 0555 25 [D] 0745 |

DSN COVERAGE HPTXR

32 1430 | ----- 43 [D] ----- | 2145

HPTXR

RTLT : 15h 9m 38s

1200 RTLT=15h 9m 34s

0000 RTLT=15h 9m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 10, 1998
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 52s

1200 RTLTL=19h 15m 50s

0000 RTLTL=19h 15m 48s

VOYAGER 1

↓ 1239 SLEW->HELIO-6A

1932 | 1933 PWS/RH

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1932
GS-4B 1933

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1710 ----- 2355 | ----- 63 [D] ----- | 0545 ----- 25 [D] 0740 | - -

DSN COVERAGE
HPTXR

32 ----- 1445 | ----- 43 [B] ----- | 1835 ----- 1845 | ----- 34 [D] ----- | 0030 ----- 0330 | ----- 43 [D] ----- | 0615 -----

HPTXR

RTLTL : 15h 9m 32s

1200 RTLTL=15h 9m 28s

0000 RTLTL=15h 9m 26s

VOYAGER 2

▼ 1712 DUMMY (BRACKETED 5MIN NO D/L)

0312 | - - COMMAND MORATORIUM - -

FDSL : 11AF

1853 | 1853 PWS/RH
1904 | ----- | 2015 TAPPOS
2006 | ----- | 2149
2006 | ----- | 2309
2006 | ----- | 2326

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1853
GS-4B 1853

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - - VGR - - | ----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1853 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1932 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY MARCH 11, 1998 070-071	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8
RTLT : 19h 15m 48s VOYAGER 1 FDSL : 11AF CCSL : A026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=19h 15m 46s ↓ 1238 SLEW->HELIO-5A 0000 RTLT=19h 15m 44s
FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)
31	----- 25 [D] ----- 1845 2350 ----- 63 [D] ----- 0740 ----- 0645
DSN COVERAGE HPTXR	
32	1420 ----- 43 [D,A] ----- 0205 1420 ----- 34 [D,A] ----- 0205
HPTXR	
RTLT : 15h 9m 26s VOYAGER 2 FDSL : 11AF CCSL : B029 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=15h 9m 22s 0000 RTLT=15h 9m 20s ----- COMMAND MORATORIUM ----- ↓ 1752 BAY 1 HTR OFF ↓ 1756 X/B HI POWER ↓ 1852 YAW=.05 1901 ----- PLAYBACK ----- 0136 ↓ 0150 YAW=.10
FDS MODE	1901 0136
XB DATA RATE (MI)	CR-5T PB-5 CR-5T 160(32) 7.2K(55) 160(32)
VOYAGER COVERAGE	----- ON CALL ----- +----- VGR ----- +----- ON CALL -----
NOTES	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 12, 1998
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 44s

1200 RTLT=19h 15m 42s

0000 RTLT=19h 15m 40s

VOYAGER 1

↓ 1238 SLEW->HELIO-4A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1700

2345 |----- 63 [D] ----- | 0545

25 [D] 0735 |-----

DSN COVERAGE
HPTXR

32

1415 |----- 43 [D] ----- | 1830

HPTXR

RTLT : 15h 9m 20s

1200 RTLT=15h 9m 16s

0000 RTLT=15h 9m 14s

VOYAGER 2

----- COMMAND MORATORIUM -----

1724 | 1731 TAPPOS

↓ 1745 GYROS BC ON

↓ 1746 GYRO INIT

↓ 1755 GYRO FAULT TEST

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ VGR +

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 13, 1998
072-073

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 40s

1200 RTLTL=19h 15m 38s

0000 RTLTL=19h 15m 36s

VOYAGER 1

↓ 1238 SLEW->HELIO-3A

▼ 0005 DUMMY (NO D/L)

FDSL : 11AF

U/L 0600 | - |
TLC (SHORT-FORM | - - - - -

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1330 ----- 2340 | ----- 63 [T] -----

DSN COVERAGE
HPTXR

32 ----- 1410 | ----- 43 [D] ----- | 1825 -----

HPTXR

RTLTL : 15h 9m 14s

1200 RTLTL=15h 9m 10s

0000 RTLTL=15h 9m 8s

COMMAND MORATORIUM

| 0236

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 14, 1998
073-074

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 36s

1200 RTLT=19h 15m 34s

0000 RTLT=19h 15m 32s

VOYAGER 1

↓ 1238 SLEW->HELIO-2A

FDSL : 11AF

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

TLC (SHORT-FORM

+ D/L -| 0217

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

63 [T]

1150

25 [D] 0725

1135

25 [D]

1900

0050 - 0740

54 [D]

DSN COVERAGE

HPTXR

32

1415

34 [D]

2315

HPTXR

RTLT : 15h 9m 8s

1200 RTLT=15h 9m 4s

0000 RTLT=15h 9m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 15, 1998
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 32s

1200 RTLT=19h 15m 30s

0000 RTLT=19h 15m 28s

VOYAGER 1

↓ 1238 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- 1855

2335 |----- 63 [D] -----| 14 [D] 0705 |-----
0530

DSN COVERAGE
HPTXR

32

1410 |----- 34 [D] -----| 2250

HPTXR

RTLT : 15h 9m 2s

1200 RTLT=15h 8m 58s

0000 RTLT=15h 8m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8


ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>MONDAY MARCH 16, 1998 075-076</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 19h 15m 28s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 15m 26s</p> <p>0000 RTLTL=19h 15m 24s</p> <p>↓ 1238 SLEW->HELIO-1B</p> <hr/> <p>CR-5T 160(32)</p> <hr/> <p>31 ----- 14 [D] ----- 1430</p> <p>HPTXR</p> <p>DSN COVERAGE</p> <p>32 ----- 1355 ----- 43 [B] ----- 2045</p> <p>HPTXR</p> <p>2330 ----- 63 [D] ----- 0515</p> <p>2245 ----- 34 [D] ----- 0545</p>
<p>RTLTL : 15h 8m 56s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B029 TWNC : ON SB : OFF XB : HI PYR : .05/ .10 / .25 GYROS : ON</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=15h 8m 52s</p> <p>0000 RTLTL=15h 8m 48s</p> <p>DUMMY (BRACKETED 4MIN 05:21) 1413 ▼</p> <p>↓ 1901 ALL DB=.05 ↓ 1917 AAI 1918 - - 1955 ASCAL ↓ 1952 RAI ↓ 1955 CRU ↓ 2004 ROLL=.25 ↓ 2004 YAW=.10 ↓ 2005 GYRO FAULT TEST</p> <hr/> <p>1846 1958</p> <p>CR-5T EL-40 CR-5T 160(32) 40(30) 160(32)</p> <hr/> <p>VOYAGER COVERAGE ----- ON CALL ----- ----- VGR ----- ----- ON CALL ----- </p>
<p>NOTES</p>	<p>[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1918-1955)</p>
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p>	

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 18, 1998
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 20s

1200 RTLT=19h 15m 18s

0000 RTLT=19h 15m 16s

VOYAGER 1

↓ 1238 SLEW->HELIO-3B

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0920 | --- 15 [D] --- | 1140

2320 - 0745 | ----- 63 [D] ----- | 14 [T] 0730 | ---

DSN COVERAGE
HPTXR

32

1355 | ----- 45 [D] ----- | 2045

HPTXR

RTLT : 15h 8m 42s

1200 RTLT=15h 8m 38s

0000 RTLT=15h 8m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 19, 1998
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 16s

1200 RTLT=19h 15m 14s

0000 RTLT=19h 15m 12s

VOYAGER 1

↓ 1238 SLEW->HELIO-4B

▼ 1430 DUMMY (09:45)

FDSL : 11AF

U/L 1500 |----- TLC (SHORT-FORM) -----

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

----- 14 [T] ----- | 1545

2315 |----- 63 [D] ----- | 0520

DSN COVERAGE
HPTXR

32

1355 |----- 34 [D] ----- | 0115

HPTXR

RTLT : 15h 8m 36s

1015 |-----

----- COMMAND MORATORIUM -----

0000 RTLT=15h 8m 28s

VOYAGER 2

↓ 1855 AAI

1858 |----- MAGROL ----- | 0054

FDSL : 11AF

↓ 0046 RAI

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

↓ 0054 CRU

↓ 0054 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR |----- ON CALL ----- | VGR ----- |----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1858-0054)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 20, 1998
079-080

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 12s

1200 RTLT=19h 15m 10s

0000 RTLT=19h 15m 8s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L 1143

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1238 SLEW->HELIO-5B

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 14 [D] -----| 0830 - 1230

2315 |----- 63 [D] -----| 0440 |----- 54 [D] -----| 0500

DSN COVERAGE
HPTXR

32

2245 |----- 34 [D] -----| 0530

HPTXR

RTLT : 15h 8m 28s

1200 RTLT=15h 8m 26s

0000 RTLT=15h 8m 22s

VOYAGER 2

COMMAND MORATORIUM

2136 SLEW->HELIO-17B

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : HI

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 21, 1998
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 8s

1200 RTLT=19h 15m 6s

0000 RTLT=19h 15m 4s

VOYAGER 1

↓ 1238 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 54 [D] --- | 1005

0945 |----- 15 [D] ----- | 1500

0025 - 0715 |----- 54 [D] ----- | 24 [D] 0715 |-----

DSN COVERAGE
HPTXR

32

1345 |----- 34 [D] ----- | 2315

HPTXR

RTLT : 15h 8m 22s

1200 RTLT=15h 8m 18s

0000 RTLT=15h 8m 16s

VOYAGER 2

↓ 2136 SLEW->HELIO-16B

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/04/98 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 22, 1998
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 4s

1200 RTLTL=19h 15m 4s

0000 RTLTL=19h 15m 2s

VOYAGER 1

↓ 1238 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 24 [D] -| 0920

2305 |----- 63 [D] -----| 0505

0655 | 14 [D]

DSN COVERAGE
HPTXR

32

1345 |----- 34 [D] -----| 2315

HPTXR

RTLTL : 15h 8m 16s

1200 RTLTL=15h 8m 12s

0000 RTLTL=15h 8m 8s

VOYAGER 2

↓ 2136 SLEW->HELIO-15B

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8