

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 18, 2000
139-140

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 15m 58s

1200 RTLT=21h 16m 2s

0000 RTLT=21h 16m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: -19.035 sec
ROLLREF = RIGIL KENTAURUS

↓ 1439 SLEW->HELIO-8B

↓ 0239 SLEW->HELIO-9B

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 15 [D] ----- | 1440 ----- 2125 | ----- 63 [D] ----- | 0345 | ----- 25 [D] ----- | 0400

DSN COVERAGE
HPTXR

32 ----- 0940 | ----- 43 [D] ----- | 2150

HPTXR

RTLT : 16h 43m 58s

1200 RTLT=16h 43m 56s

0000 RTLT=16h 43m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

S/C 32 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: -28.993 sec
ROLLREF = VEGA

↓ 1441 AAI

1444 | ----- MAGROL ----- | 2039

↓ 2032 RAI

↓ 2039 CRU

↓ 2039 GYROS OFF

----- COMMAND MORATORIUM -----

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | ----- VGR ----- | ----- ON CALL ----- |

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1444-2039)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 19, 2000
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 16m 4s

1200 RTLT=21h 16m 8s

0000 RTLT=21h 16m 12s

VOYAGER 1

↓ 1439 SLEW->HELIO-10B

SLEW->MIDPNT-B 0639 ↓

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- | 1410

1920 | ----- 63 [D] ----- | 0100

0445 | --- 15 [D] ---

HPTXR

DSN COVERAGE

0040 | ----- 65 [D] ----- | 0430

32

0945 | ----- 45 [D] ----- | 1945

HPTXR

RTLT : 16h 43m 54s

1200 RTLT=16h 43m 54s

0000 RTLT=16h 43m 52s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 0355

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 20, 2000
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 16m 12s

1200 RTLT=21h 16m 14s

0000 RTLT=21h 16m 18s

↓ 0239 SLEW->HELIO-11B

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 15 [D] ----- | 1120

1915 |----- 63 [D] ----- | 0440 |----- 15 [D] -----

DSN COVERAGE
HPTXR

32 0955 |----- 43 [D] ----- | 1730

1715 |----- 45 [D] ----- | 0125

HPTXR

1200 RTLT=16h 43m 50s

0000 RTLT=16h 43m 48s

RTLT : 16h 43m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 21, 2000
142-143

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 16m 18s

1200 RTLT=21h 16m 22s

0000 RTLT=21h 16m 26s

VOYAGER 1

↓ 1439 SLEW->HELIO-12B

↓ 0239 SLEW->HELIO-13B

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 - - - - 15 [D] - - - - | 0950

0355 | - - - - 25 [D] - - - -

1910 | - - - - 63 [D] - - - - | 0405

DSN COVERAGE
HPTXR

32

0925 | - - - - 43 [o] - - - - | 1945

HPTXR

RTLT : 16h 43m 48s

1200 RTLT=16h 43m 46s

0000 RTLT=16h 43m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 22, 2000
143-144

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 16m 26s

1200 RTLTL=21h 16m 28s

0000 RTLTL=21h 16m 32s

VOYAGER 1

↓ 1439 SLEW->HELIO-14B

↓ 0239 SLEW->HELIO-15B

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- | 1345

2120 |----- 63 [D] ----- | 0345 |----- 15 [D] ----- | 0405

DSN COVERAGE
HPTXR

32

0930 |----- 45 [D] ----- | 1935

HPTXR

RTLTL : 16h 43m 46s

1200 RTLTL=16h 43m 44s

0000 RTLTL=16h 43m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 23, 2000
144-145

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 16m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A035
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=21h 16m 36s
 0000 RTLT=21h 16m 40s

↓ 1439 SLEW->HELIO-16B
 1520 | 1521 PWS/RH
 ↓ 0239 SLEW->HELIO-17B

U/L 0155 | - | - - - TLC (SHORT-FORM) - - - -

1521
 GS-4B 1521

FDS MODE CR-5T CR-5T
 XB DATA RATE (MI) 160 (32) 160(32)

31 ----- 15 [D] ----- | 1245
 2135 |----- 63 [T] ----- | 25 [D] 0630 |-----
 0545

DSN COVERAGE HPTXR
 32 0925 |----- 45 [D] ----- | 1710
 HPTXR

RTLT : 16h 43m 42s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 43m 42s
 0000 RTLT=16h 43m 40s

1427 | 1427 PWS/RH

1427
 GS-4B 1427

FDS MODE CR-5T CR-5T
 XB DATA RATE (MI) 160 (32) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES
 [1] S/C 32=GS-4B @ 1427 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 1521 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 24, 2000
145-146

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 16m 40s

1200 RTLTL=21h 16m 44s

0000 RTLTL=21h 16m 48s

VOYAGER 1

| PLSCAL -| 0712- 0854

| --- MAGCAL ---| 0712- 1014

| --- PESCAL ---| 0712- 1032

↓ 1439 SLEW->HELIO-18B

FDSL : 11AF

CCSL : A035

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

----- TLC (SHORT-FORM) -----

| D/L -| 0040

↓ 0239 SLEW->HELIO-19B

▼ 2200 DUMMY (19:17)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] -----| 1200

2135 |----- 63 -----| 0040

0045 |----- 54 [D] -----| 0455

DSN COVERAGE

HPTXR

32

0925 |----- 45 [D] -----| 1645

HPTXR

RTLTL : 16h 43m 40s

1200 RTLTL=16h 43m 40s

0000 RTLTL=16h 43m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B107

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 25, 2000
146-147

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 16m 48s
VOYAGER 1
FDSL : 11AF
CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=21h 16m 52s 0000 RTLTL=21h 16m 56s

↓ 1439 SLEW->HELIO-20B

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----15 [D]-----| 0715 - 1415 1855 |-----63 [D]-----| 2315 0340 |-----25 [D]-----|

HPTXR

2255 |-----54 [D]-----| 0320

DSN COVERAGE

32

0910 |-----43 [B]-----| 1515 1500 |-----45 [D]-----| 1745

HPTXR

1200 RTLTL=16h 43m 36s 0000 RTLTL=16h 43m 36s

RTLTL : 16h 43m 38s
VOYAGER 2
FDSL : 11AF
CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1437 DUMMY (BRACKETED 5 MIN NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + - VGR - + ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 26, 2000
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 16m 56s

1200 RTLTL=21h 17m 0s

0000 RTLTL=21h 17m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] -----| 1345

2120 |---- 65 [D] ----| 0005

0305 |----- 15 [D] -----

DSN COVERAGE
HPTXR

32

0940 |----- 45 [D] -----| 0125

HPTXR

RTLTL : 16h 43m 36s

1200 RTLTL=16h 43m 34s

0000 RTLTL=16h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 27, 2000
148-149

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 17m 4s

↓ 0739 SLEW->HELIO-20A

1200 RTLTL=21h 17m 8s

0000 RTLTL=21h 17m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1255

2005 | ----- 65 [D] ----- | 0005

0335 | ----- 15 [D] -----

HPTXR
DSN COVERAGE

32

0910 | ----- 45 [D] ----- | 1805

HPTXR

RTLTL : 16h 43m 34s

1200 RTLTL=16h 43m 32s

0000 RTLTL=16h 43m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 28, 2000
149-150

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 17m 12s

↓ 0739 SLEW->HELIO-19A

1200 RTLT=21h 17m 18s

0000 RTLT=21h 17m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1050

0340 |----- 25 [D] -----

1845 |----- 63 [D] ----- | 0315

DSN COVERAGE
HPTXR

32 0905 |----- 45 [D] ----- | 1430

1500 |----- 34 [o] ----- | 2305

HPTXR

RTLT : 16h 43m 32s

1200 RTLT=16h 43m 32s

0000 RTLT=16h 43m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 29, 2000
150-151

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 17m 22s

1200 RTLT=21h 17m 26s

0000 RTLT=21h 17m 30s

VOYAGER 1

↓ 0739 SLEW->HELIO-18A

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 25 [D] | 0815

1840 |----- 63 [D] ----- 0315 - 0700 |----- 15 [D] -----
| 0335

DSN COVERAGE
HPTXR

32 0855 |----- 43 [D] ----- | 1200

1630 |----- 34 [o] ----- | 2150

HPTXR

RTLT : 16h 43m 30s

1200 RTLT=16h 43m 30s

0000 RTLT=16h 43m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 30, 2000
151-152

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 17m 30s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A035
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 0739 SLEW->HELIO-17A

1200 RTLT=21h 17m 36s | 0000 RTLT=21h 17m 40s

1457 | 1458 PWS/RH
 1509 |----- DTR MAINT -----| 2033

U/L 0130 | - | - - - - TLC (SHORT-FORM) - - - -

2037 | - - - TAPPOS - - - | 2312

▼ 2200 DUMMY (19:18)

1457 GS-4B 1458

FDS MODE CR-5T CR-5T
 XB DATA RATE (MI) 160(32) 160(32)

31 0700 15 [D] |----- 2135 |----- 63 [T] -----| 0230 0430 | - - - 15 [D] - - -

DSN COVERAGE HPTXR

32 0850 |----- 43 [D] -----| 1455
 1435 |----- 45 [D] -----| 2345

HPTXR

RTLT : 16h 43m 30s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 43m 28s | 0000 RTLT=16h 43m 28s

1402 | 1403 PWS/RH
 1516 | PLSCAL - | 1659
 1516 | - - - MAGCAL - - - | 1819
 1516 | - - - - - PESCAL - - - - - | 1836

1403 GS-4B 1403

FDS MODE CR-5T CR-5T
 XB DATA RATE (MI) 160(32) 160(32)

VOYAGER COVERAGE |----- ON CALL ----- + - VGR - + |----- ON CALL -----

NOTES [1] S/C 32=GS-4B @ 1403 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1457 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 31, 2000
152-153

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 17m 40s

↓ 0739 SLEW->HELIO-16A

↓ 1900 MEM U/D - ENABLE AHELIO

VOYAGER 1

FDSL : 11AF

CCSL : A035

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

----- TLC (SHORT-FORM) ----- | D/L | 0016

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1200

1840 | ----- 63 [D] ----- | 0035

0335 | ----- 15 [D] -----

DSN COVERAGE

HPTXR

32

0855 | ----- 45 [D] ----- | 2145

HPTXR

RTLT : 16h 43m 28s

█ 1200 RTLT=16h 43m 28s

█ 0000 RTLT=16h 43m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B107

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 1, 2000
153-154

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 17m 50s

1200 RTLT=21h 17m 54s

0000 RTLT=21h 18m 0s

VOYAGER 1

↓ 0740 SLEW->HELIO-15A

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 15 [D] --- | 0930

1910 |----- 65 [D] -----| 0455 |--- 25 [D] ---| 0510

DSN COVERAGE
HPTXR

32 0840 |----- 43 -----| 1550

1530 |----- 34 [o] -----| 2145

HPTXR

1200 RTLT=16h 43m 26s

0000 RTLT=16h 43m 26s

RTLT : 16h 43m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1502 DUMMY (5 MIN BRACKETED NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR -- |----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 2, 2000
154-155

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 18m 0s

↓ 0740 SLEW->HELIO-14A

1200 RTLT=21h 18m 4s

0000 RTLT=21h 18m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 25 [D] --- | 0900

2115 | ----- 63 [D] ----- | 0330 |----- 15 [D] ----- | 0345

DSN COVERAGE
HPTXR

32 0845 |----- 45 [D] ----- | 1800

HPTXR

1200 RTLT=16h 43m 26s

0000 RTLT=16h 43m 26s

RTLT : 16h 43m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 3, 2000
155-156

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 18m 10s

↓ 0740 SLEW->HELIO-13A

1200 RTLT=21h 18m 14s

0000 RTLT=21h 18m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D] ----- | 1235

1820

63 [D] -----

0440

15 [D] -----

| 0325

DSN COVERAGE
HPTXR

32

0845

45 [D] -----

| 1720

HPTXR

RTLT : 16h 43m 26s

1200 RTLT=16h 43m 26s

0000 RTLT=16h 43m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/17/00 - 07:57

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 4, 2000
156-157

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 18m 20s

↓ 0740 SLEW->HELIO-12A

1200 RTLT=21h 18m 24s

0000 RTLT=21h 18m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1045

0250 |----- 15 [D] -----

DSN COVERAGE
HPTXR

32 0915 |----- 34 [D] ----- | 1715

2015 |----- 34 [D] ----- | 0040

HPTXR

RTLT : 16h 43m 26s

1200 RTLT=16h 43m 26s

0000 RTLT=16h 43m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7