

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 10, 2000
223-224

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 37m 42s

1200 RTLT=21h 37m 54s

0000 RTLT=21h 38m 6s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -19.387 sec

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1600

2330

2330

15 [D]

DSN COVERAGE
HPTXR

32

43 [D] 1010

1000

34 [o]

1955

HPTXR

RTLT : 16h 52m 28s

1200 RTLT=16h 52m 36s

0000 RTLT=16h 52m 44s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

▲ 1742 CMD TEST (10 DUMMY CC's - 5 MIN CTR, 10:35)

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -38.093 sec

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

VGR

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 11, 2000
224-225

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 38m 6s

1200 RTLT=21h 38m 16s

0000 RTLT=21h 38m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 -- 15 [D] -- | 0845

1400 |----- 63 [D] -----| 2330

2330

----- 14 [D] -----

DSN COVERAGE
HPTXR

32 0845 |----- 43 [B] -----| 1910

0355 |----- 43 [D] -----

HPTXR

1200 RTLT=16h 52m 52s

0000 RTLT=16h 53m 0s

RTLT : 16h 52m 44s

VOYAGER 2

FDSL : 11AF

▼ 1542 DUMMY (5 MIN BRACKETED 08:36)

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 12, 2000
225-226

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 38m 28s

1200 RTLT=21h 38m 40s

0000 RTLT=21h 38m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 14 [D] --- | 0905

1400 |----- 63 [D] ----- | 2320

0200 |----- 15 [D] -----

DSN COVERAGE
HPTXR

32 --- 43 [D] ----- | 1010

0345 |----- 43 [o] -----

HPTXR

RTLT : 16h 53m 0s

1200 RTLT=16h 53m 8s

0000 RTLT=16h 53m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 13, 2000
226-227

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 38m 50s

1200 RTLT=21h 39m 2s

0000 RTLT=21h 39m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A036

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 15 [D] - 0830

1400

2330 - 0700

2320

14 [D]

DSN COVERAGE
HPTXR

32

43 [o]

1525

0445

45 [D]

HPTXR

RTLT : 16h 53m 18s

1200 RTLT=16h 53m 26s

0000 RTLT=16h 53m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B109

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 14, 2000
227-228

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 39m 14s

1200 RTLT=21h 39m 26s

0000 RTLT=21h 39m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 0700 14 [D]

1940 |----- 65 [D] -----| 0025 |----- 25 [D] -----| 0045

DSN COVERAGE HPTXR

32 |-----| 0755 45 [D]

1200 |----- 34 [o] -----| 1905

45 [D] 0615 |-----|

HPTXR

1200 RTLT=16h 53m 44s

0000 RTLT=16h 53m 52s

RTLT : 16h 53m 34s

VOYAGER 2

FDSL : 11AF

1614 | - | 1643 CCS DRIBBLE R/O

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

1554 1644

EL40

40

(30)

CR-5T

160 (32)


VOYAGER COVERAGE

|----- ON CALL -----|----- VGR -----|----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52



ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 16, 2000
229-230

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 40m 0s

1200 RTLT=21h 40m 12s

0000 RTLT=21h 40m 24s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 2133

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0735 14 [D]

1625 |----- 65 [D] -----| 2140

14 [D] -----

25 [D] 0655 |

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 0725 - 1430

45 [D] 0630 |

HPTXR

RTLT : 16h 54m 10s

1200 RTLT=16h 54m 18s

0000 RTLT=16h 54m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 17, 2000
230-231

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 40m 24s

1200 RTLTL=21h 40m 36s

0000 RTLTL=21h 40m 46s

VOYAGER 1

↓ 1629 BAY 1 HTR OFF
↓ 1633 X/B HI POWER

↓ 0015 YAW=.05

FDSL : 11AF

0025 - 0651 |-----PWSPB-----|

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2251 | 2253 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

0025

PB-14
1.4K(39)

0651
CR-5T

31 | 0715 14 [D]
25 [D] | 0805

2330 |-----14 [D]-----|

DSN COVERAGE
HPTXR

1600 |-----63 [D]-----| 2315

32 |-----45 [D]-----| 1400

1745 | - 34 [o] - - | 1930

0335 |-----45 [D]-----|

HPTXR

RTLTL : 16h 54m 28s

1200 RTLTL=16h 54m 36s

0000 RTLTL=16h 54m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL ----- |----- VGR -----|

NOTES

[1] S/C 31=PB-14 @ 0651 XB=1.4K(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 18, 2000
231-232

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 40m 46s

1200 RTLTL=21h 40m 58s

0000 RTLTL=21h 41m 10s

VOYAGER 1

0701 YAW=.10

↓ 2231 YAW=.05

YAW=.10 0638 ↓

FDSL : 11AF

1651 | TAPPOS | 1814

2242- 0628 |----- PWSPB -----|

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

2242

PB-14
1.4K(39)

0628
CR-5T

31 ---| 0735 14 [D]

1640 |----- 65 [D] -----| 2140

2120

14 [D]

DSN COVERAGE

HPTXR

32

----- 45 [D] -----| 1940

45 [D] 0615 |-----

HPTXR

RTLTL : 16h 54m 46s

1200 RTLTL=16h 54m 54s

0000 RTLTL=16h 55m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

+----- ON CALL -----+----- VGR -----|

NOTES

[1] S/C 31=PB-14 @ 0628 XB=1.4K(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 19, 2000
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 41m 10s

1200 | RTLTL=21h 41m 22s

0000 | RTLTL=21h 41m 34s

VOYAGER 1

FDSL : 11AF

1402 | 1402 TAPPOS

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0725 14 [D]

1350 | 63 [D] | 1645

0030 | 15 [D]

HPTXR

1940 | 54 [D] | 2340

DSN COVERAGE

32

45 [D] | 1935

0325 | 45 [D]

HPTXR

RTLTL : 16h 55m 4s

1200 | RTLTL=16h 55m 12s

0000 | RTLTL=16h 55m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 20, 2000
233-234

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 41m 34s

1200 RTLTL=21h 41m 46s

0000 RTLTL=21h 41m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 15 [D] | 0815

1310 | ----- 63 [D] ----- | 1700

2110 - 0635 | ----- 14 [D] ----- |

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1540

HPTXR

RTLTL : 16h 55m 22s

1200 RTLTL=16h 55m 32s

0000 RTLTL=16h 55m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 21, 2000
234-235

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 41m 58s
VOYAGER 1
FDSL : 11AF
CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLT=21h 42m 8s 0000 RTLT=21h 42m 20s

↓ 2052 SLEW->SAFE ↓ 0052 SLEW->ALPHA VIR
↓ 0352 SLEW->SAFE

U/L 0120 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDS MODE	CR-5T	2333	UV-5A
XB DATA RATE (MI)	160(32)		600(36)

31
DSN COVERAGE HPTXR
1915 | - - - - - 65 [D] - - - - - | 0005
2345 | - - - - - 14 [T] - - - - -

32
DSN COVERAGE HPTXR
0835 | - - - - - 45 [D] - - - - - | 1910

RTLT : 16h 55m 40s
VOYAGER 2
FDSL : 11AF
CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 55m 50s 0000 RTLT=16h 56m 0s

FDS MODE	CR-5T		
XB DATA RATE (MI)	160(32)		

VOYAGER COVERAGE - - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 22, 2000
235-236

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 42m 20s
VOYAGER 1
FDSL : 11AF
CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLTL=21h 42m 32s
0000 RTLTL=21h 42m 44s

1021 | 1022 PWS/RH

↓ 2352 X/B LOW POWER
↓ 2356 BAY 1 HTR ON

----- TLC (SHORT-FORM) ----- | D/L -| 0041

1021 GS-4B 1022

FDS MODE	UV-5A	CR-5T
XB DATA RATE (MI)	600(36)	160(32)

31 | 0715 14 [T] 1520 | ----- 63 [D] ----- | 0025 | ----- 25 [D] ----- | 0055

DSN COVERAGE HPTXR

32 | 0825 | ----- 34 [0] ----- | 1730 0530 | 45 [D] |

HPTXR

RTLTL : 16h 56m 0s
VOYAGER 2
FDSL : 11AF
CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 56m 8s
0000 RTLTL=16h 56m 18s

0921 | 0922 PWS/RH

1034 | PLSCAL -| 1217
1034 | --- MAGCAL --- | 1337
1034 | --- PESCAL --- | 1354

0921 GS-4B 0922

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE ----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 0921 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1021 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 23, 2000
236-237

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 42m 44s

1200 RTLT=21h 42m 56s

0000 RTLT=21h 43m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0735 25 [D]

1600 |----- 63 [D] -----| 2135

2115 - 0625 |----- 14 [D] -----|

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1850

HPTXR

RTLT : 16h 56m 18s

1200 RTLT=16h 56m 28s

0000 RTLT=16h 56m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 24, 2000
237-238

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 43m 8s

1200 RTLT=21h 43m 20s

0000 RTLT=21h 43m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2330 |----- 14 [D] -----

DSN COVERAGE
HPTXR

32

0930 |----- 45 [D] -----| 1915

HPTXR

RTLT : 16h 56m 38s

1200 RTLT=16h 56m 48s

0000 RTLT=16h 56m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 25, 2000
238-239

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 43m 32s

1200 RTLT=21h 43m 44s

0000 RTLT=21h 43m 56s

VOYAGER 1

↓ 1352 SLEW->HELIO-20B

↓ 0153 SLEW->HELIO-19B

FDSL : 11AF

▼ 1700 DUMMY (14:44)

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 14 [D]

1250 |

63 |

2330 |

25 [D] |

2235 |

DSN COVERAGE
HPTXR

32

1405 |

45 [D] |

1805 |

0520 |

45 [D] |

HPTXR

RTLT : 16h 56m 58s

1200 RTLT=16h 57m 6s

0000 RTLT=16h 57m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ - VGR - +

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 26, 2000
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 43m 56s

1200 RTLTL=21h 44m 8s

0000 RTLTL=21h 44m 18s

VOYAGER 1

↓ 1353 SLEW->HELIO-18B

↓ 0153 SLEW->HELIO-17B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0740 25 [D]

1245 |----- 63 [D] -----| 1640

2245 |----- 24 [D] -----| 0445

1800 |----- 65 [D] -----| 2105

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1520

HPTXR

RTLTL : 16h 57m 16s

1200 RTLTL=16h 57m 26s

0000 RTLTL=16h 57m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/11/00 - 12:52

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 27, 2000
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 44m 18s

1200 RTLT=21h 44m 30s 0000 RTLT=21h 44m 42s

VOYAGER 1

↓ 1353 SLEW->HELIO-16B

↓ 0153 SLEW->HELIO-15B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245 |----- 63 [D] -----| 2235 0045 |----- 25 [D] -----|

DSN COVERAGE
HPTXR

32

0750 |----- 45 [D] -----| 1850 0445 |--- 45 [D] ---|

HPTXR

RTLT : 16h 57m 36s

1200 RTLT=16h 57m 46s 0000 RTLT=16h 57m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7