

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 28, 2000
363-364

S/C STATUS MEETING AT 8:30

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 26s

1200 RTLTL=22h 18m 28s

0000 RTLTL=22h 18m 30s

VOYAGER 1

↓ 2010 SLEW->HELIO-2A

FDSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -20.212 sec

ROLLREF = RIGIL
KENTAURUS

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

1145 |----- 65 [D] -----| 1600

0440 |-- 63 [D] --| 0645

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1100

0330 - 0730 |----- 34 [D] -----|

HPTXR

RTLTL : 17h 39m 36s

1200 RTLTL=17h 39m 42s

0000 RTLTL=17h 39m 48s

VOYAGER 2

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -53.570 sec

ROLLREF = VEGA

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 29, 2000
364-365

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 30s

1200 RTLTL=22h 18m 32s

0000 RTLTL=22h 18m 34s

VOYAGER 1

↓ 2010 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1330 |----- 24 [D] -----| 1955

0450 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32

0405 |----- 45 [D] -----|

HPTXR

RTLTL : 17h 39m 48s

1200 RTLTL=17h 39m 52s

0000 RTLTL=17h 39m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 30, 2000
365-366

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 34s

1200 RTLTL=22h 18m 36s

0000 RTLTL=22h 18m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

U/L 0615 |---|-----|
TLC (SHORT-FORM)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -----63 [D] -----|1245 0500 |-----63 [T]-----

1225 |-----14 [D]-----|1715

1805 |-----25 [D]-----|2205

HPTXR
DSN COVERAGE

32 -----45 [D] -----|1050

HPTXR

RTLTL : 17h 39m 58s

1200 RTLTL=17h 40m 4s

0000 RTLTL=17h 40m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 31, 2000
366-001

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 36s

1200 RTLTL=22h 18m 38s

0000 RTLTL=22h 18m 40s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0602

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 0845 63 [T]

1935 |----- 14 [D] -----| 2350

0445 |----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1920 |----- 34 [D] -----| 2310

HPTXR

RTLTL : 17h 40m 8s

1200 RTLTL=17h 40m 14s

0000 RTLTL=17h 40m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 1, 2001
001-002

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 40s

1200 RTLT=22h 18m 42s

0000 RTLT=22h 18m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 63 [D] --- | 1000

1220 |----- 14 [D] ----- | 1710

0440 |----- 63 [D] -----

1650 |----- 25 [D] ----- | 2300

DSN COVERAGE
HPTXR

32 | - 45 [D] - | 0830 - 1010

1855 |----- 45 [D] ----- | 0235

0545 | - - 43 [o] - - -

HPTXR

RTLT : 17h 40m 18s

1200 RTLT=17h 40m 24s

0000 RTLT=17h 40m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----


NOTES

New Year Holiday

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 3, 2001
003-004

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1543 | PLSCAL - | 1725
1543 | ---- MAGCAL ---- | 1845
1543 | ----- PESCAL ----- | 1903

- ▼ 1515 EL-40 (13:34)
- ▼ 1530 CCSL A038 (13:49)
- ▼ 1555 DUMMY (14:14)
- ▼ 1605 CR-5T (14:24)

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1215 | ----- 14 ----- | 1705
1645 | ----- 25 [D] ----- | 2250

0600 | -- 65 [D] --

DSN COVERAGE
HPTXR

32

34 [D] | 0900

0530 | -- 45 [D] --

HPTXR

RTLTL : 17h 40m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 40m 44s

0000 RTLTL=17h 40m 48s

0219 | ---- COMMAND MORATORIUM ----

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + --- VGR --- + ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
 JANUARY 4, 2001
 004-005

S/C STATUS MEETING AT 9:00

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 48s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A037
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=22h 18m 48s 0000 RTLTL=22h 18m 50s

*
 1406 || 1409 CCS CHKSUM

* *
 1335 1425
 EL-40

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31	65 [D] 0910	0955 ----- 54 [D] ----- 1340	1320 ----- 24 [D] ----- 1645
32	45 [D] ----- 1030	1850 ----- 45 [D] ----- 0245	

HPTXR

RTLTL : 17h 40m 48s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B110
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=17h 40m 52s 0000 RTLTL=17h 40m 58s

----- COMMAND MORATORIUM -----

↓ 1930 GYROS AB ON
 ↓ 1930 GYRO INIT
 ↓ 1940 GYRO FAULT TEST

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE

----- ON CALL ----- |----- VGR ----- |----- ON CALL ----- |----- VGR ----- |----- ON CALL -----

NOTES

[1] S/C 31=EL-40 @ 1335 XB=40(30)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 5, 2001
005-006

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 50s

1200 RTLT=22h 18m 50s

0000 RTLT=22h 18m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1030 |----- 63 [D] -----| 1430

DSN COVERAGE
HPTXR

32

2240 |----- 34 [D] -----| 0240 0530 |---- 45 [D] ----|

HPTXR

RTLT : 17h 40m 58s

1200 RTLT=17h 41m 2s

0000 RTLT=17h 41m 6s

----- COMMAND MORATORIUM -----|0149

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 6, 2001
006-007

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 52s

1200 RTLT=22h 18m 52s

0000 RTLT=22h 18m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 63 [D] -----| 0805- 1615 |----- 0415 |----- 63 [D] -----|

1555 |----- 25 [D] -----| 2240

DSN COVERAGE
HPTXR

32 |--- 45 [D] ---| 1005

1915 |----- 34 [o] -----| 0300

HPTXR

RTLT : 17h 41m 6s

1200 RTLT=17h 41m 10s

0000 RTLT=17h 41m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 7, 2001
007-008

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 54s

1200 RTLT=22h 18m 54s

0000 RTLT=22h 18m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 63 [D] --- | 1015 1155 |----- 14 [D] -----| 2125 0500 |----- 65 [D] -----

DSN COVERAGE HPTXR

32 1910 |----- 34 [D] -----| 2245 0400 |----- 45 [D] -----

HPTXR

RTLT : 17h 41m 14s

1200 RTLT=17h 41m 20s

0000 RTLT=17h 41m 24s

VOYAGER 2

↓ 1930 GYRO INIT

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 8, 2001
008-009

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 54s

1200 RTLT=22h 18m 56s

0000 RTLT=22h 18m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A037

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

↓ 2019 BEGIN SEQUENCE A038

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0900

1235 |----- 15 [D] -----| 1955

0400 |----- 63 [D] -----

DSN COVERAGE
HPTXR

32 --- 45 [D] --- | 1005

2320 |----- 45 [D] -----| 0235

0545 |--- 43 [B] ---

HPTXR

RTLT : 17h 41m 24s

1200 RTLT=17h 41m 28s

0000 RTLT=17h 41m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : AB ON

DUMMY (5 MIN BRACKETED 23:54) 0612 ▼

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+--- VGR ---+
ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JANUARY 9, 2001
009-010

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 56s

1200 RTLTL=22h 18m 56s

0000 RTLTL=22h 18m 56s

VOYAGER 1

2304 | 2304 PWS/RH

FDSL : 11AF

U/L 1540 | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2304
GS-4B 2304

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 ----- 63 [D] ----- | 1325
1140 | ----- 14 [T] ----- | 1625
0540 | --- 54 [D] ---

DSN COVERAGE
HPTXR

32 --- 43 [B] --- | 1030
1900 | ----- 34 [D] ----- | 0315
0400 | ----- 45 [D] -----

HPTXR

RTLTL : 17h 41m 32s

1200 RTLTL=17h 41m 36s

0000 RTLTL=17h 41m 40s

VOYAGER 2

2207 | 2208 PWS/RH

0148 | ----- COMMAND MORATORIUM -----

FDSL : 11AF

↓ 2000 MEMUPD - LECP/CRS INIT CMD

2018 | - - | 2053 CCS DRIBBLE R/O

2344 | PLSCAL - | 0127
2344 | --- MAGCAL --- | 0247
2344 | --- PESCAL --- | 0304

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

2003
EL-40 2053
2207
GS-4B 2208

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | ----- VGR ----- | ----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 2207 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2304 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=EL-40 @ 2003 XB=40(30)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 10, 2001
010-011

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 58s

1200 RTLTL=22h 18m 58s

0000 RTLTL=22h 18m 58s

VOYAGER 1

↓ 1810 SLEW->MIDPNT-A

FDSL : 11AF

----- TLC (SHORT-FORM) ----- † D/L - † 1527

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 54 [D] † 0910

1245 † ----- 25 [D] ----- † 1700

0700 † 54 [D]

HPTXR

1640 † ----- 15 [D] ----- † 2235

0350 - 0715 † ----- 63 [D] ----- †

DSN COVERAGE

32 45 [D] † † 0955

1810 † ---- 45 [D] ---- † 2045

0355 † ----- 34 [D] ----- †

HPTXR

1200 RTLTL=17h 41m 44s

0000 RTLTL=17h 41m 46s

RTLTL : 17h 41m 40s

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

↓ 1900 BAY 1 HTR OFF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

↓ 1904 X/B HI POWER

↓ 1930 GYRO INIT

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- †

VGR ----- †

----- ON CALL ----- †

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 11, 2001
011-012

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 58s

1200 RTLT=22h 18m 58s

0000 RTLT=22h 19m 0s

VOYAGER 1

↓ 1710 SLEW->MIDPNT-C

↓ 2110 SLEW->HELIO-1C

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 54 [D] | 0910

1240 |----- 25 [D] -----| 2220

DSN COVERAGE
HPTXR

32 | 34 [D] | 0945

1805 |----- 43 [D] -----| 0220

0700 | 34 [D]

HPTXR

RTLT : 17h 41m 46s

1200 RTLT=17h 41m 50s

0000 RTLT=17h 41m 54s

----- COMMAND MORATORIUM -----

| 0122

----- COMMAND MORATORIUM 0748 |

VOYAGER 2

↓ 1908 YAW=.05

↓ 0203 YAW=.10

FDSL : 11AF

1520 |---| 1545 TAPPOS

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : AB ON

1918 |----- PLAYBACK -----| 0153

0230 | TAPPOS -| 0413

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1918

PB-14

1.4K(39)

0153

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

|----- VGR -----|

|----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JANUARY 12, 2001
012-013

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 19m 0s

1200 RTLTL=22h 19m 0s

0000 RTLTL=22h 19m 0s

VOYAGER 1

↓ 1210 BAY 1 HTR OFF
↓ 1214 X/B HI POWER

↓ 0410 SLEW->The Hya

FDSL : 11AF

▼ 1600 DUMMY (14:19)

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

1711

UV-5A
600(36)

31

1135

14

1625

1630

15 [D]

2245

0400

63 [D]

DSN COVERAGE
HPTXR

32

34 [D] - 0930

0000

45 [D]

HPTXR

RTLTL : 17h 41m 54s

1200 RTLTL=17h 41m 58s

0000 RTLTL=17h 42m 2s

COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

↓ 0100 X/B LOW POWER
↓ 0104 BAY 1 HTR ON

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

--- ON CALL --- | - VGR - | - ON CALL - | - VGR - | --- ON CALL --- | - VGR - | --- ON CALL ---

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 13, 2001
013-014

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 19m 0s

1200 RTLT=22h 19m 0s

0000 RTLT=22h 19m 0s

VOYAGER 1

↓ 0910 SLEW->REST

↓ 0410 SLEW->y Pup

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

31

63 [D]

1550

0355

63 [D]

1530

25 [D]

2215

DSN COVERAGE
HPTXR

32

45 [D] 0945

0245

34 [o]

HPTXR

RTLT : 17h 42m 2s

1200 RTLT=17h 42m 4s

0000 RTLT=17h 42m 8s

VOYAGER 2

COMMAND MORATORIUM

0722

FDSL : 11AF

↓ 1930 GYRO INIT

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/27/00 - 15:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 14, 2001
014-015

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 19m 0s

1200 RTLTL=22h 19m 0s

0000 RTLTL=22h 19m 0s

VOYAGER 1

↓ 0910 SLEW->HELIO-1C

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

2241

CR-5T
160(32)

31 ----- 63 [D] ----- | 1145
1130 |----- 14 [D] ----- | 2245

DSN COVERAGE
HPTXR

32 ----- | 0850 34 [o]
1825 |----- 34 [D] ----- | 2225
2330 |----- 45 [D] ----- | 0315

HPTXR

RTLTL : 17h 42m 8s

1200 RTLTL=17h 42m 12s

0000 RTLTL=17h 42m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8