

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 24, 2001
144-145

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 16m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -21.338 sec

ROLLREF = RIGIL
KENTAURUS

↓ 1209 SLEW->MIDPNT-C

↓ 0109 SLEW->HELIO-11C

2246 | - | 2315 CCS B MRO

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 25 [D] ----- | 1355
2045 | ----- 54 [D] ----- | 0225 0335 | ----- 25 [D] -----

DSN COVERAGE
HPTXR

32 0910 | ----- 43 [o] ----- | 2200

HPTXR

RTLTL : 17h 35m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -69.555 sec

ROLLREF = VEGA

▼ 1915 DISABLE BHEL11 & CCS DRIBBLE MRO (12:50)

▼ 2010 CCS DRIBBLE MRO (13:45)

▼ 2045 CCSTIM F/C (14:20)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

1200 RTLTL=17h 35m 6s 0000 RTLTL=17h 35m 4s

VOYAGER COVERAGE

----- ON CALL ----- + ----- VGR ----- + ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 25, 2001
145-146

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 16m 46s

1200 RTLTL=22h 16m 50s

0000 RTLTL=22h 16m 54s

VOYAGER 1

↓ 1309 SLEW->HELIO-12C

↓ 0109 SLEW->HELIO-13C

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -----25 [D] ----- | 1335 2025 |-----63 [D] ----- | 0505 |--25 [D] --

DSN COVERAGE HPTXR

32 0950 |-----34 [D] ----- | 1615

2225 |---45 --- | 0045

HPTXR

RTLTL : 17h 35m 4s

1200 RTLTL=17h 35m 4s

0000 RTLTL=17h 35m 2s

VOYAGER 2

*
| 1250 DISABLE BHEL1

TAPPOS 0435 |---| 0531

FDSL : 11AF

* *
1255 |--| 1324 CCS DRIBBLE MRO

TAPPOS 2326 |-----| 0035

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* *
1345 |--| 1414 CCS DRIBBLE MRO

* *
1420 |---| 1515 CCSTIM

0227
GS-4B 0228

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- |----- VGR ----- |----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 0227 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 26, 2001
146-147

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 16m 54s

1200 RTLT=22h 16m 58s

0000 RTLT=22h 17m 2s

VOYAGER 1

↓ 1309 SLEW->HELIO-14C

↓ 0109 SLEW->HELIO-15C

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- | 1255

1855 |----- 63 [D] ----- | 0505 |----- 24 [D] ----- | 0525

DSN COVERAGE
HPTXR

32

0900 |----- 43 [o] ----- | 2150

HPTXR

RTLT : 17h 35m 2s

1200 RTLT=17h 35m 2s

0000 RTLT=17h 35m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 27, 2001
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 17m 2s

1200 RTLT=22h 17m 6s

0000 RTLT=22h 17m 10s

VOYAGER 1

↓ 1309 SLEW->HELIO-16C

↓ 0109 SLEW->HELIO-17C

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 24 [D] --- 0935

0500 --- 25 [D] ---

2020 |----- 63 [D] -----| 0520

DSN COVERAGE
HPTXR

32 1110 |----- 43 [o] -----| 2025

HPTXR

RTLT : 17h 35m 0s

1200 RTLT=17h 35m 0s

0000 RTLT=17h 35m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 28, 2001
148-149

HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 17m 10s

1200 RTLTL=22h 17m 14s

0000 RTLTL=22h 17m 18s

VOYAGER 1

↓ 1309 SLEW->HELIO-18C

↓ 0109 SLEW->HELIO-19C

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0710 25 [D] | 0435 | -- 25 [D] | ---

| --- 24 [D] | --- | 0745 - 1015

2015 | ----- 63 [D] | ----- | 0200

DSN COVERAGE
HPTXR

32 | 0940 | ----- 34 [D] | ----- | 1700

HPTXR

RTLTL : 17h 35m 0s

1200 RTLTL=17h 34m 58s

0000 RTLTL=17h 34m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 29, 2001
149-150

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 17m 18s

1200 RTLTL=22h 17m 24s 0000 RTLTL=22h 17m 28s

VOYAGER 1

↓ 1309 SLEW->HELIO-20C

▼ 2100 DUMMY (19:17)

FDSL : 11AF

1503 | 1504 PWS/RH

U/L 0435 | - |
TLC (SHORT-FORM) | - - - - -

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1515 |----- DTR MAINT -----| 2039

1503
GS-4B 1504

2043 | - - - TAPPOS - - - | 2318

FDS MODE
XB DATA RATE (MI)

CR-5T 160(32) CR-5T 160(32)

31 ----- 25 [D] ----- | 1255 2025 |----- 63 ----- | 0400 |----- 14 [T] ----- | 0420

DSN COVERAGE

HPTXR

32 1245 |----- 43 [B] ----- | 1910

HPTXR

RTLTL : 17h 34m 58s

1200 RTLTL=17h 34m 58s 0000 RTLTL=17h 34m 56s

VOYAGER 2

1403 | 1404 PWS/RH

1541 | PLSCAL - | 1723

1541 |----- MAGCAL ----- | 1843

1541 |----- PESCAL ----- | 1901

FDSL : 11AF

▼ 1620 B112 MINI SEQUENCE (09:55)

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 1747 DUMMY (5 MIN BRACKETED - 11:22)

1403
GS-4B 1404

▼ 1845 CCSTIM F/C (12:20)

FDS MODE
XB DATA RATE (MI)

CR-5T 160(32) CR-5T 160(32)

VOYAGER COVERAGE

----- ON CALL ----- |----- VGR ----- | ON CALL |----- VGR ----- |----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1403 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1503 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 30, 2001
150-151

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 17m 28s

1200 RTLT=22h 17m 32s

0000 RTLT=22h 17m 36s

↓ 0009 SLEW->HELIO-1A

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

TLC (SHORT-FORM)

D/L -|0421

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

14 [T] -----|1230

1835 |-----

63 [D] -----

0525 |-----25 [D] -----

0545

DSN COVERAGE
HPTXR

32

0930 |-----34 [D] -----

1800

HPTXR

RTLT : 17h 34m 56s

1200 RTLT=17h 34m 56s

0000 RTLT=17h 34m 56s

VOYAGER 2

* *

0955 |-----1025 CCS DRIBBLE MRO

**

1026 |-----1047 B112 MINI-SEQUENCE & CHECKSUM

* *

1220 |-----1315 CCSTIM

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL |----- VGR -----|----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 31, 2001
151-152

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 17m 36s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A039
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=22h 17m 42s
 0000 RTLT=22h 17m 46s

↓ 1209 SLEW->HELIO-2A
 ↓ 0009 SLEW->HELIO-3A

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 25 [D] ----- | 1255
 2000 | ----- 63 [D] ----- | 0145
 0305 | ----- 25 [D] -----

DSN COVERAGE HPTXR

32
 1615 | ----- 43 [o] ----- | 2215
 HPTXR

RTLT : 17h 34m 56s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B111
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 34m 54s
 0000 RTLT=17h 34m 54s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 1, 2001
152-153

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 17m 46s

1200 RTLT=22h 17m 50s

0000 RTLT=22h 17m 56s

VOYAGER 1

↓ 1210 SLEW->HELIO-4A

↓ 0010 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1305

2000 |----- 63 [D] -----| 0325 |----- 25 [D] -----| 0345

DSN COVERAGE
HPTXR

32 0920 |----- 34 [D] -----| 1645

HPTXR

RTLT : 17h 34m 54s

1200 RTLT=17h 34m 54s

0000 RTLT=17h 34m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2302 |-----| 0011 TAPPOS

NOTE [2] TAPPOS 0411 |-----| 0507

0203
GS-4B 0204

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 0203 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 32, TAPPOS/GS-4B/TAPPOS CANCELED DUE TO BHEL1 DISABLED

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 2, 2001
153-154

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 17m 56s

1200 RTLT=22h 18m 0s

0000 RTLT=22h 18m 6s

VOYAGER 1

↓ 1210 SLEW->HELIO-6A

↓ 0010 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- | 1300

0500 | --- 24 [D] ---

DSN COVERAGE
HPTXR

32

0835 | ----- 43 [o] ----- | 0000

HPTXR

RTLT : 17h 34m 54s

1200 RTLT=17h 34m 54s

0000 RTLT=17h 34m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 3, 2001
154-155

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 18m 6s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A039
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=22h 18m 10s
 0000 RTLT=22h 18m 16s

↓ 1210 SLEW->HELIO-8A
 ↓ 0010 SLEW->HELIO-9A

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 24 [D] ----- | 1245
 2000 |----- 63 [D] -----| 0130
 HPTXR 0110 |----- 54 [D] -----| 0445
 DSN COVERAGE
 32 0830 |----- 43 [D] -----| 1700
 HPTXR

RTLT : 17h 34m 54s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B111
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=17h 34m 54s
 0000 RTLT=17h 34m 52s


FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24



ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 5, 2001
156-157

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 18m 26s

1200 RTLTL=22h 18m 32s

0000 RTLTL=22h 18m 36s

VOYAGER 1

↓ 1210 SLEW->HELIO-11A

↓ 0010 SLEW->HELIO-12A

FDSL : 11AF

----- TLC (SHORT-FORM) -----

| D/L | 2346

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1439 | 1440 PWS/RH

1439
GS-4B 1440

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

----- 25 [D] ----- | 1305

2000 | ----- 54 [D] ----- | 0105

0245 | ----- 25 [D] -----

DSN COVERAGE
HPTXR

32

0820 | ----- 43 [B] ----- | 2120

HPTXR

RTLTL : 17h 34m 52s

1200 RTLTL=17h 34m 52s

0000 RTLTL=17h 34m 54s

VOYAGER 2

1339 | 1340 PWS/RH

FDSL : 11AF

▼ 1717 DUMMY CC (5 MIN BRACKETED - 10:52)

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1339
GS-4B 1340

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| VGR |

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1339 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1439 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 6, 2001
157-158

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 18m 36s

1200 RTLT=22h 18m 42s

0000 RTLT=22h 18m 48s

VOYAGER 1

↓ 1210 SLEW->HELIO-13A

↓ 0010 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1250

1955 |----- 54 [D] ----- | 0100

0235 - 0630 |----- 14 ----- |

DSN COVERAGE
HPTXR

32 0900 |----- 34 [D] ----- | 1655

1755 |----- 43 [o] ----- | 0015

HPTXR

RTLT : 17h 34m 54s

1200 RTLT=17h 34m 54s

0000 RTLT=17h 34m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 7, 2001
158-159

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 18m 48s
VOYAGER 1
FDSL : 11AF
CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=22h 18m 52s
↓ 1210 SLEW->HELIO-15A
0000 RTLTL=22h 18m 58s
↓ 0010 SLEW->HELIO-16A

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 1830 |----- 63 [D] -----| 0105 0345 |----- 24 [D] -----|

DSN COVERAGE
HPTXR

32 1255 |----- 43 [D] -----| 1655

HPTXR

RTLTL : 17h 34m 54s
VOYAGER 2
FDSL : 11AF
CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 34m 54s
1903 |----- COMMAND MORATORIUM -----|
0000 RTLTL=17h 34m 54s

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY JUNE 8, 2001 159-160</p>	
<p>UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7</p> <p>RTLTL : 22h 18m 58s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A039 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=22h 19m 4s</p> <p>0000 RTLTL=22h 19m 10s</p> <p>↓ 1210 SLEW->HELIO-17A</p> <p>↓ 0010 SLEW->HELIO-18A</p> <hr/> <p>CR-5T 160(32)</p>
<p>DSN COVERAGE</p> <p>HPTXR</p> <p>HPTXR</p>	<p>31 --- 24 [D] --- 0920</p> <p>1905 ----- 63 [D] ----- 0440</p> <p>0250 - 0625 ----- 25 [D] ----- </p> <hr/> <p>32 0920 ----- 34 [D] ----- 1835</p> <p>1820 ----- 45 [D] ----- 0000</p>
<p>RTLTL : 17h 34m 54s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B112 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=17h 34m 54s</p> <p>0000 RTLTL=17h 34m 54s</p> <p>----- COMMAND MORATORIUM -----</p> <p>↓ 1208 GYROS AB ON</p> <p>↓ 1208 GYRO INIT</p> <p>↓ 1218 GYRO FAULT TEST</p> <p>1312 1318 CCSTIM(B)</p> <p>NOTE [2]</p> <p>0139 GS-4B 0140</p> <hr/> <p>CR-5T 160(32)</p> <p>CR-5T 160(32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL ----- ----- VGR ----- ----- ON CALL ----- </p>
<p>NOTES</p>	<p>[1] S/C 32=GS-4B @ 0139 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] S/C 32=GS-4B @ 0139, CANCELED DUE TO BHEL11 DISABLED</p>

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 9, 2001
160-161

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 10s

1200 RTLT=22h 19m 16s

0000 RTLT=22h 19m 20s

VOYAGER 1

↓ 1210 SLEW->HELIO-19A

↓ 0010 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1755 |----- 63 [D] -----| 2145

0230 |----- 25 [D] -----|

DSN COVERAGE
HPTXR

32

0820 |----- 43 [o] -----| 1655

HPTXR

RTLT : 17h 34m 54s

1200 RTLT=17h 34m 56s

0000 RTLT=17h 34m 56s

----- COMMAND MORATORIUM -----| 1833

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/25/01 - 11:24

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 10, 2001
161-162

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 19m 20s

1200 RTLT=22h 19m 26s

0000 RTLT=22h 19m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A039
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1245

2330 |----- 54 [D] ----- | 0420

DSN COVERAGE HPTXR

32 0945 |----- 34 [D] ----- | 2145

HPTXR

RTLT : 17h 34m 56s

1200 RTLT=17h 34m 56s

0000 RTLT=17h 34m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B112
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : AB ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7