

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: October 26, 2005

For the Period: 10/27/2005 to 11/14/2005 (05-300 – 05-318)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (18) 600-100

Hall, J.
 Hogle, T. (2)
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 10/05/05


ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24





ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24



ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24

TUESDAY NOVEMBER 8, 2005 312-313		PST:	23	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
		UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS RTLT: 27h 9m 26s CCSL: A057 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 27h 9m 34s																						0000 RTLT 27h 9m 42s		0353 0354 PWS/RH		
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)										CR-5T 160(32)																
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 21h 43m 40s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 21h 43m 50s																						0000 RTLT 21h 44m 2s		0233 0234 PWS/RH		
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)										CR-5T 160(32)																
VGR COVERAGE		ON CALL										VGR		ON CALL														
NOTES		[1] S/C 31=GS-4B @ 0353 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 0233 XB=2.8K(41) NOT RECOVERABLE																										
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		NOV 08															NOV 09											


ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24




ISSUE DATE: 11/01/05 18:24



ISSUE DATE: 11/01/05 18:24



ISSUE DATE: 11/01/05 18:24



ISSUE DATE: 11/01/05 18:24

		PST:	23	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
MONDAY																												
NOVEMBER 14, 2005																												
318-319		UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	
S/C 31 INITIAL CONDITIONS		1200 RTLT 27h 11m 6s																										
RTLT: 27h 10m 58s																												
CCSL: A057																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
31 DSN COVERAGE		<p>... 40 ... </p> <p>0800 ----- 63 ----- 1250</p> <p>.....60..... </p>																										
32 DSN COVERAGE		<p>.....40..... </p>																										
S/C 32 INITIAL CONDITIONS		1200 RTLT 21h 45m 58s																										
RTLT: 21h 45m 48s																												
CCSL: B128																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE		CR-5T																										
XB DATA RATE(MI)		160(32)																										
VGR COVERAGE		ON CALL																										
NOTES																												
UTC:		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7		
UTC:		NOV 14																		NOV 15								