

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: January 25, 2006

For the Period: 01/26/06 to 02/13/2006 (06-026 – 06-044)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 10/05/05


ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10



ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10

TUESDAY FEBRUARY 7, 2006 038-039		PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
		UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLT: 27h 18m 8s CCSL: A058 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 27h 18m 6s		0000 RTLT 27h 18m 4s 2245 2246 PWS/RH ↓ 2245 GS-4B 2246																								
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)											CR-5T 160(32)															
31 DSN COVERAGE		1140 25 [D] 1245 10 40 63 1050 60 0345 65 [D] 60																										
32 DSN COVERAGE	 40 2145 34 [D] 0230 40 0210 45 [D] 0600 40																										
S/C 32 INITIAL CONDITIONS RTLT: 22h 2m 22s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLT 22h 2m 24s		0000 RTLT 22h 2m 24s 2130 2131 PWS/RH 2244 PLSCAL - 0026 2244 --- MAGCAL --- 0146 2244 --- PESCAL --- 0204																								
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)											CR-5T 160(32)															
VGR COVERAGE		ON CALL																										
NOTES		[1] S/C 31=GS-4B @ 2245 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 2130 XB=2.8K(41) NOT RECOVERABLE																										
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:		FEB 07															FEB 08											


ISSUE DATE: 01/30/06 21:10




ISSUE DATE: 01/30/06 21:10



ISSUE DATE: 01/30/06 21:10



ISSUE DATE: 01/30/06 21:10



ISSUE DATE: 01/30/06 21:10

