

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: February 09, 2006

For the Period: 02/09/06 to 02/27/2006 (06-040 – 06-058)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com


OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov


LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 02/02/06


ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21



ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21

TUESDAY FEBRUARY 14, 2006 045-046		PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0																							
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8																									
S/C 31 INITIAL CONDITIONS RTLTL: 27h 17m 44s CCSL: A058 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLTL 27h 17m 42s												0000 RTLTL 27h 17m 40s											
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)												CR-5T 160(32)											
31 DSN COVERAGE		<p>0955 ----- 14 [D] ----- 1355 1735 ----- 14 ----- 2110 10 40 63 [D] ----- 1005 ----- 0145 ----- 63 [D] ----- 0645 60</p>																							
32 DSN COVERAGE		<p>2110 ----- 43 [D,3] ----- 0455 40</p>																							
S/C 32 INITIAL CONDITIONS RTLTL: 22h 2m 26s CCSL: B128 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF		1200 RTLTL 22h 2m 26s												0000 RTLTL 22h 2m 26s											
FDS MODE XB DATA RATE(MI)		CR-5T 160(32)												CR-5T 160(32)											
VGR COVERAGE		ON CALL												VGR						ON CALL					
NOTES		[1] S/C 31=GS-4B @ 2221 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 2106 XB=2.8K(41) NOT RECOVERABLE [3] S/C 32 2300-2320 Recoverable outage expected to upgrde/add redundant Gig connections between DSN and AMMOS.																							
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8																									
UTC:		FEB 14												FEB 15											


ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21



ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21




ISSUE DATE: 02/09/06 14:21

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
FRIDAY																													
FEBRUARY 24, 2006																													
055-056																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		1200 RTLT 27h 17m 2s														0000 RTLT 27h 17m 0s													
RTLT: 27h 17m 4s																													
CCSL: NONE																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
31 DSN COVERAGE		<p>0900 -----14----- 1700 10..... 40..... 63 [D] 0905 0115 -----63 [D]----- 0620 60.....</p>																											
32 DSN COVERAGE		<p>.....2030 -----43 [D]----- 0540 40.....</p>																											
S/C 32 INITIAL CONDITIONS		1200 RTLT 22h 2m 14s														0000 RTLT 22h 2m 14s													
RTLT: 22h 2m 16s																													
CCSL: B128																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T														CR-5T													
XB DATA RATE(MI)		160(32)														160(32)													
VGR COVERAGE		ON CALL							VGR							ON CALL													
NOTES		[1] S/C 31=GS-4B @ 0357 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		FEB 24														FEB 25													

ISSUE DATE: 02/09/06 14:21



ISSUE DATE: 02/09/06 14:21



ISSUE DATE: 02/09/06 14:21

