

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: February 1, 2007

For the Period: 02/01/07 to 02/19/07 (07-032 – 07-050)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (16) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhuapl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Jaeger, J.
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina
 Poynter, R.
 Uffelman, H. (2)
 Weeks, T.
 Wong, R.
 Zottarelli, L.
 *odivers@san.rr.com

OTHER


* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * Peter.T.Poon@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

LEGEND:


∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 D = Downlink only pass
 A = Arrayed station
 U = Uplink only pass
 B = BLF
 [o] = Ramp-through
 H = High Power Transmitter
 T = TLC Uplink

*Electronic Copy Only
 (18 – Dist/N: Paper Copies)
 03/22/06


ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02



ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
TUESDAY																													
FEBRUARY 6, 2007																													
037-038																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		1200 RTLT 28h 17m 58s												0000 RTLT 28h 17m 56s															
RTLT: 28h 18m 0s																													
CCSL: A062																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 22h 54m 32s												0000 RTLT 22h 54m 34s															
RTLT: 22h 54m 32s																													
CCSL:																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: OFF																													
FDS MODE		CR-5T												CR-5T															
XB DATA RATE(MI)		160(32)												160(32)															
VGR COVERAGE		ON CALL												VGR				ON CALL											
NOTES		[1] S/C 31=GS-4B @ 2115 XB=2.8K(41) NOT RECOVERABLE [2] S/C 32=GS-4B @ 2127 XB=2.8K(41) NOT RECOVERABLE																											
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		FEB 06																FEB 07											


ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02




ISSUE DATE: 01/31/07 18:02



ISSUE DATE: 01/31/07 18:02



ISSUE DATE: 01/31/07 18:02



ISSUE DATE: 01/31/07 18:02

