

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: March 24, 2010

For the Period: 3/25/2010 to 04/12/2010 (10-085 – 10-102)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (15) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Massey, Ed
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Poynter, R.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.

*odivers1@san.rr.com

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * DSN-MPSETA@jjpl.jpl.nasa.gov

LEGEND:

▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (17 – Dist/N: Paper Copies)
 04/02/09

ISSUE DATE: 03/25/10 13:58

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
THURSDAY MARCH 25, 2010 084-085																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS RTLTL: 31h 13m 56s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 31h 13m 54s												█ 0000 RTLTL 31h 13m 52s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	25 [DA] 1315 1500 43 1715 26 [DAR] 1315 10 40 2350 55 [DA] 0345 63 [T] 2350 65 [DAR] 0350 60 60												10 40 2350 55 [DA] 0345 63 [T] 2350 65 [DAR] 0350 60												
32 DSN COVERAGE	1405 45 [D] 1910 40																								
S/C 32 INITIAL CONDITIONS RTLTL: 25h 29m 44s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 25h 29m 40s												█ 0000 RTLTL 25h 29m 38s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL												ON CALL												
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 25												MAR 26												


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
FRIDAY MARCH 26, 2010 085-086																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 31h 13m 50s												0000 RTLT 31h 13m 50s															
RTLT: 31h 13m 52s	----- TLC (SHORT FORM) -----																											
CCSL: A074																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE	<p>..... 10</p> <p>63 [T] 1040 40 10</p> <p>60 0055 63 [D] 60</p>																											
32 DSN COVERAGE	<p>..... 1455 43 [o] 2105 0110 43 [D] 0515 </p> <p>..... 40</p>																											
S/C 32 INITIAL CONDITIONS	1200 RTLT 25h 29m 36s												0000 RTLT 25h 29m 32s															
RTLT: 25h 29m 38s																												
CCSL: B147																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/10/25																												
GYROS: OFF																												
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 0019 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 26														MAR 27													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
SUNDAY MARCH 28, 2010 087-088																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS	1200 RTLT 31h 13m 44s												0000 RTLT 31h 13m 42s												
RTLT: 31h 13m 46s																									
CCSL: A074																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE																									
32 DSN COVERAGE																									
S/C 32 INITIAL CONDITIONS	1200 RTLT 25h 29m 24s												0000 RTLT 25h 29m 22s												
RTLT: 25h 29m 28s																									
CCSL: B147																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/.10/.25																									
GYROS: OFF																									
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	MAR 28												MAR 29												


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
MONDAY MARCH 29, 2010 088-089																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	█ 1200 RTLT 31h 13m 40s												█ 0000 RTLT 31h 13m 40s													
RTLT: 31h 13m 42s																										
CCSL: A074																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE	<p>..... 10</p> <p>..... 40</p> <p>..... 10</p> <p>63 [D] 1020 0005 63 [D] 0545</p> <p>60 60</p>																									
32 DSN COVERAGE	<p>..... 1425 45 [D] 0035</p> <p>..... 40</p>																									
S/C 32 INITIAL CONDITIONS	█ 1200 RTLT 25h 29m 20s												█ 0000 RTLT 25h 29m 16s													
RTLT: 25h 29m 22s																										
CCSL: B147																										
FDSL: 11AF																										
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/10/25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL																									
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 29													MAR 30												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
TUESDAY MARCH 30, 2010 089-090																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 31h 13m 40s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 31h 13m 38s												█ 0000 RTLTL 31h 13m 36s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)													
31 DSN COVERAGE	0940 ----- 15 [DA] ----- 1315 0940 ----- 25 [DAR] ----- 1315												15 [DA] 0750 25 [DAR] 0750													
10..... ----- 1630 ----- 43 [D] ----- 223040..... ----- 60.....											10.....													
32 DSN COVERAGE	----- 1345 ----- 45 [D] ----- 005040.....																									
S/C 32 INITIAL CONDITIONS RTLTL: 25h 29m 16s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 25h 29m 14s												█ 0000 RTLTL 25h 29m 12s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																									
VGR COVERAGE	ON CALL																									
NOTES	[1] S/C 31=GS-4B @ 1755 XB=2.8K(41) NOT RECOVERABLE																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	MAR 30												MAR 31													


PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
WEDNESDAY MARCH 31, 2010 090-091																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS	1200 RTLT 31h 13m 34s														0000 RTLT 31h 13m 34s													
RTLT: 31h 13m 36s	0934 ----- PESCAL ----- 1306																											
CCSL: A074	0934 ----- MAGCAL ----- 1249																											
FDSL: 11AF															▼ 1515 DUMMY (22:29)													
TWNC: ON																												
SB: OFF																												
XB: LOW															U/L 1700 - ----- TLC (SHORT-FORM) -----													
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE	15 [DA] ----- 1435																											
	25 [DAR] ----- 1435																											
 1010													
	1445 ----- 43 [T] ----- 1730																											
 40														2245 ----- 63 [D] -----													
 60 60													
32 DSN COVERAGE															1435 ----- 45 [D] ----- 2045													
														 40													
S/C 32 INITIAL CONDITIONS	1200 RTLT 25h 29m 8s														0000 RTLT 25h 29m 6s													
RTLT: 25h 29m 12s																												
CCSL: B147																												
FDSL: 11AF																												
TWNC: ON																												
SB: OFF																												
XB: LOW																												
PYR: .05/.10/.25																												
GYROS: OFF																												
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL														VGR							ON CALL						
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	MAR 31																					APR 01						



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY APRIL 2, 2010 092-093																												
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 30s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 31h 13m 28s														0000 RTLT 31h 13m 28s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLT: 25h 29m 0s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 25h 28m 58s														0000 RTLT 25h 28m 54s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL														VGR							ON CALL						
NOTES	[1] S/C 31=GS-4B @ 2355 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	APR 02																					APR 03						



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2		
SUNDAY APRIL 4, 2010 094-095																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9		
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 24s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 31h 13m 24s													0000 RTLT 31h 13m 22s														
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
31 DSN COVERAGE	1020 ----- 15 [DAR] ----- 1610 1020 ----- 25 [DA] ----- 1610 ----- 10 ----- 10 ----- 40 ----- 40 63 [D] ----- 1040 60 ----- 60													0445 ----- 63 [D] ----- 60														
32 DSN COVERAGE	1420 ----- 45 [D] ----- 1850 ----- 1830 ----- 43 [D] ----- 0015 ----- 40																											
S/C 32 INITIAL CONDITIONS RTLT: 25h 28m 48s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 25h 28m 46s													0000 RTLT 25h 28m 44s														
FDS MODE														CR-5T														
XB DATA RATE(MI)														160(32)														
VGR COVERAGE														ON CALL														
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	9		
UTC:	APR 04														APR 05													




PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
TUESDAY APRIL 6, 2010 096-097																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLTL: 31h 13m 20s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 31h 13m 18s														0000 RTLTL 31h 13m 18s													
	1731 1732 PWS/RH																											
	↓ 1731 GS-4B 1732																											
FDS MODE	CR-5T														CR-5T													
XB DATA RATE(MI)	160(32)														160(32)													
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 25h 28m 38s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLTL 25h 28m 34s														0000 RTLTL 25h 28m 32s													
	1842 PLSCAL - 2025 1842 --- MAGCAL --- 2145 1842 --- PESCAL --- 2202																											
FDS MODE	CR-5T																											
XB DATA RATE(MI)	160(32)																											
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 1730 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	APR 06														APR 07													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
WEDNESDAY APRIL 7, 2010 097-098																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 18s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 31h 13m 16s														█ 0000 RTLT 31h 13m 16s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
31 DSN COVERAGE	<p>0930 ----- 25 [DAR] ----- 1445 0930 ----- 26 [DA] ----- 1445 ----- 10 ----- ----- 40 ----- ----- 60 ----- 0830 65 [DA] 0830 55 [DAR]</p>																											
32 DSN COVERAGE	<p>1315 ----- 45 [D] ----- 1955 ----- 40 ----- </p>																											
S/C 32 INITIAL CONDITIONS RTLT: 25h 28m 32s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLT 25h 28m 28s														█ 0000 RTLT 25h 28m 26s													
FDS MODE															CR-5T													
XB DATA RATE(MI)															160(32)													
VGR COVERAGE	ON CALL																											
NOTES																												
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	APR 07														APR 08													

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	
THURSDAY APRIL 8, 2010 098-099																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS RTLTL: 31h 13m 16s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 31h 13m 14s												█ 0000 RTLTL 31h 13m 14s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
31 DSN COVERAGE	<p>Timeline for 31 DSN COVERAGE:</p> <ul style="list-style-type: none"> 1200 - 1625: 25 [DA], 26 [DAR] 1620 - 2200: 43 [T] 2320 - 60: 63 [D] 																									
32 DSN COVERAGE	<p>Timeline for 32 DSN COVERAGE:</p> <ul style="list-style-type: none"> 1310 - 1910: 45 [D] 																									
S/C 32 INITIAL CONDITIONS RTLTL: 25h 28m 26s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	█ 1200 RTLTL 25h 28m 24s												█ 0000 RTLTL 25h 28m 20s													
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)													
VGR COVERAGE	ON CALL												VGR						ON CALL							
NOTES																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	APR 08												Page 15 of 19						APR 09							

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1			
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
FRIDAY APRIL 9, 2010 099-100																												
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 14s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 31h 13m 12s														0000 RTLT 31h 13m 12s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)														CR-5T 160(32)													
31 DSN COVERAGE	<p>..... 10 </p> <p>..... 40 </p> <p>..... 0240 55 [DA] 0455 10 </p> <p>..... 0240 65 [DAR] 0455 </p> <p>..... 63 [D] 1020 </p> <p>..... 60 60 0530 63 [D] </p>																											
32 DSN COVERAGE	<p>..... 1420 43 [o] 0300 </p> <p>..... 40 </p>																											
S/C 32 INITIAL CONDITIONS RTLT: 25h 28m 20s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 25h 28m 18s														0000 RTLT 25h 28m 14s													
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 2331 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:	APR 09														APR 10													



PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1
SUNDAY APRIL 11, 2010 101-102																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
S/C 31 INITIAL CONDITIONS	1200 RTLT 31h 13m 8s												0000 RTLT 31h 13m 8s												
RTLT: 31h 13m 10s																									
CCSL: A074																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/10/25																									
GYROS: OFF																									
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	<p>0955 ----- 15 [DAR] ----- 1625 0955 ----- 26 [DA] ----- 1625 10 ----- 40 ----- 10 60 ----- 60 0415 ----- 63 [D] ----- </p>																								
32 DSN COVERAGE	<p>1120 ----- 43 [D] ----- 1730 2020 ----- 43 [D] ----- 0350 40 ----- </p>																								
S/C 32 INITIAL CONDITIONS	1200 RTLT 25h 28m 6s												0000 RTLT 25h 28m 2s												
RTLT: 25h 28m 8s																									
CCSL: B147																									
FDSL: 11AF																									
TWNC: ON																									
SB: OFF																									
XB: LOW																									
PYR: .05/10/25																									
GYROS: OFF																									
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8
UTC:	APR 11												APR 12												

PDT:	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1		
MONDAY APRIL 12, 2010 102-103																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 31h 13m 8s CCSL: A074 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> █ 1200 RTLT 31h 13m 8s </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
31 DSN COVERAGE	<div style="display: flex; justify-content: space-between;"> <div style="width: 15%;"> <p>0925 ----- 15 [DA] ----- 1525</p> <p>0925 ----- 26 [DAR] ----- 1525</p> <p>..... </p> <p>..... ----- 40 ----- </p> <p>----- 63 [D] ----- 0945</p> <p>..... 60 ----- </p> </div> </div>																										
32 DSN COVERAGE	<div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> <p>1415 ----- 43 ----- 2140</p> </div> </div>																										
S/C 32 INITIAL CONDITIONS RTLT: 25h 28m 2s CCSL: B147 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<div style="text-align: center;"> █ 1200 RTLT 25h 28m 0s </div>																										
FDS MODE														CR-5T													
XB DATA RATE(MI)														160(32)													
VGR COVERAGE														ON CALL													
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	APR 12													APR 13													