

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: July 28, 2010

For the Period: 07/29/2010 to 08/16/2010 (10-203 – 10-228)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

- *Zsarina.Bulchand@jpl.nasa.gov
- *gdyke@airmail.ftops.jpl.nasa.gov
- *John.M.Grant@jpl.nasa.gov
- *dmcclena@airmail.ftops.jpl.nasa.gov
- *pquach@airmail.ftops.jpl.nasa.gov
- *mrobles@airmail.ftops.jpl.nasa.gov
- *rwilliam@airmail.ftops.jpl.nasa.gov

- CRS *bryant@mail630.gsfc.nasa.gov
- LECP *r.decker@jhupl.edu
- UVS *holberg@argus.lpl.arizona.edu
- MAG *u2mha@lepvox.gsfc.nasa.gov
- PLS *vgr@space.mit.edu
- PWS *wsk@space.physics.uiowa.edu
- *Leonard.F.Burlaga@nasa.gov
- *Donald-Gurnett@uiowa.edu


- Hall, J.
- Howard, S. (3)
- Ludwig, R. (2)
- Massey, Ed
- Matsumoto, S.
- Medina, E.
- Peralta, F.
- Weeks, T.
- Wong, R.
- Yang, L
- Zottarelli, L.
- *odivers1@san.rr.com

OTHER

- * KMassey@jgld.gdscc.nasa.gov
- * Belinda.Arroyo@jpl.nasa.gov
- * DSN-MPSETA@jjpl.jpl.nasa.gov


- LEGEND:**
- ∇ = R/T Command (Last chance or Contingency)
 - ▼ = R/T Command (Scheduled)
 - * = Result of R/T Command
 - n = (where n = 1,2,3 ..) Special Note, see bottom of page
 - A = Arrayed station
 - B = 7-Point BLF
 - D = Downlink only pass
 - H = High Power Transmitter
 - R = Array Reference Antenna
 - T = TLC Uplink
 - U = Uplink only pass
 - [o] = Ramp-through


*Electronic Copy Only
(16 – Dist/N: Paper Copies)
07/22/10




ISSUE DATE: 08/03/10 13:06

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
FRIDAY JULY 30, 2010 211-212																												
S/C 31 INITIAL CONDITIONS RTLT: 31h 30m 44s CCSL: A076 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 31h 30m 54s												0000 RTLT 31h 31m 4s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)															
31 DSN COVERAGE	15 [DAR] 1005 25 [DA] 1005 10												15 [DAR] 0540 0540 26 [DA] 10 2240 65 [DA] 0205 2240 55 [DAR] 0205 60															
32 DSN COVERAGE	1125 34 [D] 1415 1355 45 [D] 2015 2025 43 [D] 2250 40												40															
S/C 32 INITIAL CONDITIONS RTLT: 25h 30m 52s CCSL: BASELINE FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 25h 30m 58s												0000 RTLT 25h 31m 4s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL														VGR ON CALL													
NOTES	[1] S/C 31=GS-4B @ 1716 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	JUL 30														JUL 31													







ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06





ISSUE DATE: 08/03/10 13:06




ISSUE DATE: 08/03/10 13:06









ISSUE DATE: 08/03/10 13:06



ISSUE DATE: 08/03/10 13:06



ISSUE DATE: 08/03/10 13:06



ISSUE DATE: 08/03/10 13:06

