

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: April 27, 2011

For the Period: 04/28/2011 to 05/16/2011 (11-118 – 11-136)

DSN OPSCHIEF (1) 230-102

SCIENCE

FLIGHT TEAM (14) 600-100

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holberg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina, E.
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L
 Zottarelli, L.
 *odivers1@san.rr.com


OTHER

* KMassej@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 * !DL-DSN-MPSETA@dsn.nasa.gov


LEGEND: ∇ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = 7-Point BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10


ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
SUNDAY MAY 1, 2011 121-122																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 12m 44s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 32h 12m 44s												0000 RTLT 32h 12m 44s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
31 DSN COVERAGE	25 [D] 1055										0450 14 [D]														
	10										10														
	40										40														
	60										2205 65 [D] 0400														
	60										60														
32 DSN COVERAGE	1145 45 [D] 1940										40														
S/C 32 INITIAL CONDITIONS RTLT: 26h 18m 54s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 18m 52s												0000 RTLT 26h 18m 50s												
FDS MODE	CR-5T												CR-5T												
XB DATA RATE(MI)	160(32)												160(32)												
VGR COVERAGE	ON CALL																				VGR				
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 01												MAY 02												


ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY MAY 2, 2011 122-123	UTC: 7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 12m 44s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 32h 12m 46s												0000 RTLT 32h 12m 46s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
31 DSN COVERAGE	14 [D] 105040..... 												0445 15 [DA] 0445 25 [DAR] 10..... 2150 65 [DA] 0350 2150 54 [DAR] 0350 60.....												
32 DSN COVERAGE	0955 43 [D] 1240 1225 45 [D] 1705 40.....																								
S/C 32 INITIAL CONDITIONS RTLT: 26h 18m 50s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 18m 48s												0000 RTLT 26h 18m 46s												
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)												
VGR COVERAGE	VGR						ON CALL						VGR						ON CALL						
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 02												MAY 03												


ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
WEDNESDAY MAY 4, 2011 124-125																												
S/C 31 INITIAL CONDITIONS RTLTL: 32h 12m 48s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/.10/.25 GYROS: BC ON	1200 RTLT 32h 12m 50s												0000 RTLT 32h 12m 52s												U/L 0630 - TLC (LONG-FORM) -			
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
31 DSN COVERAGE																												
32 DSN COVERAGE																												
S/C 32 INITIAL CONDITIONS RTLTL: 26h 18m 40s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 18m 38s												0000 RTLT 26h 18m 36s												▼ 1337 DUMMY (5 MIN BRACKETED 15:56)			
FDS MODE XB DATA RATE(MI)													CR-5T 160(32)															
VGR COVERAGE	ON CALL							VGR							ON CALL													
NOTES																												
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	MAY 04														MAY 05													


ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0										
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7										
TUESDAY MAY 10, 2011 130-131																																			
S/C 31 INITIAL CONDITIONS RTLTL: 32h 13m 6s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: HI PYR: .05/10/25 GYROS: BC ON	1200 RTLT 32h 13m 8s														0000 RTLT 32h 13m 10s																				
FDS MODE	CR-5T														CR-5T																				
XB DATA RATE(MI)	160(32)														160(32)																				
31 DSN COVERAGE	<p>15 [DA] 1040 0415 14 [D]</p> <p>26 [DAR] 1040</p> <p>1040</p> <p>10</p> <p>40</p> <p>2025 55 [DA] 0345</p> <p>2025 65 [DAR] 0345</p> <p>60</p> <p>60</p>																																		
32 DSN COVERAGE	<p>1110 45 [D] 1655</p> <p>40</p>																																		
S/C 32 INITIAL CONDITIONS RTLTL: 26h 18m 16s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/10/25 GYROS: OFF	1200 RTLT 26h 18m 14s														0000 RTLT 26h 18m 12s																				
FDS MODE	CR-5T																																		
XB DATA RATE(MI)	160(32)																																		
VGR COVERAGE	VGR							ON CALL							VGR							ON CALL							VGR						
NOTES	[1] S/C 31=GS-4B @ 1536 XB=2.8K(41) NOT RECOVERABLE																																		
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7										
UTC:	MAY 10														MAY 11																				

ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31




ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
FRIDAY MAY 13, 2011 133-134																												
S/C 31 INITIAL CONDITIONS RTLTL: 32h 13m 18s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 32h 13m 20s												0000 RTLT 32h 13m 22s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)												CR-5T 160(32)															
31 DSN COVERAGE	<p>0750 15 [DAR] 0515 14 [D]</p> <p>0750 25 [DA] 1030 14 [D] 1345 10 40</p> <p>2120 55 [DA] 0340</p> <p>2120 54 [DAR] 0340 60</p>																											
32 DSN COVERAGE	<p>1005 43 [D] 1215</p> <p>1155 45 [D] 1515 40</p>																											
S/C 32 INITIAL CONDITIONS RTLTL: 26h 18m 4s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	1200 RTLT 26h 18m 4s												0000 RTLT 26h 18m 2s															
FDS MODE XB DATA RATE(MI)	CR-5T 160(32)																											
VGR COVERAGE	ON CALL																											
NOTES	[1] S/C 31=GS-4B @ 2136 XB=2.8K(41) NOT RECOVERABLE																											
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7			
UTC:	MAY 13														MAY 14													

ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31



ISSUE DATE: 04/28/11 13:31

PDT:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0
MONDAY MAY 16, 2011 136-137																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
S/C 31 INITIAL CONDITIONS RTLT: 32h 13m 32s CCSL: A079 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 32h 13m 34s</p>																								
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
31 DSN COVERAGE	<p>15 [DA] 1030 25 [DAR] 1030 10 40 60</p>																								
32 DSN COVERAGE	<p>1425 34 [D] 1825</p>																								
S/C 32 INITIAL CONDITIONS RTLT: 26h 17m 54s CCSL: B151 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 26h 17m 54s</p>																								
FDS MODE													CR-5T												
XB DATA RATE(MI)													160(32)												
VGR COVERAGE	ON CALL																								
NOTES																									
UTC:	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7
UTC:	MAY 16												MAY 17												