

VOYAGER

Space Flight Operations Schedule (SFOS)

Issue Date: November 3, 2015

For the Period: 11/5/15 to 11/23/15 (15-309 – 15-327)

DSN OPSCHIEF (1) 230-102

DSOT (1) 230-102

*Zsarina.Bulchand@jpl.nasa.gov
 *gdyke@airmail.ftops.jpl.nasa.gov
 *John.M.Grant@jpl.nasa.gov
 *dmcclena@airmail.ftops.jpl.nasa.gov
 *pquach@airmail.ftops.jpl.nasa.gov
 *mrobles@airmail.ftops.jpl.nasa.gov
 *rwilliam@airmail.ftops.jpl.nasa.gov

OTHER

* KMassey@jgld.gdscc.nasa.gov
 * Belinda.Arroyo@jpl.nasa.gov
 *DL-DSSN-MPSETA@dsn.nasa.gov

SCIENCE

CRS *bryant@mail630.gsfc.nasa.gov
 LECP *r.decker@jhupl.edu
 UVS *holburg@argus.lpl.arizona.edu
 MAG *u2mha@lepvox.gsfc.nasa.gov
 PLS *vgr@space.mit.edu
 PWS *wsk@space.physics.uiowa.edu
 *Leonard.F.Burlaga@nasa.gov
 *Donald-Gurnett@uiowa.edu


FLIGHT TEAM (14) 600-100

Dodd, S.
 Hall, J.
 Howard, S. (3)
 Ludwig, R. (2)
 Matsumoto, S.
 Medina
 Peralta, F.
 Weeks, T.
 Wong, R.
 Yang, L.
 Zottarelli, L.
 *odivers@san.rr.com

LEGEND:
 ▽ = R/T Command (Last chance or Contingency)
 ▼ = R/T Command (Scheduled)
 * = Result of R/T Command
 n = (where n = 1,2,3 ..) Special Note, see bottom of page
 A = Arrayed station
 B = BLF
 D = Downlink only pass
 H = High Power Transmitter
 R = Array Reference Antenna
 T = TLC Uplink
 U = Uplink only pass
 [o] = Ramp-through

*Electronic Copy Only
 (16 – Dist/N: Paper Copies)
 09/08/10


ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	
FRIDAY NOVEMBER 6, 2015 310-311																										
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
S/C 31 INITIAL CONDITIONS	1200 RTLT 37h 4m 24s												0000 RTLT 37h 4m 34s													
RTLT: 37h 4m 16s																										
CCSL: A097													1930 AAI													
FDSL: 11AF	0815- 0816 PWS/RH												1933	MAGROL												0129
TWNC: ON	TAPPOS 0827 - 0948																								0122 RAI	
SB: OFF																									0129 CRU	
XB: HI																									0129 GYROS STAY ON	
PYR: .05/.10/.25																									0139 GYRO FAULT TEST	
GYROS: BC ON																										
↓ 0815 GS-4B 0816																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
31 DSN COVERAGE																										
32 DSN COVERAGE																										
S/C 32 INITIAL CONDITIONS	1200 RTLT 30h 27m 0s												0000 RTLT 30h 27m 12s													
RTLT: 30h 26m 50s																										
CCSL: B169																										
FDSL: 11AF	▼ 1442 DUMMY (5 MIN BRACKETED 21:09)																									
TWNC: ON																										
SB: OFF																										
XB: LOW																										
PYR: .05/.10/.25																										
GYROS: OFF																										
FDS MODE													CR-5T													
XB DATA RATE(MI)													160(32)													
VGR COVERAGE	ON CALL				VGR				ON CALL				VGR				ON CALL									
NOTES	<p>[1] S/C 31=GS-4B @ 0815 XB=2.8K(41) NOT RECOVERABLE</p> <p>[2] S/C 31=D/L AGC & SNR VARIATIONS EXPECTED DURING MAGROL (1933-0129)</p>																									
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8	
UTC:	NOV 06												NOV 07													


ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38







ISSUE DATE: 11/03/15 11:38



ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38

PST:		0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0			
WEDNESDAY																													
NOVEMBER 18, 2015																													
322-323																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
S/C 31 INITIAL CONDITIONS		1200 RTLT 37h 7m 34s														0000 RTLT 37h 7m 42s													
RTLT: 37h 7m 26s																													
CCSL: A097																													
FDSL: 11AF																													
TWNC: ON																													
SB: OFF																													
XB: LOW																													
PYR: .05/.10/.25																													
GYROS: AC ON																													
FDS MODE		CR-5T																											
XB DATA RATE(MI)		160(32)																											
31 DSN COVERAGE																													
32 DSN COVERAGE																													
S/C 32 INITIAL CONDITIONS		1200 RTLT 30h 31m 10s														0000 RTLT 30h 31m 20s													
RTLT: 30h 31m 0s																													
CCSL: B169		* 0809 IMPLEMENT ECR 114151 WPM																											
FDSL: 11AF		* 0815 - 0825 TLMPRG																											
TWNC: ON																													
SB: OFF																													
XB: LOW		* 0838 - 0844 5 SID MRO'S																											
PYR: .05/.10/.25		0923 0929 5 SID MRO'S - REDUNDANT																											
GYROS: OFF																													
FDS MODE		CR-5T																											
XB DATA RATE(MI)		160(32)																											
VGR COVERAGE		VGR ON CALL																											
NOTES																													
UTC:		8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8			
UTC:		NOV 18														NOV 19													


ISSUE DATE: 11/03/15 11:38




ISSUE DATE: 11/03/15 11:38



ISSUE DATE: 11/03/15 11:38





ISSUE DATE: 11/03/15 11:38

PST:	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0		
MONDAY NOVEMBER 23, 2015 327-328	UTC: 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
S/C 31 INITIAL CONDITIONS RTLT: 37h 8m 36s CCSL: A097 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: AC ON	<p>1200 RTLT 37h 8m 42s</p>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
31 DSN COVERAGE	<p>63 [D] 1205 60 1645 63 [D] 1905</p>																										
32 DSN COVERAGE	<p>35 [D] 1010 1145 43 [D] 1450 40</p>																										
S/C 32 INITIAL CONDITIONS RTLT: 30h 32m 38s CCSL: B169 FDSL: 11AF TWNC: ON SB: OFF XB: LOW PYR: .05/.10/.25 GYROS: OFF	<p>1200 RTLT 30h 32m 48s</p>																										
FDS MODE XB DATA RATE(MI)														CR-5T 160(32)													
VGR COVERAGE	ON CALL																										
NOTES																											
UTC:	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	0	1	2	3	4	5	6	7	8		
UTC:	NOV 23													NOV 24													