

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 18, 1994
230-231

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 40m 44s

1200 RTLT=15h 40m 56s

0000 RTLT=15h 41m 6s

VOYAGER 1

S/C 31 STATUS

↓ 1551 SLEW->HELIO-7

SLEW->HELIO-8 0351 ↓

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -1.982 sec
SCAN PLAT POSITION:
AZ = 125.000 deg
EL = 125.012 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0800 |----- 42 [D] -----| 1135

0225 |----- 12 [D] -----|

DSN COVERAGE
HPTXR

32

| 0710 15 [D]

1030 |----- 45 [D] -----| 1435

1415 |----- 43 [O] -----| 1825

0305 |----- 15 [D] -----|

HPTXR

RTLT : 11h 54m 0s

1200 RTLT=11h 54m 10s

0000 RTLT=11h 54m 18s

VOYAGER 2

S/C 32 STATUS

↓ 1802 SLEW->BD+28-4211

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:43.046 min
SCAN PLAT POSITION:
AZ = 169.984 deg
EL = 104.654 deg
ROLLREF = VEGA

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 19, 1994
231-232

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 6s

1200 RTLT=15h 41m 18s

0000 RTLT=15h 41m 30s

VOYAGER 1

↓ 1551 SLEW->HELIO-9

SLEW->HELIO-10 0351 ↓

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 12 [D] | 0805 2105 |----- 12 [D] |----- | 0350

0800 |----- 42 [D] |----- | 1155

1345 |----- 61 [D] |----- | 1735

DSN COVERAGE
HPTXR

32 0705 15 [D]

0300 |----- 15 [D] |-----

1030 |----- 45 [D] |----- | 1445

1430 |----- 43 [o] |----- | 1820

HPTXR

RTLT : 11h 54m 18s

1200 RTLT=11h 54m 28s

0000 RTLT=11h 54m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 20, 1994
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 30s

1200 RTLT=15h 41m 42s

0000 RTLT=15h 41m 54s

VOYAGER 1

↓ 1551 SLEW->HELIO-11

FDSL : 11AF

U/L 0000 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

----- 42 [D] ----- | 0715 - 1305
1430 | - - - - - 61 [D] - - - - - | 1740
2105 | - - - - - 12 - - - - - | 0110

DSN COVERAGE HPTXR

32

0705 15 [D]
1025 | - - - - - 45 [D] - - - - - | 1500
1445 | - - - - - 43 [o] - - - - - | 1815
0255 - 0700 | - - - - - 15 [D] - - - - -

HPTXR

RTLT : 11h 54m 38s

1200 RTLT=11h 54m 48s

0000 RTLT=11h 54m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 21, 1994
233-234

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 41m 54s

1200 RTLT=15h 42m 6s

0000 RTLT=15h 42m 18s

VOYAGER 1

↓ 0852 SLEW->MIDWAY

FDSL : 11AF

----- TLC (SHORT-FORM) ----- † D/L -| 1710

SLEW->HELIO-13 0352 ↓

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1052 SLEW-> HELIO-12

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1430 |----- 61 [D] -----| 1915

2100 - 0650 |----- 12 [D] -----|

DSN COVERAGE HPTXR

32

0700 15 [D]

1025 |----- 45 [D] -----| 1625

0255 - 0655 |----- 15 [D] -----|

HPTXR

RTLT : 11h 54m 56s

1200 RTLT=11h 55m 6s

0000 RTLT=11h 55m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 22, 1994
234-235

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 42m 18s

1200 RTLTL=15h 42m 30s

0000 RTLTL=15h 42m 42s

VOYAGER 1

↓ 1552 SLEW->HELIO-14

SLEW->HELIO-15 0352 ↓

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1320 |----- 61 [D] -----| 1925

2055 - 0650 |----- 12 [D] -----|

DSN COVERAGE
HPTXR

32

1025 |----- 45 [D] -----| 1420
1405 |----- 43 [o] -----| 1810

0250 - 0650 |----- 15 [D] -----|

HPTXR

RTLTL : 11h 55m 16s

1200 RTLTL=11h 55m 26s

0000 RTLTL=11h 55m 36s

VOYAGER 2

↓ 1502 SLEW->BAKGND

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 23, 1994
235-236

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 42m 42s
VOYAGER 1
FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 42m 54s
0000 RTLTL=15h 43m 6s

↓ 0855 PLS MOD OFF
0857 | 0858 PWS/RH
↓ 0859 PLS MOD ON

↓ 1552 SLEW->HELIO-16
SLEW->HELIO-17 0352 ↓

0857 GS-4B
0858

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31
DSN COVERAGE HPTXR
32
HPTXR

1315 |----- 61 [D] -----| 1900
2045 |---- 63 [D] ----| 2355

0930 |----- 45 [D] -----| 1450
1435 |-- 43 [o] ---| 1645

0245- 0645 |----- 15 [D] -----|

RTLTL : 11h 55m 36s
VOYAGER 2
FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=11h 55m 46s
0000 RTLTL=11h 55m 56s

0830 | 0831 PWS/RH
0944 | PLSCAL -| 1126
0944 |---- MAGCAL ----| 1246
0944 |---- PESCAL ----| 1304

0830 GS-4B
0831 0937

FDS MODE	UV-5A	UV-5A	CR-5T	UV-5A
XB DATA RATE (MI)	600 (36)	600(36)	160(32)	600(36)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 0830 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0857 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 24, 1994
236-237

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 6s

1200 RTLT=15h 43m 18s

0000 RTLT=15h 43m 30s

VOYAGER 1

↓ 1552 SLEW->HELIO-18

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- { 0745 12 [D]

2100 |----- 12 [D] -----| 0310

1400 |----- 61 [D] -----| 1900

DSN COVERAGE
HPTXR

32 0925 |----- 45 [D] -----| 1420

1405 |----- 43 [o] -----| 1800

0240 - 0645 |----- 15 [D] -----|

HPTXR

RTLT : 11h 55m 56s

1200 RTLT=11h 56m 6s

0000 RTLT=11h 56m 16s

VOYAGER 2

▼ 1510 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 25, 1994
237-238

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 30s

1200 RTLT=15h 43m 42s

0000 RTLT=15h 43m 54s

VOYAGER 1

▼ 1700 DUMMY

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1310

61

2345

2345 - 0700

12 [D]

DSN COVERAGE
HPTXR

32

0925

45 [D]

1420

1405

43 [D]

1755

HPTXR

RTLT : 11h 56m 16s

1200 RTLT=11h 56m 26s

0000 RTLT=11h 56m 36s

VOYAGER 2

↓ 1003 SLEW->ALPHA ERI

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 26, 1994
238-239

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 54s

1200 RTLT=15h 44m 6s

0000 RTLT=15h 44m 18s

U/L 2330 | - | - - - - - TLC (SHORT-FORM) - - - - -

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0820 | - - - - - 42 [D] - - - - - | 1240 2040 | - - - - - 12 - - - - - | 0455

0700 12 [D]

1345 | - - - - - 61 [D] - - - - - | 2055

DSN COVERAGE HPTXR

32

0950 | - - - - - 45 [D] - - - - - | 1420

1405 | - - - - - 43 [o] - - - - - | 1755

0235 - 0635 | - - - - - 15 [D] - - - - - |

HPTXR

RTLT : 11h 56m 36s

1200 RTLT=11h 56m 46s

0000 RTLT=11h 56m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 27, 1994
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 44m 18s

1200 RTLTL=15h 44m 30s

0000 RTLTL=15h 44m 42s

VOYAGER 1

-----TLC (SHORT-FORM) -----+ D/L -| 1642

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42 [D] -----| 0715 - 1130

1305 |-----61 [D] -----| 1745

2035 |-----12 [D] -----| 0545

HPTXR

DSN COVERAGE

32

0935 |-----45 [D] -----| 1420

1405 |-----43 [o] -----| 1750

0230 - 0630 |-----15 [D] -----|

HPTXR

RTLTL : 11h 56m 56s

1200 RTLTL=11h 57m 8s

0000 RTLTL=11h 57m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

-----ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 28, 1994
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 44m 42s

1200 RTLT=15h 44m 54s

0000 RTLT=15h 45m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 42 [D] ----- | 0715 - 1235 | 2030 - 0700 | ----- 12 [D] -----

1255 | ----- 61 [D] ----- | 1815

HPTXR

DSN COVERAGE

32

1020 | ----- 45 [D] ----- | 1745 | 0220 - 0625 | ----- 15 [D] ----- |

HPTXR

RTLT : 11h 57m 18s

1200 RTLT=11h 57m 28s

0000 RTLT=11h 57m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 29, 1994
241-242

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 45m 6s

1200 RTLT=15h 45m 18s

0000 RTLT=15h 45m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0700 12 [D]

0830 | --- 43 [D] --- | 1100

1810 | ----- 61 [D] ----- | 2210

2155 | --- 12 [D] --- | 0025

DSN COVERAGE
HPTXR

32

1200 | ----- 43 [o] ----- | 1730

0230 - 0625 | ----- 15 [D] ----- |

HPTXR

RTLT : 11h 57m 38s

1200 RTLT=11h 57m 48s

0000 RTLT=11h 58m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 30, 1994
242-243

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 45m 30s
VOYAGER 1
FDSL : 11AF
CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 45m 42s
0000 RTLTL=15h 45m 54s

↓ 0833 PLS MOD OFF
0834 | 0835 PWS/RH
↓ 0837 PLS MOD ON

0834
GS-4B 0835

FDS MODE
XB DATA RATE (MI)

CR-5T	CR-5T
160(32)	160(32)

DSN COVERAGE

31
HPTXR
0850 |----- 42 [D] -----| 1225
1250 |----- 61 [D] -----| 2035
2020 |----- 12 [D] -----| 0030

32
HPTXR
1110 |----- 43 [0] -----| 1735
2005 | 65 [D] | 2125
0225 - 0620 |----- 15 [D] -----|

RTLTL : 11h 58m 0s
VOYAGER 2
FDSL : 11AF
CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=11h 58m 10s
0000 RTLTL=11h 58m 20s

0808 | 0808 PWS/RH
▼ 1520 DUMMY

0808
GS-4B 0808

FDS MODE
XB DATA RATE (MI)

UV-5A	UV-5A
600(36)	600(36)

VOYAGER COVERAGE
|----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 0808 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0834 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 31, 1994
243-244

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 45m 54s

1200 RTLTL=15h 46m 6s

0000 RTLTL=15h 46m 18s

▼ 2105 DUMMY

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245 |----- 61 [D] -----

2030

0220 |----- 15 [D] -----

2015 |----- 12 ----- | 0030

DSN COVERAGE
HPTXR

32

1020 |----- 45 [D] ----- | 1545

45 [D] 0605 |-----

0325 |----- 43 [o] ----- | 0515

HPTXR

RTLTL : 11h 58m 20s

1200 RTLTL=11h 58m 30s

0000 RTLTL=11h 58m 42s

VOYAGER 2

↓ 1204 SLEW->ALPHA VIR

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 1, 1994
244-245

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 46m 18s

1200 RTLTL=15h 46m 30s

0000 RTLTL=15h 46m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0715 15 [D]

1240 |----- 61 [D] -----| 1745

2145 |----- 12 [D] -----| 0145

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 1345

1330 |----- 43 [o] -----| 1700

0205- 0610 |----- 15 [D] -----|

HPTXR

RTLTL : 11h 58m 42s

1200 RTLTL=11h 58m 52s

0000 RTLTL=11h 59m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 2, 1994
245-246

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 46m 42s

1200 RTLTL=15h 46m 54s

0000 RTLTL=15h 47m 6s

VOYAGER 1

U/L 0600 | - |
TLC (SHORT-FORM) | - -

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245 |-----| 61 [D] |-----| 1930

1915 |-----| 63 [D] |-----| 2315

DSN COVERAGE
HPTXR

32

1020 |-----| 45 [D] |-----| 1535

0200 |-----| 15 [D] |-----| 0605

HPTXR

RTLTL : 11h 59m 4s

1200 RTLTL=11h 59m 14s

0000 RTLTL=11h 59m 24s

VOYAGER 2

↓ 1504 SLEW->NOGALPOLE

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 3, 1994
246-247

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 47m 6s

1200 RTLT=15h 47m 18s

0000 RTLT=15h 47m 30s

VOYAGER 1

----- TLC (SHORT-FORM) ----- D/L -| 2315

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0845 |----- 42 [D] -----| 1210

2005 |----- 12 [D] -----| 0015

1235 |----- 61 [D] -----| 2020

DSN COVERAGE
HPTXR

32

1030 |----- 43 [o] -----| 1720

0155 |----- 15 [D] -----| 0605

HPTXR

RTLT : 11h 59m 24s

1200 RTLT=11h 59m 36s

0000 RTLT=11h 59m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/17/94 - 06:44

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 4, 1994
247-248

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 47m 30s

1200 RTLT=15h 47m 42s

0000 RTLT=15h 47m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0840 |----- 42 [D] -----| 1205

0255 - 0655 |----- 12 [D] -----|

1515 |----- 61 [D] -----| 2300

HPTXR

DSN COVERAGE

32

1130 |----- 45 [D] -----| 1715

HPTXR

RTLT : 11h 59m 46s

1200 RTLT=11h 59m 58s

0000 RTLT=12h 0m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7