

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 25, 1994
237-238

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 30s

1200 RTLT=15h 43m 42s

0000 RTLT=15h 43m 54s

VOYAGER 1

S/C 31 STATUS

▼ 1700 DUMMY

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -2.053 sec
SCAN PLAT POSITION:
AZ = 319.959 deg
EL = 117.035 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1310

61

2055

0950 |----- 42 [D] -----| 1245

2345 - 0700 |----- 12 [D] -----|

DSN COVERAGE
HPTXR

32

0925 |----- 45 [D] -----| 1420

1405 |----- 43 [D] -----| 1755

HPTXR

RTLT : 11h 56m 16s

1200 RTLT=11h 56m 26s

0000 RTLT=11h 56m 36s

↓ 1003 SLEW->ALPHA ERI

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:42.228 min
SCAN PLAT POSITION:
AZ = 6.372 deg
EL = 94.935 deg
ROLLREF = VEGA

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 26, 1994
238-239

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 43m 54s

1200 RTLT=15h 44m 6s

0000 RTLT=15h 44m 18s

U/L 2330 | - | - - - - - TLC (SHORT-FORM) - - - - -

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 0820 | - - - - - 42 [D] - - - - - | 1240 2040 | - - - - - 12 - - - - - | 0455

0700 12 [D]

1345 | - - - - - 61 [D] - - - - - | 2055

DSN COVERAGE HPTXR

32

0950 | - - - - - 45 [D] - - - - - | 1420

1405 | - - - - - 43 [o] - - - - - | 1755

0235 - 0635 | - - - - - 15 [D] - - - - - |

HPTXR

RTLT : 11h 56m 36s

1200 RTLT=11h 56m 46s

0000 RTLT=11h 56m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 27, 1994
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 44m 18s

1200 RTLT=15h 44m 30s

0000 RTLT=15h 44m 42s

VOYAGER 1

-----TLC (SHORT-FORM) -----+ D/L -| 1642

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

-----42 [D] -----| 0715 - 1130

1305 |-----61 [D] -----| 1745

2035 |-----12 [D] -----| 0545

DSN COVERAGE
HPTXR

32

0935 |-----45 [D] -----| 1420

1405 |-----43 [o] -----| 1750

0230 - 0630 |-----15 [D] -----|

HPTXR

RTLT : 11h 56m 56s

1200 RTLT=11h 57m 8s

0000 RTLT=11h 57m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

-----ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 28, 1994
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 44m 42s

1200 RTLT=15h 44m 54s

0000 RTLT=15h 45m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

42 [D] 0715 - 1235

2030 - 0700

12 [D]

DSN COVERAGE
HPTXR

32

1020 45 [D] 1745

0220 - 0625 15 [D]

HPTXR

RTLT : 11h 57m 18s

1200 RTLT=11h 57m 28s

0000 RTLT=11h 57m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600 (36)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 29, 1994
241-242

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 45m 6s

1200 RTLT=15h 45m 18s

0000 RTLT=15h 45m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0700 12 [D]

0830 | --- 43 [D] --- | 1100

1810 | ----- 61 [D] ----- | 2210

2155 | --- 12 [D] --- | 0025

DSN COVERAGE
HPTXR

32

1200 | ----- 43 [o] ----- | 1730

0230 - 0625 | ----- 15 [D] ----- |

HPTXR

RTLT : 11h 57m 38s

1200 RTLT=11h 57m 48s

0000 RTLT=11h 58m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY AUGUST 30, 1994 242-243	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLT : 15h 45m 30s VOYAGER 1 FDSL : 11AF CCSL : A019 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=15h 45m 42s 0000 RTLT=15h 45m 54s ↓ 0833 PLS MOD OFF 0834 0835 PWS/RH ↓ 0837 PLS MOD ON 0834 GS-4B 0835
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32) CR-5T 160(32)
DSN COVERAGE HPTXR 31	0850 ----- 42 [D] ----- 1225 1250 ----- 61 [D] ----- 2000 2020 ----- 12 [D] ----- 0030
HPTXR 32	1110 ----- 43 [0] ----- 1735 2005 65 [D] 2125 0225 - 0620 ----- 15 [D] -----
RTLT : 11h 58m 0s VOYAGER 2 FDSL : 11AF CCSL : B022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=11h 58m 10s 0000 RTLT=11h 58m 20s 0808 0808 PWS/RH ▼ 1520 DUMMY 0808 GS-4B 0808
FDS MODE XB DATA RATE (MI)	UV-5A UV-5A 600(36)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 0808 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0834 XB=2.8K(41) NOT RECOVERABLE
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 31, 1994
243-244

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 45m 54s

1200 RTLTL=15h 46m 6s

0000 RTLTL=15h 46m 18s

▼ 2105 DUMMY

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1430 |----- 61 [D] -----

2030

0220 |----- 15 [D] -----

2015 |----- 12 ----- |0030

DSN COVERAGE
HPTXR

32

1020 |----- 45 [D] ----- |1545

0550 | 45 [D] |

0325 | - 43 [o] - - |0515

HPTXR

RTLTL : 11h 58m 20s

1200 RTLTL=11h 58m 30s

0000 RTLTL=11h 58m 42s

VOYAGER 2

↓ 1204 SLEW->ALPHA VIR

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 1, 1994
244-245

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 46m 18s

1200 RTLT=15h 46m 30s

0000 RTLT=15h 46m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | 0715 15 [D]

1240 |----- 61 [D] -----| 1745

2145 |----- 12 [D] -----| 0145

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 1345

1330 |----- 43 [o] -----| 1700

0205- 0610 |----- 15 [D] -----|

HPTXR

RTLT : 11h 58m 42s

1200 RTLT=11h 58m 52s

0000 RTLT=11h 59m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 2, 1994
245-246

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 46m 42s

1200 RTLTL=15h 46m 54s

0000 RTLTL=15h 47m 6s

VOYAGER 1

U/L 0600 | - |
TLC (SHORT-FORM) | - -

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245 |-----| 61 [D] |-----|

1930

2330 |-----| 12 |-----|

1915 |-----| 63 [D] |-----| 2315

DSN COVERAGE
HPTXR

32

1020 |-----| 45 [D] |-----| 1535

0200 |-----| 15 [D] |-----| 0605

HPTXR

RTLTL : 11h 59m 4s

1200 RTLTL=11h 59m 14s

0000 RTLTL=11h 59m 24s

VOYAGER 2

↓ 1504 SLEW->NOGALPOLE

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 3, 1994
246-247

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 47m 6s

1200 RTLT=15h 47m 18s

0000 RTLT=15h 47m 30s

VOYAGER 1

----- TLC (SHORT-FORM) ----- D/L -| 2315

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0705 12 2005 |----- 12 [D] -----| 0015

0845 |----- 42 [D] -----| 1210

1235 |----- 61 [D] -----| 2020

HPTXR
DSN COVERAGE

32 1030 |----- 43 [o] -----| 1720

0155 |----- 15 [D] -----| 0605

HPTXR

RTLT : 11h 59m 24s

1200 RTLT=11h 59m 36s

0000 RTLT=11h 59m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 4, 1994
247-248

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 47m 30s

1200 RTLT=15h 47m 42s

0000 RTLT=15h 47m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0840 |----- 42 [D] -----| 1205

1515 |----- 61 [D] -----| 2300

0255 - 0655 |----- 12 [D] -----|

HPTXR
DSN COVERAGE

32

1130 |----- 45 [D] -----| 1715

HPTXR

RTLT : 11h 59m 46s

1200 RTLT=11h 59m 58s

0000 RTLT=12h 0m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 5, 1994
248-249

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 47m 54s

1200 RTLT=15h 48m 6s

0000 RTLT=15h 48m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0840 |-----42 [D]-----| 1200

1225 |-----

61 [D]-----|

1905 |-----

1920

2250 - 0655 |-----12 [D]-----|

63 [D]-----| 2305

HPTXR

DSN COVERAGE

32

1020 |-----45 [D]-----| 1330

1315 |-----

43 [D]-----| 1715

0350 |---15 [D]---| 0555

HPTXR

RTLT : 12h 0m 8s

1200 RTLT=12h 0m 20s

0000 RTLT=12h 0m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

LABOR DAY - JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY SEPTEMBER 6, 1994 249-250	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLT : 15h 48m 18s VOYAGER 1 FDSL : 11AF CCSL : A019 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=15h 48m 30s 0000 RTLT=15h 48m 42s ↓ 0810 PLS MOD OFF 0811 0812 PWS/RH ↓ 0814 PLS MOD ON 0812 GS-4B 0812 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160(32) 160(32)
DSN COVERAGE HPTXR 31 0835 -----42 [D]----- 1200 1245 -----61 [D]----- 2015 2345 - 0650 -----12 [D]-----	32 1020 -----45 [D]----- 1520 0545 43 [D] HPTXR 0145 -----15 [D]----- 0550
RTLT : 12h 0m 30s VOYAGER 2 FDSL : 11AF CCSL : B022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=12h 0m 42s 0000 RTLT=12h 0m 52s 0745 - 0746 PWS/RH 1737 ----- COMMAND MORATORIUM ----- UPDCRU TO CR-5T 0405 ↓ 0324 ----- 0435 TAPPOS BAY 1 HTR OFF 0508 ↓ X/B HI POWER 0512 ↓ YAW=.05 0608 ↓ PLAYBACK 0617 --- 0745 GS-4B 0746 FDS MODE UV-5A XB DATA RATE (MI) 600(36)
VOYAGER COVERAGE ----- VGR ----- --- VGR ---	
NOTES [1] S/C 32=GS-4B @ 0745 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0812 XB=2.8K(41) NOT RECOVERABLE	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 7, 1994
250-251

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 48m 42s

1200 RTLT=15h 48m 54s

0000 RTLT=15h 49m 6s

VOYAGER 1

FDSL : 11AF

▼ 2205 DUMMY

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1215

61 [D]

1955

2135 - 0645

12

DSN COVERAGE

HPTXR

32

43 [D]

1300

0145

15 [D]

0545

1245

42 [D]

1645

0545

42 [D]

HPTXR

RTLT : 12h 0m 52s

1200 RTLT=12h 1m 4s

0000 RTLT=12h 1m 16s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

0440 - 0651 TAPPOS

CCSL : B022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

↓ 1307 YAW=.10

PLAYBACK

1252

FDS MODE
XB DATA RATE (MI)

PB-5

7.2K(41)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 8, 1994
251-252

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 15h 49m 6s

1200 RTLTL=15h 49m 18s

0000 RTLTL=15h 49m 30s

VOYAGER 1

↓ 1555 MEM UPD - PWSREC U/D

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1215 |----- 61 [D] -----| 1950

2135 - 0640 |----- 12 [D] -----|

DSN COVERAGE
HPTXR

32

----- 42 [D] ----- | 1645

0530 | 42 [D] |

HPTXR

0140 |----- 15 [D] -----| 0545

RTLTL : 12h 1m 16s

1200 RTLTL=12h 1m 26s

0000 RTLTL=12h 1m 38s

----- COMMAND MORATORIUM ----- | 1711
1755 |

----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

GYROS BC ON 0526 ↓
GYRO INIT 0527 ↓
GYRO FAULT TEST 0536 ↓

CCSL : B022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

CCSTIM (B) 0630 - 0636 ||

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

VGR 0515 |---| 0600

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 9, 1994
252-253

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 49m 30s

1200 RTLT=15h 49m 42s

0000 RTLT=15h 49m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245 |----- 61 [D] -----| 1850

1940 |----- 12 [D] -----| 2350

DSN COVERAGE
HPTXR

32

----- 42 [D] -----| 1035

1020 |----- 45 [D] -----| 1505

1505 |----- 43 [D] -----| 1700

0135 |----- 15 [D] -----| 0540

HPTXR

RTLT : 12h 1m 38s

1200 RTLT=12h 1m 48s

0000 RTLT=12h 2m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 10, 1994
253-254

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 49m 52s

1200 RTLT=15h 50m 4s 0000 RTLT=15h 50m 16s

VOYAGER 1

U/L 1245 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0603

FDSL : 11AF

CCSL : A019
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0825 | - - - - - 42 [D] - - - - - | 1145
1205 | - - - - - 61 - - - - - | 2045
2240 - 0635 | - - - - - 12 [D] - - - - - |

DSN COVERAGE HPTXR

32 1035 | - - - - - 43 [D] - - - - - | 1500

HPTXR

RTLT : 12h 2m 0s

1200 RTLT=12h 2m 12s 0000 RTLT=12h 2m 24s

VOYAGER 2

- - - - - COMMAND MORATORIUM - - - - - | 1724

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/24/94 - 06:58

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 11, 1994
254-255

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 15h 50m 16s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A019
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=15h 50m 28s 0000 RTLT=15h 50m 40s

DSN COVERAGE HPTXR
 31 1200 |----- 61 [D] -----| 2050
 2030 - 0630 |----- 12 [D] -----|

HPTXR
 32 1025 |----- 45 [D] -----| 1350
 1335 |----- 43 [o] -----| 1650
 0125 |----- 15 [D] -----| 0530

RTLT : 12h 2m 24s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B022
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10 / .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=12h 2m 34s 0000 RTLT=12h 2m 46s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7