

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 8, 1994
342-343

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 40s

1200 RTLT=16h 15m 44s

0000 RTLT=16h 15m 48s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.221 sec
SCAN PLAT POSITION:
AZ = 319.987 deg
EL = 147.006 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 61 [D] ----- | 1420 ----- 0620 | - - 61 [D] - -

1405 |----- 12 [D] ----- | 0045

DSN COVERAGE
HPTXR

32 ----- 42 [o] ----- | 1040 ----- 2335 |----- 42 [o] -----

1945 |----- 15 [D] ----- | 2350

HPTXR

RTLT : 12h 34m 54s

1200 RTLT=12h 35m 2s

0000 RTLT=12h 35m 10s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:29.702 min
SCAN PLAT POSITION:
AZ = 241.632 deg
EL = 39.325 deg
ROLLREF = VEGA

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 2255 GYROS AB ON
↓ 2255 GYRO INIT
↓ 2305 GYRO FAULT TEST
2359 | 0005 CCSTIM(B)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 9, 1994
343-344

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 48s

1200 RTLT=16h 15m 52s

0000 RTLT=16h 15m 56s

VOYAGER 1

U/L 1925 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 61 [D] --- | 1045 1355 | --- 63 [D] --- | 1655 0615 | - 61 [D] - -

HPTXR

1640 | - - - - - 12 - - - - - | 0045

DSN COVERAGE

32 - - | 0825 42 [o] 2335 | - - - - - 42 [o] - - - - -

HPTXR

| - - - - - 43 [o] - - - - - | 0810 - 1100

1940 | - - - - - 15 [D] - - - - - | 2345

RTLT : 12h 35m 10s

1200 RTLT=12h 35m 18s

0000 RTLT=12h 35m 26s

- - - - - COMMAND MORATORIUM - - - - -

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 10, 1994
344-345

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 15m 56s

1200 RTLT=16h 16m 0s

0000 RTLT=16h 16m 2s

VOYAGER 1

--- TLC (SHORT-FORM) --- + D/L -| 1309

FDSL : 11AF

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 61 [D] ----- | 1655

1835 |----- 15 [D] ----- | 0040

0610 |-- 61 [D] --

DSN COVERAGE
HPTXR

32

----- 42 [o] ----- | 1035

1935 |----- 12 [B] ----- | 2340

2325 |----- 42 [o] -----

HPTXR

RTLT : 12h 35m 26s

1200 RTLT=12h 35m 34s

0000 RTLT=12h 35m 40s

----- | 1020 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 11, 1994
345-346

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 2s

1200 RTLT=16h 16m 6s

0000 RTLT=16h 16m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 61 [D] ----- | 1650 1935 | ----- 15 [D] ----- | 0035 0605 | -- 61 [D] --

DSN COVERAGE HPTXR

32 --- 42 [o] --- | 1030 1935 | ----- 12 [B] ----- | 2335 0345 | ----- 42 [o] -----

HPTXR

RTLT : 12h 35m 40s

1200 RTLT=12h 35m 48s

0000 RTLT=12h 35m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
DECEMBER 12, 1994
346-347

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 10s

1200 RTLTL=16h 16m 14s

0000 RTLTL=16h 16m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 -----61 [D] -----| 1500 -----|----- 0605 |--- 65 [D] ---

1445 |----- 12 [D] -----| 1945

DSN COVERAGE
HPTXR

32 ---| 0840 42 [o] ----- 2215 |----- 42 [o] -----

|----- 43 [o] ---- | 0825 - 1055

HPTXR

RTLTL : 12h 35m 56s

1200 RTLTL=12h 36m 4s

0000 RTLTL=12h 36m 10s

VOYAGER 2

↓ 2355 GYRO INIT

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY DECEMBER 13, 1994 347-348	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
RTLT : 16h 16m 16s VOYAGER 1 FDSL : 11AF CCSL : A020 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=16h 16m 20s 0000 RTLT=16h 16m 22s 2314 2315 PWS/RH ▼ 1850 DUMMY
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32) 2314 GS-4B 2315 CR-5T 160(32)
DSN COVERAGE HPTXR 31	65 [D] ----- 1400 1345 ---- 63 [D] ---- 1645 1625 ----- 12 ----- 0030 0600 -- 61 [D] --
HPTXR 32	42 [o] 0900 -- 43 [o] -- 0845 - 1045 1925 ----- 15 [D] ----- 2330 2320 - 0800 ----- 42 [o] ----- 43 [o] 0745
RTLT : 12h 36m 10s VOYAGER 2 FDSL : 11AF CCSL : B022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : ON	1200 RTLT=12h 36m 18s 0000 RTLT=12h 36m 24s 2251 2252 PWS/RH 0028 PLSCAL - 0211 0028 ---- MAGCAL ---- 0331 0028 ----- PESCAL ----- 0348
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32) 2251 GS-4B 2252 CR-5T 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 2251 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 2314 XB=2.8K(41) NOT RECOVERABLE
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
DECEMBER 14, 1994
348-349

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 22s

1200 RTLT=16h 16m 26s

0000 RTLT=16h 16m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1640 0555 | --- 61 [D] ---

1625 |----- 15 [D] ----- | 0025

DSN COVERAGE
HPTXR

32 0800 42 [o] 0700 | 42 [o]

----- 43 [o] ----- | 1045

1920 |----- 12 [B] ----- | 2325

HPTXR

RTLT : 12h 36m 24s

1200 RTLT=12h 36m 32s

0000 RTLT=12h 36m 38s

VOYAGER 2

▼ 0945 DUMMY

▽ 0950 GYRO DRIFT U/D

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR | |----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 15, 1994
349-350

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 30s

1200 RTLTL=16h 16m 32s

0000 RTLTL=16h 16m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 61 [D] ----- | 1355 ----- 0550 | --- 65 [D] ---

1340 |----- 12 [D] ----- | 2105
2145 |----- 42 [D] ----- | 0530

DSN COVERAGE
HPTXR

32 --- 42 [o] --- | 1015 ----- 2035 |----- 43 [o] -----

HPTXR

RTLTL : 12h 36m 38s

1200 RTLTL=12h 36m 46s

0000 RTLTL=12h 36m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1758 |----- COMMAND MORATORIUM -----

↓ 2023 SLEW->MAGROL START POSITION

↓ 0006 AAI
0009 |----- MAGROL -----| 0604
0022 |----- UVS MAGROL RIDER -----| 0630
↓ 0309 SLEW->+20 DEG EL
↓ 0557 RAI
↓ 0604 CRU
GYROS OFF 0604 ↓

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0009-0604)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 16, 1994
350-351

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 16m 36s

1200 RTLT=16h 16m 38s

0000 RTLT=16h 16m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] ----- | 1345

1330 | ----- 63 [D] ----- | 1630

0545 | --- 61 [D] ---

1615 | ----- 12 [D] ----- | 1945

HPTXR

DSN COVERAGE

32

43 [o] ----- | 1035

2050 | ----- 42 [o] -----

HPTXR

RTLT : 12h 36m 52s

1200 RTLT=12h 37m 0s

0000 RTLT=12h 37m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 17, 1994
351-352

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 42s

1200 RTLTL=16h 16m 44s

0000 RTLTL=16h 16m 46s

VOYAGER 1

U/L 1500 | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 - - - - - 61 [D] - - - - - | 1345 0545 | - - - 61 [D] - - -

1330 | - - - - - 12 - - - - - | 0015

DSN COVERAGE
HPTXR

32 - - - | 0840 42 [o] 2300 | - - - - - 42 [o] - - - - -

| - - - 43 [o] - - - | 0825 - 1035

1910 | - - - - - 15 [D] - - - - - | 2315

HPTXR

RTLTL : 12h 37m 6s

1200 RTLTL=12h 37m 14s

0000 RTLTL=12h 37m 20s

- - - - - COMMAND MORATORIUM - - - - - | 1727

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 18, 1994
352-353

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 46s

1200 RTLTL=16h 16m 50s

0000 RTLTL=16h 16m 52s

VOYAGER 1 D/L | 0845

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 ----- 61 [D] ----- | 1345 ----- 0540 | --- 61 [D] ---

1330 | ----- 12 [D] ----- | 0010

DSN COVERAGE HPTXR

32 --- 42 [o] --- | 1005 ----- 0345 | ----- 42 [o] -----

1905 | ----- 15 [D] ----- | 2310

HPTXR

RTLTL : 12h 37m 20s

1200 RTLTL=12h 37m 26s

0000 RTLTL=12h 37m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
DECEMBER 19, 1994
353-354

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 16m 52s

1200 RTLTL=16h 16m 54s

0000 RTLTL=16h 16m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1500 ----- 0535 | --- 63 [D] ---

1445 |----- 15 [D] -----| 1945

DSN COVERAGE
HPTXR

32 --- 42 [o] --- | 1000

2040 - 0735 |----- 42 [o] -----|

HPTXR

RTLTL : 12h 37m 32s

1200 RTLTL=12h 37m 40s

0000 RTLTL=12h 37m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY DECEMBER 20, 1994 354-355	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
RTLT : 16h 16m 58s VOYAGER 1 FDSL : 11AF CCSL : A020 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=16h 17m 0s 2251 2252 PWS/RH 2251 GS-4B 2252 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160(32) 160(32)
DSN COVERAGE HPTXR 31	0835 63 [D] 61 [D] 0820 - 1500 1445 12 [D] 0000 0535 61 [D]
HPTXR 32	43 [o] 1020 2030 15 [D] 2305 2250 - 0735 42 [o]
RTLT : 12h 37m 46s VOYAGER 2 FDSL : 11AF CCSL : B022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=12h 37m 52s 2228 2228 PWS/RH 2228 GS-4B 2228 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160(32) 160(32)
VOYAGER COVERAGE	VGR
NOTES	[1] S/C 32=GS-4B @ 2228 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 2251 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
DECEMBER 21, 1994
355-356

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 2s

1200 RTLT=16h 17m 4s

0000 RTLT=16h 17m 6s

VOYAGER 1

▼ 2150 DUMMY

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 [D]

1610

0530

63 [D]

1555

12

2355

DSN COVERAGE
HPTXR

32

43 [o] 1020

1855

15 [D]

2300

0515

42 [o]

HPTXR

RTLT : 12h 37m 58s

1200 RTLT=12h 38m 4s

0000 RTLT=12h 38m 10s

VOYAGER 2

▼ 0915 DUMMY

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
DECEMBER 22, 1994
356-357

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 6s

1200 RTLTL=16h 17m 8s

0000 RTLTL=16h 17m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0830 63 [D] 0525 61 [D]

65 [D] 1300 0815 - 1315 12 [D] 2355

DSN COVERAGE
HPTXR

32 42 [o] 0950 2240 42 [o]

1850 15 [D] 2255

HPTXR

RTLTL : 12h 38m 10s

1200 RTLTL=12h 38m 16s

0000 RTLTL=12h 38m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
DECEMBER 23, 1994
357-358

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 10s

1200 RTLT=16h 17m 14s

0000 RTLT=16h 17m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1600 0520 |---- 61 [D] ----

1545 |----- 12 [D] -----| 2350

DSN COVERAGE
HPTXR

32 -- 42 [o] -- | 0945

1845 |----- 15 [D] -----| 2250

2235 - 0745 |----- 42 [o] -----|

HPTXR

RTLT : 12h 38m 22s

1200 RTLT=12h 38m 28s

0000 RTLT=12h 38m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

JPL HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
DECEMBER 24, 1994
358-359

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 16s

1200 RTLT=16h 17m 18s

0000 RTLT=16h 17m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

61 [D]

1545 | 1600

12 [D]

2345

DSN COVERAGE
HPTXR

32

1845 |

15 [D]

2245

HPTXR

RTLT : 12h 38m 34s

1200 RTLT=12h 38m 40s

0000 RTLT=12h 38m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 12/07/94 - 05:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
DECEMBER 25, 1994
359-360

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 18s

1200 RTLT=16h 17m 20s

0000 RTLT=16h 17m 22s

VOYAGER 1

U/L 1905 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1725 | - - - - - 12 - - - - - 2340

0515 | - - - - - 61 [D] - - - - -

DSN COVERAGE
HPTXR

32

1840 | - - - - - 15 [D] - - - - - 2240

2230 | - - - - - 42 [D] - - - - -

HPTXR

RTLT : 12h 38m 46s

1200 RTLT=12h 38m 52s

0000 RTLT=12h 38m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8