

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JANUARY 12, 1995  
012-013

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 54s

1200 RTLTL=16h 17m 54s

0000 RTLTL=16h 17m 54s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -3.516 sec  
SCAN PLAT POSITION:  
AZ = 61.078 deg  
EL = 119.780 deg  
ROLLREF = RIGIL  
KENTAURUS

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

0845 65 [D]

0330 65 [D]

61 [D]

0830 - 1415

1400

12 [D] 2210

HPTXR

DSN COVERAGE

32

0830 42 [D]

0655 43 [D]

1730 15 [D] 2135

0445 - 0710 42 [D]

HPTXR

RTLTL : 12h 41m 24s

1200 RTLTL=12h 41m 26s

0000 RTLTL=12h 41m 30s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 3:25.483 min  
SCAN PLAT POSITION:  
AZ = 229.983 deg  
EL = 116.019 deg  
ROLLREF = VEGA

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JANUARY 13, 1995  
013-014

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 54s

1200 RTLTL=16h 17m 54s

0000 RTLTL=16h 17m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 65 [D] ----- 1530 ----- 0330 ----- 65 [D] -----

1615 |----- 12 [D] -----| 1945

DSN COVERAGE  
HPTXR

32 ---|0850 43 [D] ----- 1725 |----- 15 [D] -----| 2130 ----- 0230 |----- 42 [D] -----| 0705

1010 |----- 61 [D] -----| 1350

2115 |----- 42 [D] -----| 0030

0650 | 43 [D] |

HPTXR

RTLTL : 12h 41m 30s

1200 RTLTL=12h 41m 32s

0000 RTLTL=12h 41m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JANUARY 14, 1995  
014-015

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 52s

1200 RTLTL=16h 17m 52s

0000 RTLTL=16h 17m 52s

VOYAGER 1

U/L 1605 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D]

1425

1440

12

2045

0325

65 [D]

DSN COVERAGE  
HPTXR

32

0845 43 [D]

1725

15 [D]

2125

0650 | 43 [o]

HPTXR

2110

42 [D]

0705

RTLTL : 12h 41m 36s

1200 RTLTL=12h 41m 36s

0000 RTLTL=12h 41m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JANUARY 15, 1995  
015-016

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 52s

1200 RTLTL=16h 17m 52s

0000 RTLTL=16h 17m 52s

VOYAGER 1

---| TLC (SHORT-FORM)

FDSL : 11AF

| D/L | 0951

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D]

1420

| 1435

12 [D]

| 2030

0320

65 [D]

DSN COVERAGE  
HPTXR

32

---| 0845 43 [o]

1700

15 [D]

| 2125

0640

43 [o]

HPTXR

RTLTL : 12h 41m 40s

1200 RTLTL=12h 41m 44s

0000 RTLTL=12h 41m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

--- ON CALL ---

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
JANUARY 16, 1995  
016-017

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 52s

1200 RTLTL=16h 17m 52s

0000 RTLTL=16h 17m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 65 [D] ----- | 1140  
1125 |----- 15 [D] ----- | 2250  
0345 |----- 65 [D] -----

HPTXR

DSN COVERAGE

32 ----- 1000 |----- 61 [D] ----- | 1340  
1855 |----- 42 [D] -----  
-- | 0840 43 [o]

HPTXR

RTLTL : 12h 41m 46s

1200 RTLTL=12h 41m 48s

0000 RTLTL=12h 41m 52s

VOYAGER 2

↓ 1607 BEGIN SEQUENCE B023

FDSL : 11AF

CCSL : B022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
JANUARY 17, 1995  
017-018

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 52s

1200 RTLTL=16h 17m 52s

0000 RTLTL=16h 17m 50s

VOYAGER 1

2115 | 2116 PWS/RH

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

2115  
GS-4B 2116

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

CR-5T  
160(32)

31 65 [D] | 0905 1050 |----- 15 [D] -----| 1945 0630 | 61 [D] |

HPTXR

DSN COVERAGE

32 | 0810 42 [D] 2145 |----- 42 [D] -----|

HPTXR

0950 |----- 65 [D] -----| 1340 1830 |----- 12 [B] -----| 2200

RTLTL : 12h 41m 50s

1200 RTLTL=12h 41m 54s

0000 RTLTL=12h 41m 56s

VOYAGER 2

2053 | 2054 PWS/RH

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

2053  
GS-4B 2054

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 2053 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 2115 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
JANUARY 18, 1995  
018-019

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 50s

1200 RTLT=16h 17m 50s

0000 RTLT=16h 17m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1020 0415 - 0745 |----- 61 [D] -----|

1140 |----- 12 [D] -----| 1525

1510 |----- 15 [D] -----| 1945

DSN COVERAGE  
HPTXR

32 | 0805 42 [D] 0445 |----- 43 [o] -----|

0945 |----- 65 [D] -----| 1340

1625 |----- 12 [B] -----| 1945

1930 |----- 42 [D] -----| 0345

HPTXR

RTLT : 12h 41m 56s

1200 RTLT=12h 41m 58s

0000 RTLT=12h 42m 00s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

▼ 0535 DUMMY  
▼ 0543 EL-40  
CCS TLM RST 0557 ▼  
CR-5T 0612 ▼

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

|--- VGR ---|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JANUARY 19, 1995  
019-020

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 50s

1200 RTLTL=16h 17m 48s

0000 RTLTL=16h 17m 48s

VOYAGER 1

▼ 1650 DUMMY

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31

1140 |-----12-----| 2145

0620 |--65 [D]--

0335 |-----63 [D]-----| 0635

DSN COVERAGE  
HPTXR

32

---| 0855 43 [o]

1705 |-----15 [D]-----| 2150

0625 |--43 [D]--

0345 |-----42 [D]-----| 0640

HPTXR

RTLTL : 12h 42m 00s

1200 RTLTL=12h 42m 02s

0000 RTLTL=12h 42m 04s

VOYAGER 2

↓ 1725 CCS MEMUPD & WPMCHG

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

\*  
1826  
EL-40  
\*  
1855

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 = EL-40 XB = 40(30) @ 1826

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JANUARY 20, 1995  
020-021

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 48s

1200 RTLTL=16h 17m 48s

0000 RTLTL=16h 17m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D]

1400

1415

12 [D]

1945

0300

65 [D]

DSN COVERAGE  
HPTXR

32

0825 43 [D]

1045

61 [D]

1325

1700

15 [D]

2105

2050

42 [D]

0620

43 [D]

HPTXR

RTLTL : 12h 42m 04s

1200 RTLTL=12h 42m 06s

0000 RTLTL=12h 42m 08s

VOYAGER 2

0025 SLEW->HELIO-1

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JANUARY 21, 1995  
021-022

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 48s

1200 RTLT=16h 17m 46s

0000 RTLT=16h 17m 46s

VOYAGER 1

U/L 1605 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 |-----| 0850 65 [D]

1135 |-----| 12 -----| 2140

0405 |-----| 61 [D] -----

DSN COVERAGE  
HPTXR

32 |-----| 0820 43 [D]

0935 |-----| 65 [D] -----| 1325 1655 |-----| 15 [D] -----| 2145

2145 |-----| 42 [D] -----| 0630

0615 |-----| 43 [D] -----

HPTXR

RTLT : 12h 42m 08s

1200 RTLT=12h 42m 10s

0000 RTLT=12h 42m 12s

VOYAGER 2

↓ 1225 SLEW->HELIO-2

↓ 0025 SLEW->HELIO-3

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JANUARY 22, 1995  
022-023

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 46s

1200 RTLTL=16h 17m 44s

0000 RTLTL=16h 17m 44s

VOYAGER 1

---| TLC (SHORT-FORM)  
| D/L -| 0951

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1030  
1130 |----- 12 [D] ----- | 2135  
0255 |----- 65 [D] -----

DSN COVERAGE  
HPTXR

32 | 0815 43 [o]  
0930 |----- 65 [D] ----- | 1325  
1655 |----- 15 [D] ----- | 2140  
0515 - 0750 |----- 42 [D] ----- |

HPTXR

RTLTL : 12h 42m 12s

1200 RTLTL=12h 42m 14s

0000 RTLTL=12h 42m 14s

VOYAGER 2

↓ 1225 SLEW->HELIO-4

↓ 0025 SLEW->HELIO-5

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
JANUARY 23, 1995  
023-024

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 44s

1200 RTLT=16h 17m 44s

0000 RTLT=16h 17m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0840 65 [D] |----- 0320 |----- 65 [D] |-----

1025 |----- 15 [D] |----- | 1945

DSN COVERAGE  
HPTXR

32 1830 - 0745 |----- 42 [D] |-----

0925 |----- 65 [D] |----- | 1320

HPTXR

RTLT : 12h 42m 14s

1200 RTLT=12h 42m 16s

0000 RTLT=12h 42m 18s

VOYAGER 2

↓ 1225 SLEW->HELIO-6

↓ 0025 SLEW->HELIO-7

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|----- VGR |-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
JANUARY 25, 1995  
025-026

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 40s

1200 RTLTL=16h 17m 40s

0000 RTLTL=16h 17m 38s

VOYAGER 1

▼ 1650 DUMMY

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-----63 [D] -----| 1130  
1115 |-----65 [D] ----| 1355  
1340 |-----12 -----| 2115  
0345 |-----61 [D] -----

HPTXR

DSN COVERAGE

32

0800 43 [o]  
1640 |-----15 [D] -----| 2045  
2030 - 0735 |-----42 [D] -----|

HPTXR

RTLTL : 12h 42m 20s

1200 RTLTL=12h 42m 22s

0000 RTLTL=12h 42m 24s

VOYAGER 2

↓ 1225 SLEW->HELIO-10

↓ 1825 SLEW->MIDWAY

↓ 0025 SLEW->HELIO-11

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
JANUARY 26, 1995  
026-027

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 38s

1200 RTLT=16h 17m 38s

0000 RTLT=16h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 61 [D] ----- | 1100 0555 | --- 65 [D] --- |

1110 |----- 12 [D] ----- | 2115

0310 |----- 63 [D] ----- | 0610

DSN COVERAGE  
HPTXR

32 1640 |----- 15 [D] ----- | 2040

0345 |--- 42 [D] --- | 0610

0555- 0755 |--- 43 [D] --- |

HPTXR

RTLT : 12h 42m 24s

1200 RTLT=12h 42m 24s

0000 RTLT=12h 42m 26s

VOYAGER 2

↓ 1225 SLEW->HELIO-12

↓ 0025 SLEW->HELIO-13

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
JANUARY 27, 1995  
027-028

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

- ↓ 1109 GYROS AB ON
- ↓ 1110 GYRO INIT
- ↓ 1119 GYRO FAULT TEST
- 1212 | 1218 CCSTIM(B)

1200 RTLT=16h 17m 34s

0000 RTLT=16h 17m 34s

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0820 65 [D] | 1105 | ----- | 12 [D] | ----- | 2105 | 0230 | ----- | 65 [D] | ----- |

DSN COVERAGE  
HPTXR

32 | 0905 | ----- | 65 [D] | ----- | 1300 | 1635 | ----- | 15 [D] | ----- | 1945 | 1945 - 0730 | ----- | 42 [D] | ----- |

HPTXR

RTLT : 12h 42m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLT=12h 42m 26s

↓ 1225 SLEW->HELIO-14

0000 RTLT=12h 42m 28s

↓ 0025 SLEW->HELIO-15

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - VGR - | | ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
JANUARY 28, 1995  
028-029

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 17m 34s

1200 RTLTL=16h 17m 32s

0000 RTLTL=16h 17m 32s

VOYAGER 1

U/L 1405 | - | - - - - - TLC (SHORT-FORM) - - - - - |

FDSL : 11AF

- 0751 | D/L - |

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] - - - - -

1205 | - - - - - 1220

0225 | - - - - -

65 [D] - - - - -

DSN COVERAGE  
HPTXR

32

1630 | - - - - -

15 [D] - - - - -

2115

2020 | - - - - -

42 [D] - - - - -

0330

0550 - 0720 | - 43 [o] - |

HPTXR

RTLTL : 12h 42m 28s

1200 RTLTL=12h 42m 28s

0000 RTLTL=12h 42m 28s

VOYAGER 2

↓ 1225 SLEW->HELIO-16

↓ 0025 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/11/95 - 14:36

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
JANUARY 29, 1995  
029-030

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 17m 32s

1200 RTLT=16h 17m 30s

0000 RTLT=16h 17m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0815 65 [D]

1145 |----- 12 [D] -----| 2125

0255 |----- 65 [D] -----|

DSN COVERAGE  
HPTXR

32

1625 |----- 15 [D] -----| 2030

0345 - 0745 |----- 42 [D] -----|

HPTXR

RTLT : 12h 42m 28s

1200 RTLT=12h 42m 30s

0000 RTLT=12h 42m 30s

VOYAGER 2

↓ 1225 SLEW->HELIO-18

↓ 0025 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8