

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 16, 1995
075-076

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 28s

1200 RTLT=16h 14m 28s
1008 SLEW->HELIO-15

0000 RTLT=16h 14m 26s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -3.911 sec
SCAN PLAT POSITION:
AZ = 125.000 deg
EL = 145.017 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 12 [D] ----- | 0800 - 1520 |----- 0700 | 15 [D]

1535 |----- 42 [D] -----| 1910

2340 |----- 65 [D] -----| 0520

DSN COVERAGE
HPTXR

32 --- 65 [D] --- | 0955 |----- 1440 |----- 45 [D] -----| 0605 |----- 65 [D] ---

HPTXR

RTLT : 12h 39m 48s

1200 RTLT=12h 39m 46s
1156 |-----

COMMAND MORATORIUM

0000 RTLT=12h 39m 42s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:17.547 min
SCAN PLAT POSITION:
AZ = 136.452 deg
EL = 120.870 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

1807 AAI
1810 |-----

MAGROL

| 0005

↓ 2358 RAI

↓ 0005 CRU

↓ 0005 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1810-0005)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 17, 1995
076-077

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 26s

1200 RTLT=16h 14m 24s

0000 RTLT=16h 14m 22s

VOYAGER 1

↓ 1008 SLEW->HELIO-16

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 15 [D] ----- | 1855

2350 | ----- 63 [D] ----- | 0350

0655 | 15 [D] |

0335 | - 65 [D] - - | 0520

DSN COVERAGE
HPTXR

32

----- 65 [D] ----- | 0950

1410 | ----- 45 [D] ----- | 0345

0605 | - 65 [D] - -

0330 | 43 [o] - | 0445

HPTXR

RTLT : 12h 39m 42s

1200 RTLT=12h 39m 38s

0000 RTLT=12h 39m 34s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 18, 1995
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 22s

1200 RTLT=16h 14m 20s

0000 RTLT=16h 14m 18s

VOYAGER 1

↓ 1008 SLEW->HELIO-17

FDSL : 11AF

U/L 1800 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

15 [D]

1600

0650 | 15 [D]

1555 |

42

1910

2330 |

65 [D]

0515

DSN COVERAGE

HPTXR

32

65 [D] - | 0945

1435 |

45 [D]

0340

0600 | 65 [D]

HPTXR

0325 |

43 [o]

0445

RTLT : 12h 39m 34s

1200 RTLT=12h 39m 30s

0000 RTLT=12h 39m 26s

1126 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 19, 1995
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 18s

1200 RTLT=16h 14m 16s

0000 RTLT=16h 14m 14s

VOYAGER 1

↓ 1008 SLEW->HELIO-18

FDSL : 11AF

-----| TLC (SHORT-FORM)

| D/L -| 1142

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

-----|

15 [D]

-----|

1535

-----|

1520

-----|

42 [D]

-----|

1845

-----|

2325

-----|

65 [D]

-----|

0510

-----|

0645

-----|

15 [D]

DSN COVERAGE

HPTXR

32

-----|

65 [D]

-----|

0945

-----|

1445

-----|

45 [D]

-----|

0440

-----|

0555

-----|

65 [D]

HPTXR

RTLT : 12h 39m 26s

1200 RTLT=12h 39m 22s

0000 RTLT=12h 39m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----|

ON CALL

-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 20, 1995
079-080

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 14s

1200 RTLTL=16h 14m 12s

0000 RTLTL=16h 14m 10s

VOYAGER 1

↓ 1008 SLEW->HELIO-19

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

15 [D]

1520

1535

42 [D]

2030

2320 - 0730

65 [D]

15 [D] 0715

DSN COVERAGE

HPTXR

32

65 [D] 0940

1400

45 [D]

2345

0305 43 [B] 0415

HPTXR

RTLTL : 12h 39m 18s

1200 RTLTL=12h 39m 16s

0000 RTLTL=12h 39m 12s

VOYAGER 2

▼ 0342 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR


VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 22, 1995
081-082

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 8s

1200 RTLTL=16h 14m 6s

0000 RTLTL=16h 14m 4s

VOYAGER 1

----- DTR MAINT ----- | 0826 - 1350
1354 | 1356 TAPPOS

▼ 1650 DUMMY

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] --- | 1015
1000 |----- 15 [D] ----- | 1545
1540 |----- 14 ----- | 1835
2315 |----- 65 [D] ----- | 0500
12 [D] 0730 |-----
0635 | 24 [D,2] |-----

DSN COVERAGE

HPTXR

32 1225 |----- 12 [D] ----- | 1600
1545 |----- 45 [D] ----- | 0445
0545 |----- 65 [D] -----
1225 |----- 24 [D,1] ----- | 1750

HPTXR

RTLTL : 12h 39m 4s

1200 RTLTL=12h 39m 0s

0000 RTLTL=12h 38m 56s

VOYAGER 2

----- COMMAND MORATORIUM -----
↓ 0103 X/B LOW POWER
↓ 0107 BAY 1 HTR ON

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

[1] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-5
[2] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-4

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 23, 1995
082-083

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 4s

1200 RTLTL=16h 14m 2s

0000 RTLTL=16h 14m 0s

VOYAGER 1

↓ 1008 SLEW->HELIO-X19

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1500 |-----| 1530

14 [D] |-----| 1835

12 [D] 0725 |-----|

HPTXR

24 [D,1] |-----|

1835

2310 |-----| 65 [D] |-----| 0455

DSN COVERAGE

32

65 [D] |-----| 0925

1450 |-----| 42 [D] |-----| 1905

0255 |-----| 43 [D] |-----| 0425

HPTXR

1200 RTLTL=12h 38m 52s

0000 RTLTL=12h 38m 48s

RTLTL : 12h 38m 56s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 2024 SLEW->HELIO-1

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-4

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 24, 1995
083-084

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 0s

1200 RTLT=16h 13m 58s

0000 RTLT=16h 13m 58s

VOYAGER 1

↓ 1008 SLEW->HELIO-X18

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] ----- | 1315

1500 |----- 42 [D] ----- | 1905

0110 |----- 65 [D] -----

2325 |-- 63 [D] -- | 0125

DSN COVERAGE

HPTXR

32

65 [D] - | 0920

1305 |---- 15 [D] ---- | 1545

0250 |-- 43 [D] - | 0420

2300 |----- 45 [D] ----- | 0305

HPTXR

RTLT : 12h 38m 48s

1200 RTLT=12h 38m 44s

0000 RTLT=12h 38m 40s

VOYAGER 2

COMMAND MORATORIUM - | 1228

↓ 0824 SLEW->HELIO-2

↓ 2024 SLEW->HELIO-3

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 25, 1995
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 58s

1200 RTLT=16h 13m 56s

0000 RTLT=16h 13m 54s

VOYAGER 1

↓ 1008 SLEW->HELIO-X17

FDSL : 11AF

U/L 1800 | - | ----- TLC(SHORT-FORM) -----

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 65 [D] -- | 1000
0945 |----- 15 [D] -----| 1510
1455 |----- 42 -----| 1905
2300 |----- 65 [D] -----| 0450
0620 | - 15 [D] - -

DSN COVERAGE
HPTXR

32
1340 |----- 45 [D] -----| 0230
0245 | - 43 [o] - | 0415
0535 | - 65 [D] - -

HPTXR

RTLT : 12h 38m 40s

1200 RTLT=12h 38m 36s

0000 RTLT=12h 38m 32s

VOYAGER 2

↓ 0824 SLEW->HELIO-4

↓ 2024 SLEW->HELIO-5

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 26, 1995
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 54s

1200 RTLT=16h 13m 52s

0000 RTLT=16h 13m 52s

VOYAGER 1

↓ 1008 SLEW->HELIO-X16

FDSL : 11AF

-----| TLC(SHORT-FORM)

| D/L -| 1142

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1455 |-----| 42 [D] -----| 1905

12 [D] 0715 |-----|

HPTXR

DSN COVERAGE

32

65 [D] | 0915

1335 |-----| 45 [D] -----| 0300

0245 | 43 [D] -| 0415

0530 |-----| 65 [D] -----|

HPTXR

RTLT : 12h 38m 32s

1200 RTLT=12h 38m 28s

0000 RTLT=12h 38m 24s

VOYAGER 2

↓ 0823 SLEW->HELIO-6

↓ 2023 SLEW->HELIO-7

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 27, 1995
086-087

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 52s

1200 RTLTL=16h 13m 50s

0000 RTLTL=16h 13m 48s

VOYAGER 1

↓ 1008 SLEW->HELIO-X15

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1430 ----- 0615 | - 15 [D] - -

1445 | - - - - - 42 [D] - - - - - | 1905

2255 | - - - - - 65 [D] - - - - - | 0440

DSN COVERAGE
HPTXR

32 ----- 1330 | - - - - - 45 [D] - - - - - | 2345 ----- 0525 | - - - 65 [D] - - -

65 [D] | 0910

0240 | - 43 [D] - | 0410

HPTXR

RTLTL : 12h 38m 24s

1200 RTLTL=12h 38m 20s

0000 RTLTL=12h 38m 16s

VOYAGER 2

↓ 0823 SLEW->HELIO-8

↓ 2023 SLEW->HELIO-9

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


| - - - - - VGR - - - - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 29, 1995
088-089

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 46s

1200 RTLTL=16h 13m 44s

0000 RTLTL=16h 13m 44s

VOYAGER 1

0928 | PLSCAL -| 1111
0928 | --- MAGCAL ---| 1231
0928 | ---- PESCAL ----| 1248
 ↓ 1007 SLEW->HELIO-X13

▼ 1625 DUMMY

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1530 0605 | --- 15 [D] ---

1515 |----- 42 -----| 2200
2245 |----- 65 [D] -----| 0435

DSN COVERAGE
HPTXR

32 65 [D] | 0900 1325 |----- 45 [D] -----| 0245 0520 | --- 65 [D] ---

0230 | 43 [D] -| 0400

HPTXR

RTLTL : 12h 38m 8s

1200 RTLTL=12h 38m 4s

0000 RTLTL=12h 38m 0s

VOYAGER 2

↓ 0823 SLEW->HELIO-12

↓ 2023 SLEW->HELIO-13

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 30, 1995
089-090

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 44s

1200 RTLTL=16h 13m 42s

0000 RTLTL=16h 13m 40s

VOYAGER 1

↓ 1007 SLEW->HELIO-X12

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1450 0605 | --- 15 [D] ---

1435 |----- 42 [D] ----- | 2200

2330 |----- 61 [D] ----- | 0350

DSN COVERAGE
HPTXR

32 65 [D] | 0900 0515 | --- 65 [D] ---

1325 |----- 45 [D] ----- | 0240

0225 | 43 [B] - | 0355

HPTXR

RTLTL : 12h 38m 0s

1200 RTLTL=12h 37m 56s

0000 RTLTL=12h 37m 52s

VOYAGER 2

↓ 0823 SLEW->HELIO-14

↓ 2023 SLEW->HELIO-15

▼ 0242 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 31, 1995
090-091

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 40s

1200 RTLTL=16h 13m 40s

0000 RTLTL=16h 13m 38s

VOYAGER 1

↓ 1007 SLEW->HELIO-X11

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1445 0040 ----- 65 [D] -----

1430 |----- 42 [D] -----| 2200

2255 |-- 63 [D] --| 0055

HPTXR

DSN COVERAGE

32 ----| 0855 65 [D]

1320 |----- 45 [D] -----

0225 |· 43 [D] ·| 0355

HPTXR

RTLTL : 12h 37m 52s

1200 RTLTL=12h 37m 48s

0000 RTLTL=12h 37m 42s

VOYAGER 2

↓ 0823 SLEW->HELIO-16

↓ 2023 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 1, 1995
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 38s

1200 RTLTL=16h 13m 38s

0000 RTLTL=16h 13m 36s

VOYAGER 1

↓ 1007 SLEW->MIDWAY

↓ 1207 SLEW->HELIO-X10

FDSL : 11AF

U/L 1505 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0840 65 [D]

15 [D]

0825 - 1440

1425 | - - - - - 42 - - - - -

2240

65 [D]

0420

0555 | - - - 15 [D] - - -

DSN COVERAGE

HPTXR

32

1315

45 [D]

0235

0505

65 [D]

HPTXR

0220

43 [D] - 0350

RTLTL : 12h 37m 42s

1200 RTLTL=12h 37m 38s

0000 RTLTL=12h 37m 34s

VOYAGER 2

↓ 0823 SLEW->HELIO-18

↓ 2023 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/15/95 - 14:13

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1

SUNDAY
APRIL 2, 1995
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 36s

1200 RTLT=16h 13m 36s

0000 RTLT=16h 13m 34s

VOYAGER 1

↓ 1007 SLEW->HELIO-X9

FDSL : 11AF

D/L | 0847

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] -----

1605 |----- 42 [D] -----| 2155

0550 |--- 15 [D] ---|

HPTXR

2325 |----- 61 [D] -----| 0345

DSN COVERAGE

32

--- | 0845 65 [D] ---

1310 |----- 45 [D] -----| 2145

0505 |--- 65 [D] ---|

HPTXR

0210 |· 43 [D] ·| 0340

RTLT : 12h 37m 34s

1200 RTLT=12h 37m 30s

0000 RTLT=12h 37m 26s

VOYAGER 2

↓ 0823 SLEW->HELIO-20

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8