

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 23, 1995  
082-083

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 14m 4s  
↓ 1008 SLEW->HELIO-X19  
1200 RTLT=16h 14m 2s  
0000 RTLT=16h 14m 0s

VOYAGER 1  
FDSL : 11AF  
CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 31 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -3.979 sec  
SCAN PLAT POSITION:  
AZ = 125.000 deg  
EL = 25.026 deg  
ROLLREF = RIGIL  
KENTAURUS

FDS MODE CR-5T  
XB DATA RATE (MI) 160 (32)

DSN COVERAGE  
HPTXR 31  
1500 |-----| 14 [D] |-----| 1835  
12 [D] |-----| 1530  
24 [D,1] |-----| 1835  
2310 |-----| 65 [D] |-----| 0455  
HPTXR 32  
65 [D] |-----| 0925  
1450 |-----| 42 [D] |-----| 1905  
0540 |-----| 65 [D] |-----|  
0255 |-----| 43 [D] |-----| 0425

RTLT : 12h 38m 56s  
1200 RTLT=12h 38m 52s  
COMMAND MORATORIUM  
0000 RTLT=12h 38m 48s  
↓ 2024 SLEW->HELIO-1

VOYAGER 2  
FDSL : 11AF  
CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 32 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 3:16.527 min  
SCAN PLAT POSITION:  
AZ = 136.452 deg  
EL = 120.870 deg  
ROLLREF = VEGA

FDS MODE CR-5T  
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE  
|-----| VGR |-----|

NOTES  
[1] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-4

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 24, 1995  
083-084

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 14m 0s

1200 RTLTL=16h 13m 58s

0000 RTLTL=16h 13m 58s

VOYAGER 1

↓ 1008 SLEW->HELIO-X18

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 38m 48s

COMMAND MORATORIUM - | 1228

1200 RTLTL=12h 38m 44s

0000 RTLTL=12h 38m 40s

VOYAGER 2

↓ 0824 SLEW->HELIO-2

↓ 2024 SLEW->HELIO-3

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-5

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 25, 1995  
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 58s

1200 RTLTL=16h 13m 56s

0000 RTLTL=16h 13m 54s

VOYAGER 1

↓ 1008 SLEW->HELIO-X17

FDSL : 11AF

U/L 1800 | - | ----- TLC(SHORT-FORM) -----

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 --- 65 [D] -- | 1000 2300 |----- 65 [D] ----- | 0450

0945 |----- 15 [D] ----- | 1510

0620 | - 15 [D] --

1455 |----- 42 ----- | 1905

DSN COVERAGE  
HPTXR

32 1340 |----- 45 [D] ----- | 0230 0535 | - 65 [D] --

1215 |----- 24 [D,1] ----- | 1740

0245 | - 43 [o] - | 0415

HPTXR

RTLTL : 12h 38m 40s

1200 RTLTL=12h 38m 36s

0000 RTLTL=12h 38m 32s

VOYAGER 2

↓ 0824 SLEW->HELIO-4

↓ 2024 SLEW->HELIO-5

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] DEMO TRK - ROUTE TO GIFC (GIF3) AMMOS V19.0.5 - OUTPUT ON BC-5

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 26, 1995  
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 54s

1200 RTLTL=16h 13m 52s

0000 RTLTL=16h 13m 52s

VOYAGER 1

↓ 1008 SLEW->HELIO-X16

FDSL : 11AF

TLC(SHORT-FORM)

D/L - 1142

CCSL : A020

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1455 |-----| 42 [D] |-----| 1905

12 [D] 0715 |-----|

-----| 15 [D] |-----| 1510

2300 |-----| 65 [D] |-----| 0445

DSN COVERAGE  
HPTXR

32

65 [D] |-----| 0915

1335 |-----| 45 [D] |-----| 0440

0530 |-----| 65 [D] |-----|

HPTXR

RTLTL : 12h 38m 32s

1200 RTLTL=12h 38m 28s

0000 RTLTL=12h 38m 24s

VOYAGER 2

↓ 0823 SLEW->HELIO-6

↓ 2023 SLEW->HELIO-7

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 27, 1995  
086-087

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 52s

1200 RTLTL=16h 13m 50s

0000 RTLTL=16h 13m 48s

VOYAGER 1

↓ 1008 SLEW->HELIO-X15

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 12 [D] ----- | 1430 ----- 0615 | - 15 [D] - -

1445 | ----- 42 [D] ----- | 1905

2255 | ----- 65 [D] ----- | 0440

DSN COVERAGE  
HPTXR

32 ----- 1330 | ----- 45 [D] ----- | 2345 ----- 0525 | - 65 [D] - -

65 [D] | 0910

0240 | - 43 [D] - | 0410

HPTXR

RTLTL : 12h 38m 24s

1200 RTLTL=12h 38m 20s

0000 RTLTL=12h 38m 16s

VOYAGER 2

↓ 0823 SLEW->HELIO-8

↓ 2023 SLEW->HELIO-9

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE


| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 29, 1995  
088-089

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 46s

1200 RTLTL=16h 13m 44s

0000 RTLTL=16h 13m 44s

VOYAGER 1

0928 | PLSCAL -| 1111  
0928 | --- MAGCAL ---| 1231  
0928 | ---- PESCAL ----| 1248  
          ↓ 1007 SLEW->HELIO-X13

▼ 1625 DUMMY

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 15 [D] ----- | 1530 0605 | --- 15 [D] ---

1515 |----- 42 -----| 2200  
2245 |----- 65 [D] -----| 0435

DSN COVERAGE  
HPTXR

32 65 [D] | 0900 0520 | --- 65 [D] ---

1325 |----- 45 [D] -----| 0245  
0230 | · 43 [D] - | 0400

HPTXR

RTLTL : 12h 38m 8s

1200 RTLTL=12h 38m 4s

0000 RTLTL=12h 38m 0s

VOYAGER 2

↓ 0823 SLEW->HELIO-12

↓ 2023 SLEW->HELIO-13

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 30, 1995  
089-090

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 44s

1200 RTLT=16h 13m 42s

0000 RTLT=16h 13m 40s

VOYAGER 1

↓ 1007 SLEW->HELIO-X12

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 15 [D] ----- | 1450 0605 | --- 15 [D] ---

1435 |----- 42 [D] ----- | 2200

2330 |----- 61 [D] ----- | 0350

DSN COVERAGE  
HPTXR

32 65 [D] | 0900 0515 | --- 65 [D] ---

1325 |----- 45 [D] ----- | 0240

0225 | 43 [B] - | 0355

HPTXR

RTLT : 12h 38m 0s

1200 RTLT=12h 37m 56s

0000 RTLT=12h 37m 52s

VOYAGER 2

↓ 0823 SLEW->HELIO-14

↓ 2023 SLEW->HELIO-15

▼ 0242 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 31, 1995  
090-091

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 40s

1200 RTLTL=16h 13m 40s

0000 RTLTL=16h 13m 38s

VOYAGER 1

↓ 1007 SLEW->HELIO-X11

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1445 ----- 0040 ----- 65 [D] -----

1430 |----- 42 [D] -----| 2200

2255 |-- 63 [D] --| 0055

HPTXR

DSN COVERAGE

32 ----| 0855 65 [D]

1320 |----- 45 [D] -----

0225 |· 43 [D] ·| 0355

HPTXR

RTLTL : 12h 37m 52s

1200 RTLTL=12h 37m 48s

0000 RTLTL=12h 37m 42s

VOYAGER 2

↓ 0823 SLEW->HELIO-16

↓ 2023 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
APRIL 1, 1995  
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 38s

1200 RTLTL=16h 13m 38s

0000 RTLTL=16h 13m 36s

VOYAGER 1

↓ 1007 SLEW->MIDWAY

↓ 1207 SLEW->HELIO-X10

FDSL : 11AF

U/L 1505 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0840 65 [D]

15 [D]

0825 - 1440

1425 | - - - - - 42 - - - - -

2240

65 [D]

0420

0555 | - - - 15 [D] - - -

DSN COVERAGE

HPTXR

32

1315

45 [D]

0235

0505

65 [D]

0220 | - 43 [D] - | 0350

HPTXR

RTLTL : 12h 37m 42s

1200 RTLTL=12h 37m 38s

0000 RTLTL=12h 37m 34s

VOYAGER 2

↓ 0823 SLEW->HELIO-18

↓ 2023 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/22/95 - 14:26

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
APRIL 2, 1995  
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 36s  
 VOYAGER 1  
 FDSL : 11AF D/L 0847  
 CCSL : A020  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=16h 13m 36s  
 0000 RTLT=16h 13m 34s

↓ 1007 SLEW->HELIO-X9

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

DSN COVERAGE

31 ----- 15 [D] ----- 1605 |----- 42 [D] -----| 2155  
 |----- 1620  
 2325 |----- 61 [D] -----| 0345

HPTXR

32 ---| 0845 65 [D] ----- 1310 |----- 45 [D] -----| 2145  
 0210 | - 43 [D] - | 03400505 | - - 65 [D] - - -

HPTXR

RTLT : 12h 37m 34s  
 VOYAGER 2  
 FDSL : 11AF  
 CCSL : B023  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=12h 37m 30s  
 0000 RTLT=12h 37m 26s

↓ 0823 SLEW->HELIO-20

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
APRIL 3, 1995  
093-094

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 34s

1200 RTLT=16h 13m 34s

0000 RTLT=16h 13m 32s

VOYAGER 1

↓ 1007 SLEW->HELIO-X8

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1445 0110 |----- 65 [D] -----| 0415

1430 |----- 42 [D] -----| 2150 0545 | 15 [D] |

2245 |----- 63 [D] -----| 0125

DSN COVERAGE HPTXR

32 -- 65 [D] -- | 0840

1305 |----- 45 [D] -----| 0410 0500 |-- 65 [D] --|

HPTXR

RTLT : 12h 37m 26s

1200 RTLT=12h 37m 22s

0000 RTLT=12h 37m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE ----- | ON CALL

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
APRIL 4, 1995  
094-095

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 32s

1200 RTLTL=16h 13m 32s

0000 RTLTL=16h 13m 30s

VOYAGER 1

↓ 1007 SLEW->HELIO-X7

1649 | 1650 PWS/RH

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1649  
GS-4B 1650

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

31 ----- 15 [D] ----- 1415 |----- 42 [D] -----| 2150 ----- 15 [D] 0650 |

----- 1430

2225 |----- 65 [D] -----| 0410

DSN COVERAGE  
HPTXR

32 - 65 [D] - | 0840

1305 |----- 45 [D] -----| 0455 |--- 65 [D] ---|

0405

HPTXR

RTLTL : 12h 37m 18s

1200 RTLTL=12h 37m 14s

0000 RTLTL=12h 37m 10s

VOYAGER 2

1627 | 1628 PWS/RH

1804 | PLSCAL -| 1947

1804 |--- MAGCAL ---| 2107

1804 |----- PESCAL -----| 2124

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1627  
GS-4B 1628

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1627 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1649 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
APRIL 5, 1995  
095-096

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 30s

1200 RTLT=16h 13m 30s

0000 RTLT=16h 13m 28s

VOYAGER 1

↓ 1007 SLEW->HELIO-X6

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 15 [D] ----- | 1440 ----- 0540 | 15 [D] -

1425 |----- 42 ----- | 2145  
2220 |----- 65 [D] ----- | 0405

DSN COVERAGE  
HPTXR

32 - - 65 [D] - - | 0835 ----- 1300 |----- 45 [D] ----- | 0220  
0450 |----- 65 [D] -----

0205 | 43 [D] - | 0335

HPTXR

RTLT : 12h 37m 10s

1200 RTLT=12h 37m 6s

0000 RTLT=12h 37m 2s

VOYAGER 2

↓ 1823 SLEW->HELIO-19

SLEW->HELIO-18 0623 ↓

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
APRIL 6, 1995  
096-097

VGR STAFF/A148  
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 28s

1200 RTLTL=16h 13m 28s

0000 RTLTL=16h 13m 28s

VOYAGER 1

↓ 1007 SLEW->HELIO-X5

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 15 [D] ----- | 1420 0535 | 15 [D] | -

1405 |----- 42 [D] ----- | 2140  
2215 |----- 65 [D] ----- | 0355

DSN COVERAGE  
HPTXR

32 ----- 65 [D] | 0830 0450 |----- 65 [D] | -

1255 |----- 45 [D] ----- | 0215  
0200 | 43 [B] |----- 0330

HPTXR

RTLTL : 12h 37m 2s

1200 RTLTL=12h 36m 58s

0000 RTLTL=12h 36m 52s

VOYAGER 2

↓ 1823 SLEW->HELIO-17

▼ 0242 DUMMY (BRACKETED)

FDSL : 11AF

SLEW->HELIO-16 0623 ↓

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
APRIL 7, 1995  
097-098

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 28s

1200 RTLT=16h 13m 26s

0000 RTLT=16h 13m 26s

VOYAGER 1

↓ 1007 SLEW->HELIO-X4

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1430 0530 | 15 [D] --

1415 |----- 42 [D] -----| 2135

2210 |----- 65 [D] -----| 0400

DSN COVERAGE  
HPTXR

32 65 [D] - | 0825 0445 | 65 [D] ---

1250 |----- 45 [D] -----| 0210

0155 | 43 [D] - | 0325

HPTXR

RTLT : 12h 36m 52s

1200 RTLT=12h 36m 48s

0000 RTLT=12h 36m 44s

VOYAGER 2

↓ 1823 SLEW->HELIO-15

SLEW->HELIO-14 0623 ↓

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
APRIL 8, 1995  
098-099

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 26s

1200 RTLT=16h 13m 26s

0000 RTLT=16h 13m 24s

VOYAGER 1

↓ 1007 SLEW->HELIO-X3

U/L 1605 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1415 | - - - - - 1430

42 - - - - -

2130

2210 | - - - - -

65 [D]

0525 | - - [D] - -

DSN COVERAGE HPTXR

32

65 [D] - | 0820

1245 | - - - - -

45 [D]

0210

0440 | - - [D] - -

HPTXR

RTLT : 12h 36m 44s

1200 RTLT=12h 36m 40s

0000 RTLT=12h 36m 36s

VOYAGER 2

↓ 1823 SLEW->HELIO-13

SLEW->HELIO-12 0623 ↓

FDSL : 11AF

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/22/95 - 14:26

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
APRIL 9, 1995  
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 24s

1200 RTLT=16h 13m 24s

0000 RTLT=16h 13m 24s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)  
D/L -| 0946

↓ 1007 SLEW->HELIO-X2

CCSL : A020  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1425 ----- 0525 | - - 15 [D] - -

1410 | ----- 42 [D] ----- | 2100

2200 | ----- 65 [D] ----- | 0350

DSN COVERAGE  
HPTXR

32

65 [D] -| 0820 ----- 0435 | - - 65 [D] - -

1245 | ----- 45 [D] ----- | 2345

HPTXR

RTLT : 12h 36m 36s

1200 RTLT=12h 36m 32s

0000 RTLT=12h 36m 28s

VOYAGER 2

FDSL : 11AF

↓ 1822 SLEW->HELIO-11

CCSL : B023  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7