

ISSUE DATE: 03/29/95 - 13:41

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 30, 1995
089-090

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 44s

1200 RTLTL=16h 13m 42s
1007 SLEW->HELIO-X12

0000 RTLTL=16h 13m 40s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.086 sec
SCAN PLAT POSITION:
AZ = 125.000 deg
EL = 154.000 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

15 [D] 1450

0605 15 [D]

1435 42 [D] 2200

2330 61 [D] 0350

DSN COVERAGE
HPTXR

32

65 [D] 0900

0515 65 [D]

1325 45 [D] 0240

0225 43 [B] 0355

HPTXR

RTLTL : 12h 38m 0s

0823 SLEW->HELIO-14
1200 RTLTL=12h 37m 56s

0000 RTLTL=12h 37m 52s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:15.661 min
SCAN PLAT POSITION:
AZ = 270.025 deg
EL = 154.989 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2023 SLEW->HELIO-15

0242 DUMMY (BRACKETED)

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

VGR

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/95 - 13:41

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 31, 1995
090-091

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 16h 13m 40s

1200 RTLT=16h 13m 40s

0000 RTLT=16h 13m 38s

VOYAGER 1

↓ 1007 SLEW->HELIO-X11

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 15 [D] ----- | 1445

1430 |----- 42 [D] ----- | 2200

0040 |----- 65 [D] -----

2255 |-- 63 [D] -- | 0055

DSN COVERAGE
HPTXR

32 ---- | 0855 65 [D]

1320 |----- 45 [D] -----

0225 |· 43 [D] · | 0355

HPTXR

RTLT : 12h 37m 52s

1200 RTLT=12h 37m 48s

0000 RTLT=12h 37m 42s

VOYAGER 2

↓ 0823 SLEW->HELIO-16

↓ 2023 SLEW->HELIO-17

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/95 - 13:41

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 1, 1995
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 16h 13m 38s

1200 RTLTL=16h 13m 38s

0000 RTLTL=16h 13m 36s

VOYAGER 1

↓ 1007 SLEW->MIDWAY

↓ 1207 SLEW->HELIO-X10

FDSL : 11AF

U/L 1505 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

| 0840 65 [D]

| - - - - - 15 [D] - - - - -

| 1425 | 0825 - 1440

| - - - - - 42 - - - - -

2240 |

- - - - - 65 [D] - - - - -

| 0420

0555 | - - - - - 15 [D] - - - - -

DSN COVERAGE

HPTXR

32

1315 |

- - - - - 45 [D] - - - - -

| 0235

0505 |

- - - - - 65 [D] - - - - -

0220 |

- - - - - 43 [D] - - - - -

| 0350

HPTXR

RTLTL : 12h 37m 42s

1200 RTLTL=12h 37m 38s

0000 RTLTL=12h 37m 34s

VOYAGER 2

↓ 0823 SLEW->HELIO-18

↓ 2023 SLEW->HELIO-19

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/95 - 13:41

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 2, 1995
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 36s

1200 RTLT=16h 13m 36s

0000 RTLT=16h 13m 34s

VOYAGER 1

↓ 1007 SLEW->HELIO-X9

FDSL : 11AF

D/L | 0847

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

15 [D]

1605 |

1620

42 [D]

2155

0550 |

15 [D]

HPTXR

DSN COVERAGE

32

0845 65 [D]

1310 |

45 [D]

2145

0210 |

43 [D]

03400505 |

65 [D]

HPTXR

RTLT : 12h 37m 34s

1200 RTLT=12h 37m 30s

0000 RTLT=12h 37m 26s

VOYAGER 2

↓ 0823 SLEW->HELIO-20

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 3, 1995
093-094

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 34s

1200 RTLTL=16h 13m 34s

0000 RTLTL=16h 13m 32s

VOYAGER 1

↓ 1007 SLEW->HELIO-X8

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 15 [D] ----- | 1445 0110 |----- 65 [D] -----| 0415

1430 |----- 42 [D] -----| 2150 0545 | 15 [D] |

2245 |----- 63 [D] -----| 0125

DSN COVERAGE HPTXR

32 -- 65 [D] -- | 0840

1305 |----- 45 [D] -----| 0410 0500 |-- 65 [D] --|

HPTXR

RTLTL : 12h 37m 26s

1200 RTLTL=12h 37m 22s

0000 RTLTL=12h 37m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE ----- | ON CALL

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 4, 1995
094-095

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 32s

1200 RTLTL=16h 13m 32s

0000 RTLTL=16h 13m 30s

VOYAGER 1

↓ 1007 SLEW->HELIO-X7

1649 | 1650 PWS/RH

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1649
GS-4B 1650

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

31 ----- 15 [D] ----- 1415 |----- 42 [D] -----| 2150 ----- 15 [D] 0650 |

----- 1430

2225 |----- 65 [D] -----| 0410

DSN COVERAGE
HPTXR

32 -- 65 [D] -- | 0840

1305 |----- 45 [D] -----| 0455 |--- 65 [D] ---|

0405

HPTXR

1200 RTLTL=12h 37m 14s

0000 RTLTL=12h 37m 10s

RTLTL : 12h 37m 18s

VOYAGER 2

1627 | 1628 PWS/RH

1804 | PLSCAL -| 1947

1804 |--- MAGCAL ---| 2107

1804 |----- PESCAL -----| 2124

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1627
GS-4B 1628

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1627 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1649 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 5, 1995
095-096

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 30s

1200 RTLT=16h 13m 30s

0000 RTLT=16h 13m 28s

VOYAGER 1

↓ 1007 SLEW->HELIO-X6

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1440 ----- 0540 | 15 [D] -

1425 |----- 42 ----- | 2145
2220 |----- 65 [D] ----- | 0405

DSN COVERAGE
HPTXR

32 - 65 [D] - | 0835 ----- 1300 |----- 45 [D] ----- | 0220
0450 |----- 65 [D] -----

0205 | 43 [D] - | 0335

HPTXR

RTLT : 12h 37m 10s

1200 RTLT=12h 37m 6s

0000 RTLT=12h 37m 2s

VOYAGER 2

↓ 1823 SLEW->HELIO-19

SLEW->HELIO-18 0623 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 6, 1995
096-097

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 28s

1200 RTLT=16h 13m 28s

0000 RTLT=16h 13m 28s

VOYAGER 1

↓ 1007 SLEW->HELIO-X5

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1420 0535 | 15 [D] | -

1405 |----- 42 [D] ----- | 2140
2215 |----- 65 [D] ----- | 0355

DSN COVERAGE
HPTXR

32 ----- 65 [D] | 0830 0450 |----- 65 [D] | -

1255 |----- 45 [D] ----- | 0215
0200 | 43 [B] | 0330

HPTXR

RTLT : 12h 37m 2s

1200 RTLT=12h 36m 58s

0000 RTLT=12h 36m 52s

VOYAGER 2

↓ 1823 SLEW->HELIO-17

▼ 0242 DUMMY (BRACKETED)

FDSL : 11AF

SLEW->HELIO-16 0623 ↓

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 7, 1995
097-098

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 28s

1200 RTLT=16h 13m 26s

0000 RTLT=16h 13m 26s

VOYAGER 1

↓ 1007 SLEW->HELIO-X4

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1430 0530 | 15 [D] --

1415 |----- 42 [D] -----| 2135

2210 |----- 65 [D] -----| 0400

DSN COVERAGE
HPTXR

32 65 [D] - | 0825 0445 | 65 [D] ---

1250 |----- 45 [D] -----| 0210

0155 | 43 [D] - | 0325

HPTXR

RTLT : 12h 36m 52s

1200 RTLT=12h 36m 48s

0000 RTLT=12h 36m 44s

VOYAGER 2

↓ 1823 SLEW->HELIO-15

SLEW->HELIO-14 0623 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 8, 1995
098-099

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 26s

1200 RTLTL=16h 13m 26s

0000 RTLTL=16h 13m 24s

VOYAGER 1

↓ 1007 SLEW->HELIO-X3

U/L 1605 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1430 ----- 0525 | - 15 [D] - -

1415 | - - - - - 42 - - - - - | 2130

2210 | - - - - - 65 [D] - - - - - | 0355

DSN COVERAGE HPTXR

32 65 [D] - | 0820 ----- 1245 | - - - - - 45 [D] - - - - - | 0210 ----- 0440 | - - 65 [D] - - -

HPTXR

RTLTL : 12h 36m 44s

1200 RTLTL=12h 36m 40s

0000 RTLTL=12h 36m 36s

VOYAGER 2

↓ 1823 SLEW->HELIO-13

SLEW->HELIO-12 0623 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 9, 1995
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 24s

1200 RTLT=16h 13m 24s

0000 RTLT=16h 13m 24s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)
D/L -| 0946

↓ 1007 SLEW->HELIO-X2

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1425 ----- 0525 | - - 15 [D] - -

1410 | ----- 42 [D] ----- | 2130
2200 | ----- 65 [D] ----- | 0350

DSN COVERAGE
HPTXR

32 65 [D] -| 0820 ----- 1245 | ----- 45 [D] ----- | 2345 ----- 0435 | - - 65 [D] - -

HPTXR

RTLT : 12h 36m 36s

1200 RTLT=12h 36m 32s

0000 RTLT=12h 36m 28s

VOYAGER 2

FDSL : 11AF

↓ 1822 SLEW->HELIO-11

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 10, 1995
100-101

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 24s

1200 RTLTL=16h 13m 24s

0000 RTLTL=16h 13m 22s

VOYAGER 1

↓ 1007 SLEW->HELIO-X1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----15 [D]-----|1405

1350 |-----42 [D]-----|2125

0000 |-----65 [D]-----|0350

0520 |-----15 [D]-----|

2215 |-----63 [D]-----|0015

HPTXR

DSN COVERAGE

32

65 [D] |-----0815

1245 |-----45 [D]-----|

0145 |-----43 [D]-----|0200

0435 |-----65 [D]-----|

0145 |-----43 [D]-----|0315

HPTXR

RTLTL : 12h 36m 28s

1200 RTLTL=12h 36m 24s

0000 RTLTL=12h 36m 20s

VOYAGER 2

↓ 1422 SLEW->MIDWAY

↓ 1822 SLEW->HELIO-10

SLEW->HELIO-9 0622 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES





UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 11, 1995
101-102

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



NOTES

[1] S/C 32=GS-4B @ 1602 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 1625 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 12, 1995
102-103

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 22s

1200 RTLT=16h 13m 22s

0000 RTLT=16h 13m 22s

VOYAGER 1

0923 || 0927 CCS CHKSUM *

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 0843 * 1028

FDS MODE
XB DATA RATE (MI)

CR-5T	EL-40	CR-5T
160(32)	40(30)	160(32)

31 ----- 15 [D] ----- 1400 ----- 2115 ----- 0510 | 15 [D] --

1345 |

42 [D]

|

2245 | 61 [D] ----- | 0345

DSN COVERAGE
HPTXR

32 65 [D] | 0805

1230 |

45 [D]

| 0150

0135 | 43 [B] - | 0305

HPTXR

RTLT : 12h 36m 12s

1200 RTLT=12h 36m 8s

0000 RTLT=12h 36m 4s

VOYAGER 2

↓ 1822 SLEW->HELIO-6

▼ 0152 DUMMY BRACKETED

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

SLEW->HELIO-5 0622 ↓

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| -- VGR -- |

| ----- VGR ----- |

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 13, 1995
103-104

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 22s

1200 RTLT=16h 13m 22s

0000 RTLT=16h 13m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- 1450 ----- 0505 |--- 15 [D] ---

1435 |----- 42 [D] ----- | 2110

2320 |----- 63 [D] ----- | 0455

DSN COVERAGE
HPTXR

32 ----- 1225 |----- 45 [D] ----- | 0150 0420 |--- 65 [D] ---

0135 |--- 43 [D] --- | 0305

HPTXR

RTLT : 12h 36m 4s

1200 RTLT=12h 36m 0s

0000 RTLT=12h 35m 54s

VOYAGER 2

↓ 1822 SLEW->HELIO-4

SLEW->HELIO-3 0622 ↓

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 14, 1995
104-105

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 22s

1200 RTLT=16h 13m 20s

0000 RTLT=16h 13m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1615 |-----| 1630

0505 |-----| 15 [D]

HPTXR

DSN COVERAGE

32

HPTXR

42 [D] -----| 2110

2140 |-----| 65 [D] -----| 0335

0755 65 [D]

1220 |-----| 45 [D] -----| 0145

0420 |-----| 65 [D]

RTLT : 12h 35m 54s

1200 RTLT=12h 35m 50s

0000 RTLT=12h 35m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

↓ 1822 SLEW->HELIO-2

SLEW->HELIO-1 0622 ↓

VOYAGER COVERAGE

|-----| VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 15, 1995
105-106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 13m 20s

1200 RTLTL=16h 13m 20s

0000 RTLTL=16h 13m 20s

VOYAGER 1

U/L 1405 | - | ----- TLC (SHORT-FORM) ----- | D/L

FDSL : 11AF

CCSL : A020
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1345 ----- 42 ----- | 2105 ----- 65 [D] ----- | 0330 ----- 15 [D] -----

1330 | -----

2140 | -----

0500 | -----

2140 | ----- 65 [D] ----- | 0330

DSN COVERAGE
HPTXR

32 ----- | 0755 65 [D] ----- ----- 1245 | ----- 43 [D] ----- | 1645 ----- 45 [D] ----- | 0325 ----- 65 [D] -----

1245 | ----- 43 [D] ----- | 1645

1630 | ----- 45 [D] ----- | 0325

HPTXR

RTLTL : 12h 35m 46s

1200 RTLTL=12h 35m 42s

0000 RTLTL=12h 35m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/95 - 13:41

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 16, 1995
106-107

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 13m 20s
 VOYAGER 1 D/L | 0746
 FDSL : 11AF
 CCSL : A020
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 15 [D] ----- | 1345
 1330 |----- 42 [D] ----- | 2100
 2135 |----- 65 [D] ----- | 0225
 0455 |--- 15 [D] ---
 0510
 HPTXR
 DSN COVERAGE
 32 ---| 0750 65 [D] ---
 1220 |----- 45 [D] ----- | 0250
 0410 |----- 65 [D] -----
 HPTXR

RTLT : 12h 35m 38s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7