

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 11, 1995
131-132

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 24s

1200 RTLTL=16h 14m 28s

0000 RTLTL=16h 14m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.612 sec
SCAN PLAT POSITION:
AZ = 155.005 deg
EL = 29.991 deg
ROLLREF = RIGIL
KENTAURUS

↓ 1314 X/B LOW POWER
↓ 1318 BAY 1 HTR ON

U/L 1700 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 24 [D] ----- | 1320 ----- 0315 | ----- 15 [D] -----

1305 | ----- 42 ----- | 1850

2000 | ----- 65 [D] ----- | 0150

DSN COVERAGE
HPTXR

32 ----- 1030 | ----- 45 [D] ----- | 2350

2335 | ----- 43 [D] ----- | 0115

0235 | ----- 65 [D] ----- | 0600

HPTXR

RTLTL : 12h 32m 42s

1200 RTLTL=12h 32m 40s

0000 RTLTL=12h 32m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT:3:10.688 min
SCAN PLAT POSITION:
AZ = 79.985 deg
EL = 85.994 deg
ROLLREF = VEGA

↓ 1705 X/B LOW POWER
↓ 1709 BAY 1 HTR ON

----- COMMAND MORATORIUM -----

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 12, 1995
132-133

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 30s

1200 RTLTL=16h 14m 32s

0000 RTLTL=16h 14m 36s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)
D/L - 1043

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 32m 36s

1200 RTLTL=12h 32m 34s

0000 RTLTL=12h 32m 32s

VOYAGER 2

FDSL : 11AF

COMMAND MORATORIUM

0436

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 13, 1995
133-134

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 36s

1200 RTLT=16h 14m 38s

0000 RTLT=16h 14m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 24 [D] ----- | 1155 ----- 24 [D] 0625 | --

1140 |----- 42 [D] ----- | 1910

1950 - 0640 |----- 65 [D] ----- |

DSN COVERAGE
HPTXR

32 ----- 1025 |----- 45 [D] ----- | 2340

2325 | - 43 [D] - | 0100

0310 | - - 61 [D] - - | 0515

HPTXR

RTLT : 12h 32m 32s

1200 RTLT=12h 32m 28s

0000 RTLT=12h 32m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 14, 1995
134-135

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 14m 42s

1200 RTLT=16h 14m 44s

0000 RTLT=16h 14m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

24 [D]

1420 | 1435

42 [D]

1910

1945 - 0635

65 [D]

24 [D] 0620

DSN COVERAGE

HPTXR

32

1020

45 [D]

2345

0305

61 [D]

0510

HPTXR

RTLT : 12h 32m 26s

1200 RTLT=12h 32m 24s

0000 RTLT=12h 32m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 15, 1995
135-136

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 14m 48s

1200 RTLTL=16h 14m 50s

0000 RTLTL=16h 14m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

24 [D] ----- | 1150

0555 | 24 [D]

1135 |----- 42 [D] ----- | 1905

2030 |----- 61 [D] ----- | 0605

DSN COVERAGE
HPTXR

32

1020 |----- 45 [D] ----- | 0130

0220 |----- 65 [D] ----- | 0545

HPTXR

RTLTL : 12h 32m 22s

1200 RTLTL=12h 32m 18s

0000 RTLTL=12h 32m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY MAY 16, 1995 136-137	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
RTLTL : 16h 14m 54s VOYAGER 1 FDSL : 11AF CCSL : A021 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=16h 14m 56s 1426 1426 PWS/RH 1426 GS-4B 1426 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160 (32) 160(32)
DSN COVERAGE HPTXR 31	24 [D] ----- 1230 1245 ----- 42 [D] ----- 1900 1925 ----- 65 [D] ----- 0400 0350 ----- 12 [D] -----
HPTXR 32	1015 ----- 45 [D] ----- 2325 2310 ----- 43 [D] ----- 0055 0255 ----- 61 [D] ----- 0500
RTLTL : 12h 32m 16s VOYAGER 2 FDSL : 11AF CCSL : B023 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	
UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7	
FDS MODE XB DATA RATE (MI)	1200 RTLTL=12h 32m 14s 1400 1401 PWS/RH 1400 GS-4B 1401 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160 (32) 160(32)
VOYAGER COVERAGE	----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 1400 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 1426 XB=2.8K(41) NOT RECOVERABLE

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 17, 1995
137-138

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 0s

1200 RTLT=16h 15m 4s

0000 RTLT=16h 15m 6s

VOYAGER 1

▼ 1630 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 12h 32m 12s

1200 RTLT=12h 32m 10s

0000 RTLT=12h 32m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 18, 1995
138-139

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 6s

1200 RTLT=16h 15m 10s

0000 RTLT=16h 15m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- 1355
1445 |----- 42 [D] -----| 1850
2100 |----- 63 [D] -----| 0005
2350 |----- 65 [D] -----| 0535 | 24 [D] |
----- 0550

HPTXR
DSN COVERAGE

32 1005 |----- 45 [D] -----| 2315
2300 |----- 43 [B] -----| 0115
0250 |----- 61 [D] -----| 0450

HPTXR

RTLT : 12h 32m 8s

1200 RTLT=12h 32m 6s

0000 RTLT=12h 32m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 2347 DUMMY [BRACKETED]

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 19, 1995
139-140

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 14s

1200 RTLTL=16h 15m 18s

0000 RTLTL=16h 15m 22s

VOYAGER 1

↓ 1708 BAY 1 HTR OFF
↓ 1712 X/B HI POWER

FDSL : 11AF

0138 | - TAPPOS - | 0344

↓ 0421 YAW=.05
0431 | - PLAYBACK - -

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

0431

PB-14

160(32)

1.4K(39)

31

----- 24 [D] -----

1345 |----- 1400

2345 |----- 65 [D] -----

0415 |----- 14 [D] -----

0420

HPTXR

DSN COVERAGE

32

1000 |----- 45 [D] -----

2255 |----- 43 [D] -----

0245 |----- 61 [D] -----

2310

HPTXR

RTLTL : 12h 32m 4s

1200 RTLTL=12h 32m 2s

0000 RTLTL=12h 32m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 20, 1995
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 15m 22s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

1200 RTLTL=16h 15m 24s
0000 RTLTL=16h 15m 28s

↓ 1116 YAW=.10
U/L 1300 | - | - - - - - TLC (SHORT-FORM) - - - - - |
1608 | - - | 1653 TAPPOS - - - - - | - 0644 | D/L - |

PLAYBACK - - - - - | 1107
↓ 2008 X/B LOW POWER
↓ 2012 BAY 1 HTR ON

FDS MODE	1107	
XB DATA RATE (MI)	PB-14 1.4K(39)	CR-5T 160(32)

DSN COVERAGE

31	14 [D] - - - - - 1115 1115 - - - - - 42 - - - - - 1845 1920 - - - - - 65 [D] - - - - - 0345 - - - - - 12 [D] - - - - - 0350
32	1000 - - - - - 45 [D] - - - - - 0110 0240 - - 61 [D] - - 0445

HPTXR

RTLTL : 12h 32m 0s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 31m 58s
0000 RTLTL=12h 31m 56s

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE - - - - - VGR - - - - - | - - - - - ON CALL - - - - - | VGR | - - - - - ON CALL - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 21, 1995
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 28s

1200 RTLT=16h 15m 32s

0000 RTLT=16h 15m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1125 ----- 0555 | 12 [D] |

1110 |-----

42 [D] -----

1840

1920 - 0610 |-----

65 [D] -----

DSN COVERAGE HPTXR

32 ----- 0955 |----- 45 [D] ----- | 2345 ----- 0235 |----- 61 [D] --- | 0440

HPTXR

RTLT : 12h 31m 56s

1200 RTLT=12h 31m 54s

0000 RTLT=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 22, 1995
142-143

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 36s

1200 RTLT=16h 15m 40s

0000 RTLT=16h 15m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D] -----| 1120

1105 |-----42 [D] -----| 1835

0325 |-----12 [D] -----

HPTXR

1915 |-----65 [D] -----| 0110

DSN COVERAGE

32

0955 |-----45 [D] -----| 0100

0155 |-----65 [D] -----| 0515

HPTXR

RTLT : 12h 31m 52s

1200 RTLT=12h 31m 50s

0000 RTLT=12h 31m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 24, 1995
144-145

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 15m 52s

1200 RTLT=16h 15m 56s

0000 RTLT=16h 16m 0s

VOYAGER 1

---|0800 PLSCAL
-- MAGCAL --|0920
--- PESCAL ---|0937

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1330
1340 |----- 42 [D] ----- | 1830 2100 |----- 65 [D] ----- | 0100
1920 | - 63 [D] - - | 2115

DSN COVERAGE HPTXR

32 0825 |----- 24 [D] ----- | 1245
1230 |----- 45 [D] ----- | 1815
0145 |----- 65 [D] ----- | 0505

HPTXR

RTLT : 12h 31m 44s

1200 RTLT=12h 31m 44s

0000 RTLT=12h 31m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- VGR ----- |----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 25, 1995
145-146

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 16m 0s

1200 RTLTL=16h 16m 6s 0000 RTLTL=16h 16m 10s

VOYAGER 1

▼ 2130 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 24 [D] ----- | 1425 1915 |----- 63 -----| 2255 0250 |----- 24 [D] -----

HPTXR

DSN COVERAGE

0900 |----- 12 [D] -----| 1240 2115 0355 | 63 [B] | 0505

HPTXR

1225 |----- 42 [D] -----| 2100 |----- 45 [D] -----| 0050

RTLTL : 12h 31m 42s

1200 RTLTL=12h 31m 40s 0000 RTLTL=12h 31m 38s

VOYAGER 2

DUMMY (BRACKETED) 0415 ▼

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| | VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 26, 1995
146-147

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 10s

1200 RTLT=16h 16m 14s

0000 RTLT=16h 16m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1345

0535 24 [D]

1330

42 [D]

1820

1900

65 [D]

0550

DSN COVERAGE
HPTXR

32

0935

45 [D]

2300

HPTXR

0220

61 [D]

0420

RTLT : 12h 31m 38s

1200 RTLT=12h 31m 38s

0000 RTLT=12h 31m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 27, 1995
147-148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 16m 18s

1200 RTLTL=16h 16m 22s 0000 RTLTL=16h 16m 28s

VOYAGER 1

U/L 1400 | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 - - - - - 24 [D] - - - - - | 1100 0530 | - 12 [D] - - - - -

1045 | - - - - - 42 - - - - - | 1815 1855 | - - - - - 65 [D] - - - - - | 0545

DSN COVERAGE
HPTXR

32 0925 | - - - - - 45 [D] - - - - - | 2255

HPTXR

0215 | - - 61 [D] - - | 0415

RTLTL : 12h 31m 36s

1200 RTLTL=12h 31m 34s 0000 RTLTL=12h 31m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/10/95 - 13:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 28, 1995
148-149

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 16m 28s

1200 RTLT=16h 16m 32s

0000 RTLT=16h 16m 36s

VOYAGER 1

D/L | 0745

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 12 [D] ----- | 1055

1040 |-----

----- 42 [D] ----- | 1810

1850 |-----

----- 65 [D] ----- | 0540

0520 |----- 12 [D] -----

DSN COVERAGE

HPTXR

32

0925 |----- 45 [D] -----

| 0035

0210 |----- 61 [D] ----- | 0410

HPTXR

RTLT : 12h 31m 34s

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7