

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 15, 1995
166-167

VGR STAFF/A148

VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 19m 52s

1200 RTLT=16h 20m 0s

0000 RTLT=16h 20m 6s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -4.981 sec
SCAN PLAT POSITION:
AZ = 299.953 deg
EL = 80.049 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

12 [D]

1020

1005

42 [D]

1700

1825

61 [D]

0345

12 [D]

DSN COVERAGE

HPTXR

32

0810

45 [D]

2115

2100

43 [D]

2255

0020

65 [D]

0335

HPTXR

RTLT : 12h 31m 28s

1200 RTLT=12h 31m 30s

0000 RTLT=12h 31m 30s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:06.456 min
SCAN PLAT POSITION:
AZ = 164.987 deg
EL = 40.007 deg
ROLLREF = VEGA

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

COMMAND MORATORIUM
↓ 1704 BAY 1 HTR OFF
↓ 1708 X/B HI POWER

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 16, 1995
167-168

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 6s

1200 RTLT=16h 20m 14s

0000 RTLT=16h 20m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 12 [D] ----- 0940
0925 |----- 42 [D] -----| 1655
1735 |----- 65 [D] -----| 0400

DSN COVERAGE
HPTXR

32 0805 |----- 45 [D] -----| 2115
2100 |----- 43 [D] -----| 2250
0055 |----- 61 [D] -----| 0250

HPTXR

RTLT : 12h 31m 30s

1200 RTLT=12h 31m 32s

0000 RTLT=12h 31m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----

↓ 1227 AAI
1230 |----- MAGROL -----| 1825
1243 |----- UVS MAGROL RIDER -----| 1851
↓ 1530 SLEW->+20 DEG EL
↓ 1818 RAI
↓ 1825 CRU
↓ 1825 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1230-1825)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 17, 1995
168-169

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 20m 20s

1200 RTLTL=16h 20m 28s 0000 RTLTL=16h 20m 34s

VOYAGER 1

U/L 1400 |---| TLC (SHORT-FORM) |---| D/L

FDSL : 11AF

↓ 1411 SLEW->HELIO-1B

↓ 0211 SLEW->HELIO-2B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 -- 12 [D] -- | 0835
0825 |----- 14 [D] ----- | 1125
1110 |----- 42 ----- | 1650
1730 |----- 65 [D] ----- | 0345
0400 |----- 12 [D] -----

DSN COVERAGE

HPTXR

32 0800 |----- 45 [D] ----- | 2245
0055 |-- 61 [D] -- | 0245

HPTXR

RTLTL : 12h 31m 32s

1200 RTLTL=12h 31m 34s 0000 RTLTL=12h 31m 36s

VOYAGER 2

--- COMMAND MORATORIUM ---
↓ 1704 X/B LOW POWER
↓ 1708 BAY 1 HTR ON

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 18, 1995
169-170

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 20m 34s

1200 RTLT=16h 20m 42s

0000 RTLT=16h 20m 48s

VOYAGER 1

D/L 0749

↓ 1411 SLEW->HELIO-3B

↓ 0211 SLEW->HELIO-4B

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

12 [D] -----| 1105

0335 |----- 12 [D] -----

1050 |-----

42 [D] -----| 1650

1815 |-----

61 [D] -----| 0350

DSN COVERAGE

HPTXR

32

0755 |----- 45 [D] -----

2105

0010 |----- 65 [D] -----| 0325

2050 |----- 43 [D] -----| 2245

HPTXR

1200 RTLT=12h 31m 36s

0000 RTLT=12h 31m 38s

RTLT : 12h 31m 36s

COMMAND MORATORIUM

0436

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 19, 1995
170-171

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 20m 48s

1200 RTLTL=16h 20m 56s

0000 RTLTL=16h 21m 4s

VOYAGER 1

↓ 1411 SLEW->HELIO-5B

↓ 0211 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 12 [D] ----- | 1150 ----- 0235 |----- 12 [D] -----

1135 |----- 42 [D] ----- | 1645

1810 |----- 61 [D] ----- | 0250

DSN COVERAGE
HPTXR

32 0755 |----- 45 [D] ----- | 2100 ----- 24 [D] 0640 |-----

2045 |----- 43 [B] ----- | 2240

0005 |----- 65 [D] ----- | 0320

HPTXR

RTLTL : 12h 31m 38s

1200 RTLTL=12h 31m 40s

0000 RTLTL=12h 31m 40s

VOYAGER 2

▼ 2147 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 20, 1995
171-172

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 21m 4s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 21m 10s
0000 RTLT=16h 21m 18s

1229 | 1230 PWS/RH
↓ 1411 SLEW->HELIO-7B
↓ 0211 SLEW->HELIO-8B
0444 - 0626 | PLSCAL - |
0444 | - MAGCAL --
0444 | - PESCAL --

1229 GS-4B 1230

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160 (32) 160(32)

DSN COVERAGE

HPTXR 31
-----12 [D]-----|1020
1005 |-----42 [D]-----|1640
1720 |-----65 [D]-----|0145
0130 |-----12 [D]-----

HPTXR 32
-----24 [D]-----|1055
1040 |-----45 [D]-----|2305
0040 | - 61 [D] -- |0235

RTLT : 12h 31m 40s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 31m 42s
0000 RTLT=12h 31m 44s

1200 | 1201 PWS/RH

1200 GS-4B 1201

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160 (32) 160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES
[1] S/C 32=GS-4B @ 1200 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1229 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 21, 1995
172-173

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 18s

1200 RTLTL=16h 21m 26s

0000 RTLTL=16h 21m 34s

VOYAGER 1

↓ 1411 SLEW->HELIO-9B

↓ 0211 SLEW->HELIO-10B

FDSL : 11AF

▼ 1530 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

---|0747 MAGCAL
-----|0804 PESCAL

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 12 [D] -| 0820 0805 |----- 14 [D] ----- | 1105 1715 |----- 65 [D] ----- 0445 |--- 12 [D] ---
1050 |----- 42 ----- | 1635

DSN COVERAGE
HPTXR

32 |----- 45 [D] ----- | 0745 - 2300 0040 |-- 61 [D] -- | 0230

HPTXR

RTLTL : 12h 31m 44s

1200 RTLTL=12h 31m 46s

0000 RTLTL=12h 31m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 22, 1995
173-174

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 21m 34s

1200 RTLT=16h 21m 40s

0000 RTLT=16h 21m 48s

VOYAGER 1

↓ 0811 SLEW->MIDPOINT

↓ 1411 SLEW->HELIO-11B

↓ 0212 SLEW->HELIO-12B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 12 [D] ----- | 1135 ----- 0125 ----- 12 [D] -----

1120 |----- 42 [D] ----- | 1630

1710 |----- 65 [D] ----- | 2310

DSN COVERAGE
HPTXR

32 0810 |----- 45 [D] ----- | 2225 ----- 2355 |----- 65 [D] ----- | 0305

HPTXR

RTLT : 12h 31m 48s

1200 RTLT=12h 31m 50s

0000 RTLT=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 23, 1995
174-175

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 48s

1200 RTLTL=16h 21m 56s

0000 RTLTL=16h 22m 4s

VOYAGER 1

↓ 1412 SLEW->HELIO-13B

↓ 0212 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 12 [D] | 0815
0800 |----- 14 [D] -----| 1155
1140 |----- 42 [D] -----| 1630
1705 |----- 65 [D] -----| 0110
0055 |----- 24 [D] -----|

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 0735- 2040
2025 |--- 43 [D] ---| 2225
0030 | - 61 [D] - - | 0220

HPTXR

RTLTL : 12h 31m 52s

1200 RTLTL=12h 31m 54s

0000 RTLTL=12h 31m 56s

VOYAGER 2

↓ 1420 SLEW->VW HYI

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 24, 1995
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 4s

1200 RTLTL=16h 22m 12s 0000 RTLTL=16h 22m 20s

VOYAGER 1

U/L 1400 |-----| TLC (SHORT-FORM)

↓ 1412 SLEW->HELIO-15B

D/L

FDSL : 11AF

↓ 0212 SLEW->HELIO-16B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 24 [D] --- 0910 0855 |-----| 42 --- 1625 1705 |-----| 65 [D] --- 0405 |-----| 12 [D] ---

DSN COVERAGE
HPTXR
32

HPTXR

HPTXR

|-----| 45 [D] |-----| 0730 - 2250

RTLTL : 12h 31m 56s

1200 RTLTL=12h 31m 58s 0000 RTLTL=12h 32m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 25, 1995
176-177

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 22m 20s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 1200 RTLT=16h 22m 28s
 ↓ 0000 RTLT=16h 22m 36s

D/L | 0750
 ↓ 1412 SLEW->HELIO-17B
 ↓ 0212 SLEW->HELIO-18B

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 --- 12 [D] -- | 0905
 0850 |----- 42 [D] ----- | 1620
 1700 |----- 65 [D] ----- | 0350

HPTXR

DSN COVERAGE

32 |----- 45 [D] ----- | 0730 - 2035
 2020 |--- 43 [D] --- | 2215
 0025 | - 61 [D] - - | 0215
 24 [D] 0615 |-----

HPTXR

RTLT : 12h 32m 0s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B023
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 1200 RTLT=12h 32m 2s
 ↓ 0000 RTLT=12h 32m 6s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 26, 1995
177-178

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 36s

1200 RTLTL=16h 22m 44s

0000 RTLTL=16h 22m 52s

VOYAGER 1

↓ 1412 SLEW->HELIO-19B

↓ 0212 SLEW->HELIO-20B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1120

1740 | ----- 61 [D] ----- | 2210

0225 | ----- 12 [D] -----

2155 | ----- 65 [D] ----- | 0240

DSN COVERAGE
HPTXR

32 ----- 24 [D] ----- | 1030

1015 | ----- 42 [D] ----- | 2030

2015 | -- 43 [D] -- | 2210 0020 | - 61 [D] - - | 0210

HPTXR

RTLTL : 12h 32m 6s

1200 RTLTL=12h 32m 8s

0000 RTLTL=12h 32m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 27, 1995
178-179

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 52s

1206 | 1207 PWS/RH

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1206
GS-4B

1207

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

-----12 [D]----- | 1115

1635 |-----65 [D]----- | 0430 |-----12 [D]----- | 0445

DSN COVERAGE
HPTXR

32

0820 |-----42 [D]----- | 1315

1300 |-----45 [D]----- | 2025

2010 |---43 [B]--- | 2205 0015 |---61 [D]--- | 0205

HPTXR

RTLTL : 12h 32m 10s

1200 RTLTL=12h 32m 12s

0000 RTLTL=12h 32m 16s

VOYAGER 2

1136 | 1137 PWS/RH

▼ 2047 DUMMY (BRACKETED)

FDSL : 11AF

1148 |-----DTR MAINT----- | 1714

1314 | PLSCAL - | 1456

1314 |---MAGCAL--- | 1616

1314 |---PESCAL--- | 1634

1716 | 1718 TAPPOS

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1136
GS-4B

1137

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

|-----VGR----- |

NOTES

[1] S/C 32=GS-4B @ 1136 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1206 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 28, 1995
179-180

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 23m 8s

1200 RTLTL=16h 23m 16s

0000 RTLTL=16h 23m 24s

VOYAGER 1

▼ 1430 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |-----| 0735 12 [D] |-----| 1650 |-----| 65 [D] |-----| 0100 |-----| 0115 |-----| 12 [D] |-----|

|-----| 14 [D] |-----| 0720 - 1120
1105 |-----| 42 |-----| 1610

HPTXR
DSN COVERAGE

32 |-----| 45 [D] |-----| 0715 - 2235
0010 |-----| 61 [D] |-----| 0200

HPTXR

RTLTL : 12h 32m 16s

1200 RTLTL=12h 32m 18s

0000 RTLTL=12h 32m 20s

VOYAGER 2

↓ 0850 SLEW->VW HYI UPDATE

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 29, 1995
180-181

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 24s

1200 RTLT=16h 23m 32s

0000 RTLT=16h 23m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 12 [D] -- | 0850

0835 |----- 42 [D] -----

| 1605

1645 |----- 65 [D] -----

0235 |----- 12 [D] -----

| 0250

DSN COVERAGE
HPTXR

32 |----- 45 [D] ----- | 0710 - 2230

0005 | - 61 [D] - - | 0155

HPTXR

RTLT : 12h 32m 20s

1200 RTLT=12h 32m 24s

0000 RTLT=12h 32m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 30, 1995
181-182

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 42s

1200 RTLT=16h 23m 50s

0000 RTLT=16h 23m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---|0735 12 [D] 0130 |----- 12 [D] -----

|----- 14 [D] -----|0715- 1115

1810 |----- 61 [D] -----|0215

DSN COVERAGE

HPTXR

32 0820 |----- 42 [D] -----|2115

2325 |----- 65 [D] -----|0235

HPTXR

RTLT : 12h 32m 26s

1200 RTLT=12h 32m 30s

0000 RTLT=12h 32m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 1, 1995
182-183

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 58s

1200 RTLT=16h 24m 6s 0000 RTLT=16h 24m 16s

VOYAGER 1

U/L 1400 | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 12 [D] 1020 1005 42 1500 0025 24 [D]

HPTXR

1635 65 [D] 0040

DSN COVERAGE

32 45 [D] 0710- 2220 45 [D] 0700

0000 61 [D] 0150

HPTXR

RTLT : 12h 32m 32s

1200 RTLT=12h 32m 36s 0000 RTLT=12h 32m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/14/95 - 09:19

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 2, 1995
183-184

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 24m 16s

1200 RTLT=16h 24m 24s

0000 RTLT=16h 24m 32s

VOYAGER 1

D/L 0752

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

24 [D] --- 0930

0125 --- 12 [D] ---

0915 |----- 42 [D] ----- 1455

1630 |----- 65 [D] ----- | 0140

HPTXR

DSN COVERAGE

32

45 [D] ----- | 0700 - 2000

1945 |--- 43 [D] --- | 2145

2355 |--- 61 [D] --- | 0145

HPTXR

RTLT : 12h 32m 40s

1200 RTLT=12h 32m 42s

0000 RTLT=12h 32m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7