

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 22, 1995
173-174

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 34s

↓ 0811 SLEW->MIDPOINT

1200 RTLTL=16h 21m 40s

0000 RTLTL=16h 21m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.050 sec
SCAN PLAT POSITION:
AZ = 319.959 deg
EL = 175.032 deg
ROLLREF = RIGIL
KENTAURUS

↓ 1411 SLEW->HELIO-11B

↓ 0212 SLEW->HELIO-12B

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

12 [D] ----- | 1135

0125 |----- 12 [D] -----

1120 |----- 42 [D] ----- | 1630

1710 |----- 65 [D] ----- | 2310

DSN COVERAGE
HPTXR

32

0810 |----- 45 [D] ----- | 2225

2355 |----- 65 [D] ----- | 0305

HPTXR

RTLTL : 12h 31m 48s

1200 RTLTL=12h 31m 50s

0000 RTLTL=12h 31m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:05.624 min
SCAN PLAT POSITION:
AZ = 154.964 deg
EL = 117.034 deg
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 23, 1995
174-175

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 21m 48s

1200 RTLTL=16h 21m 56s

0000 RTLTL=16h 22m 4s

VOYAGER 1

↓ 1412 SLEW->HELIO-13B

↓ 0212 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 12 [D] ----- | 1130

1705 |----- 65 [D] -----| 2200

0055 |----- 24 [D] -----

1140 |----- 42 [D] -----| 1630

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----| 0735- 2040

2025 |--- 43 [D] ---| 2225

0030 | - 61 [D] - -| 0220

HPTXR

RTLTL : 12h 31m 52s

1200 RTLTL=12h 31m 54s

0000 RTLTL=12h 31m 56s

VOYAGER 2

↓ 1420 SLEW->VW HYI

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 24, 1995
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 4s

1200 RTLTL=16h 22m 12s 0000 RTLTL=16h 22m 20s

VOYAGER 1

U/L 1400 |-----| TLC (SHORT-FORM) |-----| D/L

↓ 1412 SLEW->HELIO-15B

FDSL : 11AF

↓ 0212 SLEW->HELIO-16B

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 24 [D] --- 0910 0855 |-----| 42 -----| 1625 1705 |-----| 65 [D] -----| 0405 |-----| 12 [D] -----| 0420

DSN COVERAGE
HPTXR

32 |-----| 45 [D] -----| 0730 - 2250

HPTXR

RTLTL : 12h 31m 56s

1200 RTLTL=12h 31m 58s 0000 RTLTL=12h 32m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 25, 1995
176-177

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 20s

1200 RTLTL=16h 22m 28s

0000 RTLTL=16h 22m 36s

VOYAGER 1

D/L | 0750

↓ 1412 SLEW->HELIO-17B

↓ 0212 SLEW->HELIO-18B

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

--- 12 [D] --- | 0905

0335 | ----- 12 [D] -----

0850 | -----

42 [D] -----

| 1620

HPTXR

1700 | -----

65 [D] -----

| 0350

DSN COVERAGE

32

| ----- 45 [D] -----

| 0730 - 2035

0025 | - 61 [D] - - |

0215

24 [D] 0615 | -----

HPTXR

2020 | - 43 [D] - - | 2215

RTLTL : 12h 32m 0s

1200 RTLTL=12h 32m 2s

0000 RTLTL=12h 32m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 26, 1995
177-178

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 22m 36s

1200 RTLTL=16h 22m 44s

0000 RTLTL=16h 22m 52s

VOYAGER 1

↓ 1412 SLEW->HELIO-19B

↓ 0212 SLEW->HELIO-20B

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 12 [D] ----- | 1120

1740 | ----- 61 [D] ----- | 2210

0225 | ----- 12 [D] -----

2155 | ----- 65 [D] ----- | 0240

DSN COVERAGE
HPTXR

32 ----- 24 [D] ----- | 1030

1015 | ----- 42 [D] ----- | 2030

2015 | -- 43 [D] -- | 2210 0020 | - 61 [D] - - | 0210

HPTXR

RTLTL : 12h 32m 6s

1200 RTLTL=12h 32m 8s

0000 RTLTL=12h 32m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 27, 1995
178-179

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 22m 52s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 23m 0s | 0000 RTLT=16h 23m 8s

1206 | 1207 PWS/RH

1206 GS-4B 1207

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

DSN COVERAGE

HPTXR 31 ----- 12 [D] ----- | 1115 1635 |----- 65 [D] ----- | 0430 |----- 12 [D] ----- | 0440

HPTXR 32 0820 |----- 42 [D] ----- | 1315 1300 |----- 45 [D] ----- | 2025 2010 |----- 43 [B] ----- | 2205 0015 |----- 61 [D] ----- | 0205

RTLT : 12h 32m 10s
VOYAGER 2
FDSL : 11AF
CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 32m 12s | 0000 RTLT=12h 32m 16s

1136 | 1137 PWS/RH
1148 |----- DTR MAINT ----- | 1714 ▼ 2047 DUMMY (BRACKETED)

1314 | PLSCAL - | 1456
1314 |----- MAGCAL ----- | 1616
1314 |----- PESCAL ----- | 1634
1716 | 1718 TAPPOS

1136 GS-4B 1137

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE |----- VGR ----- |

NOTES
[1] S/C 32=GS-4B @ 1136 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1206 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 28, 1995
179-180

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 8s

1200 RTLT=16h 23m 16s

0000 RTLT=16h 23m 24s

VOYAGER 1


▼ 1430 DUMMY

FDSL : 11AF


CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)



DSN COVERAGE HPTXR 32



RTLT : 12h 32m 16s

1200 RTLT=12h 32m 18s

0000 RTLT=12h 32m 20s

VOYAGER 2

↓ 0850 SLEW->VW HYI UPDATE

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE



NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 29, 1995
180-181

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 24s

1200 RTLT=16h 23m 32s

0000 RTLT=16h 23m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 12 [D] -- | 0850

0835 |----- 42 [D] -----

| 1605

1645 |----- 65 [D] -----

0235 |----- 12 [D] -----

| 0250

DSN COVERAGE
HPTXR

32 |----- 45 [D] -----

| 0710 - 2230

0005 | - 61 [D] - - | 0155

HPTXR

RTLT : 12h 32m 20s

1200 RTLT=12h 32m 24s

0000 RTLT=12h 32m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 30, 1995
181-182

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 23m 42s

1200 RTLT=16h 23m 50s

0000 RTLT=16h 23m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---|0735 12 [D] 0130 |----- 12 [D] -----

|----- 14 [D] -----|0715- 1115

1810 |----- 61 [D] -----|0215

DSN COVERAGE
HPTXR

32 0820 |----- 42 [D] -----|2115

2325 |----- 65 [D] -----|0235

HPTXR

RTLT : 12h 32m 26s

1200 RTLT=12h 32m 30s

0000 RTLT=12h 32m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 1, 1995
182-183

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 23m 58s

1200 RTLTL=16h 24m 6s 0000 RTLTL=16h 24m 16s

VOYAGER 1

U/L 1400 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----12 [D]-----| 1020 |-----0025-----| 24 [D]-----|

1005 |-----42-----| 1500 |-----1635-----| 65 [D]-----| 0040

DSN COVERAGE
HPTXR

32 |-----45 [D]-----| 0710- 2220 |-----45 [D] 0700

0000 | - 61 [D] - - | 0150

HPTXR

RTLTL : 12h 32m 32s

1200 RTLTL=12h 32m 36s 0000 RTLTL=12h 32m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 2, 1995
183-184

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 24m 16s

1200 RTLT=16h 24m 24s

0000 RTLT=16h 24m 32s

VOYAGER 1

D/L 0752

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

24 [D] --- 0930

0125 --- 12 [D] ---

0915 |----- 42 [D] ----- 1455

1630 |----- 65 [D] ----- | 0140

HPTXR

DSN COVERAGE

32

45 [D] ----- | 0700 - 2000

1945 |--- 43 [D] --- | 2145

2355 |--- 61 [D] --- | 0145

HPTXR

RTLT : 12h 32m 40s

1200 RTLT=12h 32m 42s

0000 RTLT=12h 32m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JULY 3, 1995
184-185

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 24m 32s

1200 RTLTL=16h 24m 42s

0000 RTLTL=16h 24m 50s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D] -----| 1010

0955 |----- 45 [D] -----|

1650

0150 |----- 12 [D] -----|

HPTXR

1755 |----- 61 [D] -----|

0205

DSN COVERAGE

32

0810 |----- 42 [D] -----|-----| 1955

1940 |--- 43 [D] ---| 2145

0545 | 24 [D] |

HPTXR

2310 |----- 65 [D] -----| 0220

RTLTL : 12h 32m 46s

1200 RTLTL=12h 32m 50s

0000 RTLTL=12h 32m 52s

VOYAGER 2

↓ 0921 SLEW->VW HYI UPDATE

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JULY 4, 1995
185-186

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 24m 50s

1200 RTLTL=16h 25m 0s

0000 RTLTL=16h 25m 8s

VOYAGER 1

1143 | 1143 PWS/RH

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1143
GS-4B 1143

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 32m 52s

1200 RTLTL=12h 32m 56s

0000 RTLTL=12h 33m 0s

VOYAGER 2

1113 | 1113 PWS/RH

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1113
GS-4B 1113

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1113 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1143 XB=2.8K(41) NOT RECOVERABLE

JPL HOLIDAY

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JULY 5, 1995
186-187

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 25m 8s

1200 RTLT=16h 25m 16s

0000 RTLT=16h 25m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0710 12 [D] | 1620 |-----| 65 [D] |-----| 0345 | 0400 12 [D] |-----|

-----| 14 [D] |-----| 1055

1040 |-----| 42 [D] |-----| 1445

HPTXR

DSN COVERAGE

32 |-----| 45 [D] |-----| 1945 | 45 [D] 0645 |

1930 |---| 43 [D] |---| 2135

2345 |---| 61 [D] |---| 0130

HPTXR

RTLT : 12h 33m 0s

1200 RTLT=12h 33m 4s

0000 RTLT=12h 33m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JULY 6, 1995
187-188

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 25m 26s

1200 RTLT=16h 25m 36s

0000 RTLT=16h 25m 44s

VOYAGER 1

▼ 1330 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 12 [D] --- | 0915 0345 | --- 12 [D] ---

0900 | --- 42 --- | 1440 1615 | --- 65 [D] --- | 0400

HPTXR

DSN COVERAGE

32 --- 45 [D] --- | 1940 45 [D] 0640 |

1925 | --- 43 [B] --- | 2130 2340 | --- 61 [D] --- | 0130

HPTXR

RTLT : 12h 33m 8s

1200 RTLT=12h 33m 10s

0000 RTLT=12h 33m 14s

VOYAGER 2

▼ 1947 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| --- VGR --- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JULY 7, 1995
188-189

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 25m 44s

1200 RTLTL=16h 25m 54s

0000 RTLTL=16h 26m 2s

VOYAGER 1

↓ 1814 SLEW->M33 BKGND

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 12 [D] -- | 0850
0835 |--- 14 [D] --- | 1045
1030 |----- 42 [D] ----- | 1440
1610 |----- 65 [D] ----- | 0345 |----- 12 [D] ----- | 0400

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1940
1925 |--- 43 [D] --- | 2125
2335 |--- 61 [D] --- | 0125

HPTXR

RTLTL : 12h 33m 14s

1200 RTLTL=12h 33m 18s

0000 RTLTL=12h 33m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JULY 8, 1995
189-190

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 26m 2s

1200 RTLTL=16h 26m 12s 0000 RTLTL=16h 26m 20s

VOYAGER 1

U/L 1300 | - | - - - - - TLC (SHORT-FORM) - - - - - | 0553 - 0654 | D/L | - |

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 - - - - - 12 [D] - - - - - | 0950 - - - - - 0345 | - - - - - 12 [D] - - - - -

0940 | - - - - - 42 - - - - - | 1435 1610 | - - - - - 65 [D] - - - - - | 0400

DSN COVERAGE HPTXR

32 - - - - - 45 [D] - - - - - | 2155 - - - - - 45 [D] 0630 | - - - - -

2330 | - - 61 [D] - - | 0120

HPTXR

RTLTL : 12h 33m 22s

1200 RTLTL=12h 33m 28s 0000 RTLTL=12h 33m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/21/95 - 13:34

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JULY 9, 1995
190-191

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 26m 20s

1200 RTLT=16h 26m 30s

0000 RTLT=16h 26m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 12 [D] --- 0905

0850 |----- 42 [D] -----| 1430

1615 |----- 65 [D] -----| 0355

0345 |----- 12 [D] -----

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1930

1915 |--- 43 [D] ---| 2120

2330 |--- 61 [D] ---| 0115

45 [D] 0630 |---

HPTXR

RTLT : 12h 33m 32s

1200 RTLT=12h 33m 36s

0000 RTLT=12h 33m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7