

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 3, 1995
215-216

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 34m 58s

1200 RTLTL=16h 35m 8s

0000 RTLTL=16h 35m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.436 sec
SCAN PLAT POSITION:
AZ = 176.097 deg
EL = 69.671 deg
ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0700 12 [D]

43 [D]

1315

2140

24 [D]

HPTXR

1435

65 [D]

2025

DSN COVERAGE

32

45 [D]

1430

0445

45 [D]

HPTXR

1415

43 [D]

2000

2110

65 [D]

0010

RTLTL : 12h 38m 26s

1200 RTLTL=12h 38m 34s

0000 RTLTL=12h 38m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 3:00.504 min
SCAN PLAT POSITION:
AZ = 135.266 deg
EL = 121.798 deg
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

COMMAND MORATORIUM

0548

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 4, 1995
216-217

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 35m 20s

1200 RTLTL=16h 35m 30s

0000 RTLTL=16h 35m 42s

VOYAGER 1

↓ 1518 BAY 1 HTR OFF
↓ 1522 X/B HI POWER

FDSL : 11AF

↓ 0052 AAI
0055 - 0651 |----- MAGROL -----|
RAI 0644 ↓
CRU 0651 ↓
GYROS OFF 0651 ↓

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 24 [D] |----- 42 [D] -----| 0710- 1245 | 1550 |----- 61 [D] -----| 2045 | 0030 |----- 24 [D] -----|

HPTXR

1415 |----- 65 [D] -----| 1550

DSN COVERAGE

32 |----- 45 [D] -----| 1550 |----- 42 [D] -----| 1855 | 2145 |----- 61 [D] -----| 2330 | 0530 |----- 43 [B] -----|

HPTXR

RTLTL : 12h 38m 42s

1200 RTLTL=12h 38m 50s

0000 RTLTL=12h 38m 58s

VOYAGER 2

DUMMY (BRACKETED) 0552 ▼

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0055-0651)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 5, 1995
217-218

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 35m 42s

1200 RTLTL=16h 35m 54s

0000 RTLTL=16h 36m 4s

VOYAGER 1

↓ 0719 X/B LOW POWER
↓ 0723 BAY 1 HTR ON

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 24 [D] --- 0905
0850 |----- 42 [D] -----| 1245
1545 |----- 61 [D] -----| 2040
2135 |----- 24 [D] -----| 0700
42 0700

DSN COVERAGE
HPTXR

32 ----- 43 [B] -----| 1930
2140 |-- 61 [D] --| 2325
0430 - 0700 |----- 12 [D] -----|
43 [D] 0645 |-----

HPTXR

RTLTL : 12h 38m 58s

1200 RTLTL=12h 39m 6s

0000 RTLTL=12h 39m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

VGR |----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 6, 1995
218-219

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 36m 4s

1200 RTLT=16h 36m 16s

0000 RTLT=16h 36m 28s

VOYAGER 1

FDSL : 11AF

U/L 1200 | - | ----- TLC (SHORT-FORM) ----- | D/L - | 0604

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 24 [D] ----- 42 ----- | 0700 - 1240 ----- 1545 ----- 61 [D] ----- 2130 ----- 24 [D] ----- 42 [D] 0700

DSN COVERAGE
HPTXR

32 | 0700 12 [D] ----- 43 [D] ----- | 1925 ----- 2140 ----- 61 [D] ----- | 2040 ----- 2320 ----- 0400 - 0700 ----- 12 [D] ----- 43 [D] 0645

HPTXR

RTLT : 12h 39m 14s

1200 RTLT=12h 39m 22s

0000 RTLT=12h 39m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 7, 1995
219-220

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 36m 28s

1200 RTLTL=16h 36m 38s

0000 RTLTL=16h 36m 50s

VOYAGER 1

FDSL : 11AF

▼ 1630 DUMMY

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0715 24 [D] | 42 [D] | 0700 - 1230 | 1540 | 61 | 2330 - 0700 | 24 [D] | 2345 | 43 [D] 0645 |

DSN COVERAGE
HPTXR

32 | 0700 12 [D] | 43 [D] | 1925 | 0430 | 45 [D] |

HPTXR

2055 | 65 [D] | 2355

RTLTL : 12h 39m 30s

1200 RTLTL=12h 39m 38s

0000 RTLTL=12h 39m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 8, 1995
220-221

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 36m 50s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 37m 2s | 0000 RTLT=16h 37m 14s

0949 || 0950 PWS/RH

0949 GS-4B 0950

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

DSN COVERAGE

HPTXR 31

0700 24 [D] | 1100 | 2320 | 24 [D]

43 [D] | 1045 | 42 [D] | 1230 | 1535 | 61 [D] | 2335

HPTXR 32

45 [D] | 1215 | 0425 | 45 [D]

1200 | 43 [D] | 1800 | 2050 | 65 [D] | 2350

RTLT : 12h 39m 46s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=12h 39m 54s | 0000 RTLT=12h 40m 2s

0916 | 0917 PWS/RH

0916 GS-4B 0917

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE |----- VGR -----|

NOTES

[1] S/C 32=GS-4B @ 0916 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0949 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 9, 1995
221-222

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 37m 14s

1200 RTLT=16h 37m 24s

0000 RTLT=16h 37m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 24 [D] -- | 0850 0045 - 0700 | ----- 12 [D] -----
0835 |----- 42 [D] ----- | 1225 43 [D] 0645 |

HPTXR

1400 |----- 65 [D] ----- | 0055

DSN COVERAGE

32 ----- 45 [D] ----- | 1945 0420 | --- 45 [D] ---
2125 | - 61 [D] - | 2305

HPTXR

RTLT : 12h 40m 2s

1200 RTLT=12h 40m 10s

0000 RTLT=12h 40m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 10, 1995
222-223

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 37m 36s

1200 RTLTL=16h 37m 48s

0000 RTLTL=16h 38m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0700 12 [D] 43 [D] 1210 1355 65 [D] 1955 2115 24 [D] 42 [D] 0655

DSN COVERAGE
HPTXR

32 45 [D] 1310 43 [B] 1810 2040 65 [D] 2345 0340 12 [D] 0545

HPTXR

RTLTL : 12h 40m 18s

1200 RTLTL=12h 40m 26s

0000 RTLTL=12h 40m 36s

VOYAGER 2

▼ 1547 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 11, 1995
223-224

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 38m 0s

1200 RTLTL=16h 38m 10s

0000 RTLTL=16h 38m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0710 24 [D] |-----| 1215 |-----| 0030 |-----| 12 [D] |-----| 0550 |-----| 0535 | 43 [D] |

-----| 42 [D] |-----| 1350 |-----| 65 [D] |-----| 0045

HPTXR

DSN COVERAGE

32 |-----| 0930 |-----| 0945 |-----| 45 [D] |-----| 1940 |-----| 0415 |-----| 45 [D] |-----|

-----| 43 [D] |-----| 2120 |-----| 61 [D] |-----| 2300

HPTXR

RTLTL : 12h 40m 36s

1200 RTLTL=12h 40m 44s

0000 RTLTL=12h 40m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 12, 1995
224-225

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 38m 22s

1200 RTLTL=16h 38m 34s

0000 RTLTL=16h 38m 46s

VOYAGER 1

FDSL : 11AF

U/L 1130 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0537

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 12h 40m 52s

1200 RTLTL=12h 41m 2s

0000 RTLTL=12h 41m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 13, 1995
225-226

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 38m 46s

1200 RTLT=16h 38m 58s

0000 RTLT=16h 39m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42 [D]-----

1210

1340

65 [D]

0020 - 0640

-----0035

42 [D] 0625

DSN COVERAGE

HPTXR

32

-----45 [D]-----

1520

1505

43 [D]

1930

0300

-----24 [D]-----

HPTXR

2110 - 61 [D] - 2250

RTLT : 12h 41m 10s

1200 RTLT=12h 41m 18s

0000 RTLT=12h 41m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 14, 1995
226-227

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 39m 8s

1200 RTLTL=16h 39m 20s

0000 RTLTL=16h 39m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----42 [D] ----- | 1210
1510 |----- 61 [D] ----- | 2320
2305 - 0700 |----- 24 [D] -----
42 [D] 0645 |-----

DSN COVERAGE
HPTXR

32 |----- 0725 24 [D] -----
|----- 45 [D] ----- | 0710 - 1655
2025 |----- 65 [D] ----- | 2325
0400 |----- 45 [D] -----

HPTXR

1635 |----- 43 [D] ----- | 1855

RTLTL : 12h 41m 28s

1200 RTLTL=12h 41m 36s

0000 RTLTL=12h 41m 46s

VOYAGER 2

↓ 1025 SLEW->HELIO-1

↓ 2225 SLEW->HELIO-2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 15, 1995
227-228

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 39m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 39m 44s
 0000 RTLT=16h 39m 56s

0926 | 0927 PWS/RH
 ▼ 1630 DUMMY
 0015 | ----- DTR MAINT ----- | 0539
 0141 | PLSCAL - | 0324
 0141 | --- MAGCAL --- | 0444
 0141 | --- PESCAL --- | 0501
 TAPPOS 0543 | 0545

0926
GS-4B 0927

FDS MODE
XB DATA RATE (MI)

CR-5T	CR-5T
160(32)	160(32)

DSN COVERAGE

HPTXR
31 0700 24 [D] 42 [D] ----- | 1200 1505 | ----- 61 ----- | 2315 2300 | ----- 12 [D] ----- 42 [D] 0700

HPTXR
32 ----- 45 [D] ----- | 1645 1630 | --- 43 [D] --- | 1845 2025 | --- 65 [D] --- | 2325 0400 | --- 45 [D] ---

RTLT : 12h 41m 46s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=12h 41m 54s
 0000 RTLT=12h 42m 4s

0853 | 0854 PWS/RH
 ↓ 1025 SLEW->HELIO-3
 ↓ 2225 SLEW->HELIO-4

0853
GS-4B 0854

FDS MODE
XB DATA RATE (MI)

CR-5T	CR-5T
160(32)	160(32)

VOYAGER COVERAGE | ----- VGR ----- |

NOTES
 [1] S/C 32=GS-4B @ 0853 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 0926 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 16, 1995
228-229

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 39m 56s

1200 RTLTL=16h 40m 8s

0000 RTLTL=16h 40m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 12 [D] |-----| 0700 - 1200 |-----| 1855 |-----| 2300 - 0700 |-----| 24 [D] |-----|
-----| 42 [D] |-----| 1330 |-----| 65 [D] |-----| 61 [D] |-----| 2310 |-----| 43 [D] 0645 |-----|

DSN COVERAGE
HPTXR

32 |-----| 45 [D] |-----| 1700 |-----| 0355 |-----| 45 [D] |-----|
-----| 1645 |-----| 43 [B] |-----| 1920

HPTXR

RTLTL : 12h 42m 4s

1200 RTLTL=12h 42m 12s

0000 RTLTL=12h 42m 22s

VOYAGER 2

↓ 1025 SLEW->HELIO-5

▼ 1747 DUMMY (BRACKETED)

↓ 2225 SLEW->HELIO-6

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 17, 1995
229-230

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 40m 20s

1200 RTLTL=16h 40m 32s

0000 RTLTL=16h 40m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0700 24 [D] 43 [D] 1245 1500 61 [D] 1955 2045 24 [D] 0525 43 [D] 0540

DSN COVERAGE
HPTXR

32 45 [D] 1400 1345 43 [D] 1845 2055 61 [D] 2235 0350 45 [D]

HPTXR

RTLTL : 12h 42m 22s

1200 RTLTL=12h 42m 30s

0000 RTLTL=12h 42m 40s

VOYAGER 2

↓ 1025 SLEW->HELIO-7

↓ 2225 SLEW->HELIO-8

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 18, 1995
230-231

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 40m 42s

1200 RTLT=16h 40m 54s

0000 RTLT=16h 41m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

43 [D]

1315

0605

42

1305

65 [D]

1925

2040 - 0615

24 [D]

HPTXR

DSN COVERAGE

32

45 [D]

1435

0345

45 [D]

1415

43 [D]

1840

2010

65 [D]

2310

HPTXR

RTLT : 12h 42m 40s

1200 RTLT=12h 42m 50s

0000 RTLT=12h 42m 58s

VOYAGER 2

↓ 1025 SLEW->HELIO-9

↓ 2225 SLEW->HELIO-10

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 19, 1995
231-232

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 41m 6s

1200 RTLTL=16h 41m 18s

0000 RTLTL=16h 41m 30s

VOYAGER 1

FDSL : 11AF

U/L 0900 |-----| TLC (SHORT-FORM) -----| D/L | 0309

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----42-----| 1150

1455 |-----| 61 [D] -----| 2235

0600 | 42 [D]

2220 - 0615 |-----| 12 [D] -----|

DSN COVERAGE
HPTXR

32

-----45 [D]-----| 1430

1415 |-----| 43 [D] -----| 1835

0340 |-----| 45 [D] -----

2005 |-----| 65 [D] -----| 2305

HPTXR

RTLTL : 12h 42m 58s

1200 RTLTL=12h 43m 8s

0000 RTLTL=12h 43m 18s

VOYAGER 2

↓ 1025 SLEW->MIDPOINT

↓ 2225 SLEW->HELIO-11

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/02/95 - 12:50

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 20, 1995
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 41m 30s

1200 RTLT=16h 41m 42s

0000 RTLT=16h 41m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----42 [D] ----- | 1145
1315 |-----65 [D] ----- | 2310
0555 | 42 [D] |

HPTXR

DSN COVERAGE

32 -----45 [D] ----- | 1050
1030 |-----43 [D] ----- | 1430
2045 |-----61 [D] ----- | 2225
0430 |-----45 [D] ----- |

HPTXR

RTLT : 12h 43m 18s

1200 RTLT=12h 43m 28s

0000 RTLT=12h 43m 36s

VOYAGER 2

↓ 1026 SLEW->HELIO-12

↓ 2226 SLEW->HELIO-13

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7