

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 28, 1995
271-272

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 56m 50s

1200 RTLT=16h 57m 0s

0000 RTLT=16h 57m 12s

VOYAGER 1

S/C 31 STATUS

↓ 1729 SLEW->HELIO-11C

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -5.836 sec
SCAN PLAT POSITION:
AZ = 147.502 deg
EL = 80.443 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 42 [D] --- | 0915

1030 |----- 65 [D] ----- | 2135

2120 |----- 24 [D] ----- | 0600

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1625

1810 |----- 61 [D] ----- | 1945

HPTXR

RTLT : 12h 57m 40s

1200 RTLT=12h 57m 52s

0000 RTLT=12h 58m 4s

VOYAGER 2

↓ 0733 SLEW->HELIO-X6

S/C 32 STATUS

↓ 1933 SLEW->HELIO-X5

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:53.285 min
SCAN PLAT POSITION:
AZ = 10.021 deg
EL = 163.050 deg
ROLLREF = VEGA

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
 SEPTEMBER 29, 1995
 272-273

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 57m 12s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A021
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 1729 SLEW->HELIO-10C

U/L 0600 | - | -
 TLC (SHORT-FORM) | - -

FDS MODE
 XB DATA RATE (MI)

CR-5T
 160 (32)

DSN COVERAGE

HPTXR
 31 --- 42 [D] --- | 0910
 1210 |----- 61 [D] -----| 2020
 2005 |----- 24 [D] -----| 0335
 0320 |----- 42 -----|

HPTXR
 32 ----- 45 [D] -----| 1515
 1725 |----- 65 [D] -----| 2025
 0100 |----- 45 [D] -----|

RTLTL : 12h 58m 4s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 0733 SLEW->HLEIO-X4

↓ 1933 SLEW->HELIO-X3

FDS MODE
 XB DATA RATE (MI)

CR-5T
 160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 30, 1995
273-274

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 57m 34s
VOYAGER 1
FDSL : 11AF
CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=16h 57m 46s
1730 SLEW->HELIO-9C
0000 RTLTL=16h 57m 56s

TLC (SHORT-FORM) D/L -| 0026

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

DSN COVERAGE HPTXR

31 --- 42 --- | 0905
1210 |----- 61 [D] ----- | 2015
2000 |----- 24 [D] ----- | 0550

32 ----- 45 [D] ----- | 1620
1720 |----- 65 [D] ----- | 2020
0055 |----- 45 [D] -----

HPTXR

RTLTL : 12h 58m 28s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=12h 58m 40s
0733 SLEW->HELIO-X2
1933 SLEW->HELIO-X1
0000 RTLTL=12h 58m 52s

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 1, 1995
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 57m 56s

1200 RTLT=16h 58m 8s

0000 RTLT=16h 58m 18s

VOYAGER 1

↓ 1730 SLEW->HELIO-8C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1205

61 [D]

2010

0355

42 [D]

1955

12 [D]

0410

DSN COVERAGE

HPTXR

32

45 [D]

1615

0335

45 [D]

2345

24 [D]

0350

HPTXR

RTLT : 12h 58m 52s

1200 RTLT=12h 59m 4s

0000 RTLT=12h 59m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 2, 1995
275-276

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 58m 18s

1200 RTLTL=16h 58m 30s

0000 RTLTL=16h 58m 40s

VOYAGER 1

↓ 1730 SLEW->HELIO-7C

FDSL : 11AF

2011 | - | 2039 CCSB CHKSUM & MRO

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

1956 2100

EL-40

CR-5T

160 (32)

40(30)

160(32)

31

--- 42 [D] --- | 0855

1025 | - - - - - 65 [D] - - - - - | 1415

1745 | - - - - - 24 [D] - - - - - | 0325

0455 | - - 42 [D] - - -

0310 | - - 14 [D] - - - | 0510

DSN COVERAGE

HPTXR

32

--- 45 [D] - - - - - | 1240

1225 | - - - - - 43 [D] - - - - - | 1540

0430 | - - - 45 [D] - - -

HPTXR

RTLTL : 12h 59m 16s

1200 RTLTL=12h 59m 28s

0000 RTLTL=12h 59m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 3, 1995
276-277

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 58m 40s

1200 RTLTL=16h 58m 52s

0000 RTLTL=16h 59m 2s

VOYAGER 1

↓ 1730 SLEW->HELIO-6C

0312 | 0313 PWS/RH

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0312
GS-4B 0313

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 --- 42 [D] --- | 0855

1700 | ----- 65 [D] ----- | 2120

0305 | ----- 42 [D] -----

DSN COVERAGE
HPTXR

2110 | ----- 24 [D] ----- | 0320

32 ----- 45 [D] ----- | 1605

0040 | ----- 45 [D] -----

HPTXR

RTLTL : 12h 59m 40s

1200 RTLTL=12h 59m 52s

0000 RTLTL=13h 0m 4s

VOYAGER 2

↓ 1434 SLEW->DARK PLATE

0238 | 0239 PWS/RH

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0238
GS-4B 0239

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

[1] S/C 32=GS-4B @ 0238 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0312 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 4, 1995
277-278

SFOS/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 16h 59m 2s

1200 RTLT=16h 59m 14s

0000 RTLT=16h 59m 24s

VOYAGER 1

↓ 1730 SLEW->HELIO-5C

▼ 1730 DUMMY

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 42 [D] -- | 0850

1150 |----- 61 -----| 2000

0300 |----- 42 [D] -----

HPTXR

DSN COVERAGE

32

45 [D] ----- | 1325

1310 |----- 43 [B] ---- | 1535

0105 |----- 45 [D] -----

HPTXR

1705 |----- 65 [D] ----- | 2005

RTLT : 13h 0m 4s

1200 RTLT=13h 0m 16s

0000 RTLT=13h 0m 30s

VOYAGER 2

▼ 1337 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 5, 1995
278-279

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 59m 24s

1200 RTLTL=16h 59m 34s

0000 RTLTL=16h 59m 46s

VOYAGER 1

↓ 1730 SLEW->HELIO-4C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -- 42 [D] -- | 0845

1015 |----- 65 [D] -----| 2110

2100 |----- 24 [D] -----| 0530

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1215

1305 |--- 43 [D] --- | 1530

1740 | - 61 [D] - | 1920

0155 |----- 42 [D] -----

HPTXR

RTLTL : 13h 0m 30s

1200 RTLTL=13h 0m 42s

0000 RTLTL=13h 0m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 6, 1995
279-280

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 16h 59m 46s

1200 RTLTL=16h 59m 56s

0000 RTLTL=17h 0m 6s

VOYAGER 1

↓ 1731 SLEW->HELIO-3C

FDSL : 11AF

0340 | 0400 AACS MRO
0400 | 0411 CCS MRO
0411 | 0424 FDS MRO
U/L 0600 |
TLC (SHORT-FORM) |

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

0326 0424

EH-12

CR-5T

160(32)

160(32)

31

1145

----- 61 [D] -----

1955

1940 |----- 24 [D] -----

0440

----- 42 -----

0225 |--- 14 [D,1] ---| 0245

DSN COVERAGE
HPTXR

32

42 [D]

----- 1315

0030

----- 45 [D] -----

1300

----- 43 [D] -----

1525

1655 |----- 65 [D] -----| 1955

HPTXR

RTLTL : 13h 0m 54s

1200 RTLTL=13h 1m 6s

0000 RTLTL=13h 1m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

|--- VGR ---|

NOTES

[1] S/C 31=EH-12 @ 0326 XB=1.2k(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 7, 1995
280-281

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 0m 6s

1200 RTLT=17h 0m 18s

0000 RTLT=17h 0m 28s

VOYAGER 1

↓ 1731 SLEW->HELIO-2C

FDSL : 11AF

CCSL : A021

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

TLC (SHORT-FORM)

+ D/L -| 0028

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

--- 42 --- | 0840

1140 |

----- 61 [D] -----

| 1950

0250 |

----- 42 [D] -----

HPTXR

1935 |

----- 24 [D] -----

| 0305

DSN COVERAGE

32

----- 45 [D] -----

| 1550

0025 |

----- 45 [D] -----

HPTXR

1655 |

----- 65 [D] ----- | 1950

RTLT : 13h 1m 18s

1200 RTLT=13h 1m 30s

0000 RTLT=13h 1m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 8, 1995
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 0m 28s

1200 RTLT=17h 0m 38s

0000 RTLT=17h 0m 50s

VOYAGER 1

↓ 1731 SLEW->HELIO-1C

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 42 [D] - | 0835

1135 |

61 [D] |

1945 |

0445 | -- 42 [D] --

HPTXR

1930 |

24 [D] |

0500 |

DSN COVERAGE

32

45 [D] |

1550 |

0025 |

45 [D] |

HPTXR

RTLT : 13h 1m 42s

1200 RTLT=13h 1m 54s

0000 RTLT=13h 2m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 9, 1995
282-283

MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 0m 50s

1200 RTLTL=17h 1m 0s

0000 RTLTL=17h 1m 10s

VOYAGER 1

↓ 1831 SLEW->P7-MAPB

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 42 [D] - | 0830 1000 |----- 65 [D] -----| 2150 0240 |----- 42 [D] -----

2135 |----- 24 [D] -----| 0255

DSN COVERAGE
HPTXR

32 45 [D] -----| 1305 0020 |----- 45 [D] -----

1250 |----- 43 [D] -----| 1515 1725 |----- 61 [D] -----| 1905

HPTXR

RTLTL : 13h 2m 6s

1200 RTLTL=13h 2m 18s

0000 RTLTL=13h 2m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 10, 1995
283-284

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 1m 10s

1200 RTLTL=17h 1m 20s

0000 RTLTL=17h 1m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2240 | PLSCAL - | 0023

2240 | --- MAGCAL --- | 0143

2240 | ---- PESCAL ---- | 0200

0249 | 0250 PWS/RH

DUMMY 0449 ▼

EL-40 0459 ▼

CCSL A022 0514 ▼

CR-5T 0559 ▼

0249

GS-4B

0250

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

42 [D] - | 0825

1015 | - - - - - 65 [D] - - - - - |

1555

1745 | - 61 [D] - - |

1940

1925 | - - - - - 24 [D] - - - - - |

0425 | - - - - - 42 - - - - - |

0440

DSN COVERAGE

HPTXR

32

45 [D] - - - - - | 1540

1640 | - - - - - 65 [D] - - - - - |

1940

0430 | - - - - - 45 [D] - - - - - |

HPTXR

RTLTL : 13h 2m 30s

1200 RTLTL=13h 2m 44s

0000 RTLTL=13h 2m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0215 | 0216 PWS/RH

0215

GS-4B

0216

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

| - - VGR - - - |

NOTES

[1] S/C 32=GS-4B @ 0215 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 0249 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 11, 1995
284-285

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 1m 30s

1200 RTLTL=17h 1m 42s

0000 RTLTL=17h 1m 52s

VOYAGER 1

*

2233 || 2238 CCS CHKSUM

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 2201 * 2301

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

EL-40
40(30)

CR-5T
160(32)

31 -- 42 -- | 0820

0955 |----- 65 [D] -----| 1550

1710 |----- 24 [D] -----| 0345

0330 |----- 42 [D] -----

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1300

1245 |--- 43 [D] ---| 1505

1635 |----- 65 [D] -----| 1935

0010 |----- 45 [D] -----

HPTXR

RTLTL : 13h 2m 56s

1200 RTLTL=13h 3m 8s

0000 RTLTL=13h 3m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 12, 1995
285-286

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 1m 52s

1200 RTLT=17h 2m 2s 0000 RTLT=17h 2m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 42 [D] -| 0820

0950 |----- 65 [D] -----| 2045
2030 |----- 24 [D] -----| 0505

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1215 0120 |----- 42 [D] -----

1240 |--- 43 [B] ---| 1500
1715 | - 61 [D] - | 1855

HPTXR

RTLT : 13h 3m 20s

1200 RTLT=13h 3m 32s 0000 RTLT=13h 3m 44s

VOYAGER 2

▼ 1337 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 13, 1995
286-287

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 2m 12s

1200 RTLT=17h 2m 22s

0000 RTLT=17h 2m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1330 |----- 65 [D] -----| 1720

1705 |----- 24 [D] -----| 0315

0300 |----- 42 [D] -----|

DSN COVERAGE
HPTXR

32

----- 42 [D] -----| 1255

0005 |----- 45 [D] -----|

1240 |--- 43 [D] ---| 1455

1715 | - 61 [D] - | 1850

HPTXR

RTLT : 13h 3m 44s

1200 RTLT=13h 3m 56s

0000 RTLT=13h 4m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 14, 1995
287-288

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 2m 32s

1200 RTLT=17h 2m 42s

0000 RTLT=17h 2m 52s

VOYAGER 1

U/L 0600 | - |
TLC (SHORT-FORM) | - -

FDSL : 11AF

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 42 [D] | 0810

1115 | ----- 61 [D] ----- | 1715

0445 | --- 42 ---

1700 | ----- 24 [D] ----- | 0240

HPTXR
DSN COVERAGE

32 ----- 45 [D] ----- | 1525

0000 | ----- 45 [D] -----

HPTXR

RTLT : 13h 4m 8s

1200 RTLT=13h 4m 20s

0000 RTLT=13h 4m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/27/95 - 13:33

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 15, 1995
288-289

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 2m 52s

1200 RTLT=17h 3m 2s

0000 RTLT=17h 3m 12s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0031

CCSL : A021
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 42 - 0805

0445 - 42 [D]

0935 - 65 [D]

2035

2020 - 24 [D] - 0455

DSN COVERAGE
HPTXR

32

45 [D] - 1520

0430 - 45 [D]

1715 - 61 [D] - 1840

2320 - 12 [D] - 0235

HPTXR

RTLT : 13h 4m 32s

1200 RTLT=13h 4m 44s

0000 RTLT=13h 4m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7