

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 2, 1995
306-307

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 8m 24s

1200 RTLT=17h 8m 34s

0000 RTLT=17h 8m 42s

VOYAGER 1


S/C 31 STATUS	
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: -6.203 sec	
SCAN PLAT POSITION: AZ = 64.958 deg EL = 95.016 deg	
ROLLREF = RIGIL KENTAURUS	

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)



RTLT : 13h 11m 38s

1200 RTLT=13h 11m 50s

0000 RTLT=13h 12m 2s

VOYAGER 2

S/C 32 STATUS	
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: 2:49.043 min	
SCAN PLAT POSITION: AZ = -10.156 deg EL = 110.666 deg	
ROLLREF = VEGA	

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

1205
EH-12 1256

↓ 1216 GYRO INIT
↓ 1216 GYROS AB ON
↓ 1226 GYRO FAULT TEST
1232 |---| 1256 PWR SINGLE ID RO

COMMAND MORATORIUM

VOYAGER COVERAGE

|---VGR---| |-----VGR-----|

NOTES

[1] S/C 32= EH-12 @ 1205 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 3, 1995
307-308

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 8m 42s

1200 RTLTL=17h 8m 50s

0000 RTLTL=17h 8m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

↓ 1909 AAI
1912 |----- MAGROL -----| 0108

↓ 0101 RAI
↓ 0108 CRU
↓ 0108 GYROS OFF

U/L 0600 |-----|
TLC (SHORT-FORM) |-----|

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 1000 |----- 61 [D] -----| 1645
1630 |----- 15 [D] -----| 0305
0250 |----- 42 -----| 0650

DSN COVERAGE
HPTXR

32 45 [D] -----| 1145
1130 |--- 43 [D] ---| 1335
1505 |--- 65 [D] ---| 1805
2240 |----- 45 [D] -----|

HPTXR

RTLTL : 13h 12m 2s

1200 RTLTL=13h 12m 12s

0000 RTLTL=13h 12m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----| 2304

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1912-0108)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 4, 1995
308-309

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 8m 58s

1200 RTLT=17h 9m 6s

0000 RTLT=17h 9m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : OFF

TLC (SHORT-FORM)

D/L -|0037

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1000

----- 61 [D] -----

1800

1745

----- 24 [D] -----

0305

0250

----- 42 [D] ----- |0645

HPTXR

DSN COVERAGE

32

45 [D]

1400

----- 1400 -----

1505

----- 65 [D] -----

1805

2240

----- 2240 -----

45 [D]

HPTXR

RTLT : 13h 12m 24s

1200 RTLT=13h 12m 36s

0000 RTLT=13h 12m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 5, 1995
309-310

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 9m 14s

1200 RTLT=17h 9m 22s

0000 RTLT=17h 9m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0955 |-----| 61 [D]

1745

0445 |---| 42 [D] ---| 0640

1730 |-----| 24 [D]

0330

DSN COVERAGE
HPTXR

32

45 [D] -----| 1140

1125 |---| 43 [D] ---| 1325

0120 |-----| 45 [D]

2220 |-----| 15 [D] -----| 0135

HPTXR

1500 |-----| 65 [D] -----| 1800

RTLT : 13h 12m 46s

1200 RTLT=13h 12m 58s

0000 RTLT=13h 13m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
NOVEMBER 6, 1995
310-311

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 9m 30s
VOYAGER 1
FDSL : 11AF
CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1635 SLEW->ALPHA VIR
↓ 1935 SLEW->DARK PLATE

FDS MODE	CR-5T	1536	UV-5A	0126	CR-5T
XB DATA RATE (MI)	160 (32)		600(36)		160(32)

DSN COVERAGE

HPTXR	65 [D] -----	0810 - 1410	15 [D] -----	0130	0430 ----- 45 [D] -----
HPTXR	45 [D] -----	1135	1455 ----- 65 [D] -----	0115 --- 42 [D] ---	0330

RTLTL : 13h 13m 8s
VOYAGER 2
FDSL : 11AF
CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1200 RTLTL=13h 13m 20s 0000 RTLTL=13h 13m 32s

FDS MODE	CR-5T	
XB DATA RATE (MI)	160(32)	

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 8, 1995
312-313

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 0s

1200 RTLT=17h 10m 8s

0000 RTLT=17h 10m 16s

VOYAGER 1

1709 | PLSCAL - | 1851

1709 | --- MAGCAL --- | 2011

1709 | --- PESCAL --- | 2029

FDSL : 11AF

↓ 0142 X/B LOW POWER

↓ 0146 BAY 1 HTR ON

CCSL : A022
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0935 |----- 61 [D] -----| 1745

1730 |----- 24 [D] -----| 0100

0045 |----- 42 [D] -----| 0630

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1130

2220 |----- 45 [D] -----

1115 |--- 43 [B] ---| 1315

1445 |----- 65 [D] -----| 1750

HPTXR

RTLT : 13h 13m 54s

1200 RTLT=13h 14m 4s

0000 RTLT=13h 14m 16s

VOYAGER 2

▼ 1232 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR |

|----- VGR -----|


| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 10, 1995
314-315

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 32s

1200 RTLT=17h 10m 38s

0000 RTLT=17h 10m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0930 |----- 61 [D] -----| 1600
1545 |--- 14 [D] ---| 1745
1730 |----- 24 [D] -----| 0115
0100 |----- 42 [D] -----| 0625

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1125
1110 |--- 43 [D] ---| 1310
2215 |----- 45 [D] -----

HPTXR

RTLT : 13h 14m 38s

1200 RTLT=13h 14m 48s

0000 RTLT=13h 14m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

----- COMMAND MORATORIUM -----

↓ 1135 RAI
↓ 1142 CRU
↓ 1142 GYROS OFF

----- MAGROL -----| 1142

↓ 2311 SLEW->BD+28 4211

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

2242

UV-5A

600(36)

VOYAGER COVERAGE

----- VGR -----|----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0546-1142)
[2] S/C 32=EH-12 @ 1108 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 11, 1995
315-316

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 46s

1200 RTLT=17h 10m 54s

0000 RTLT=17h 11m 0s

VOYAGER 1

U/L 1000 |-----| TLC (SHORT-FORM) |-----| D/L |0439

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925 |-----| 61 |-----| 1730

1715 |-----| 24 [D] |-----| 0115

0100 |-----| 42 [D] |-----| 0620

HPTXR

DSN COVERAGE

32

45 [D] |-----| 1125 |-----| 2210 |-----| 45 [D]

1110 |-----| 43 [D] |-----| 1305

1435 |-----| 65 [D] |-----| 1735

HPTXR

RTLT : 13h 14m 58s

1200 RTLT=13h 15m 10s

0000 RTLT=13h 15m 20s

COMMAND MORATORIUM |-----| 2227

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

VOYAGER COVERAGE

|-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 12, 1995
316-317

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 0s

1200 RTLT=17h 11m 8s

0000 RTLT=17h 11m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0920 |----- 61 [D] -----| 1700 65 [D] 0745 |

1645 |----- 24 [D] -----| 0300

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1120 2205 |----- 45 [D] -----

1105 |-- 43 [D] --| 1300

1430 |----- 65 [D] -----| 1735

HPTXR

RTLT : 13h 15m 20s

1200 RTLT=13h 15m 30s

0000 RTLT=13h 15m 42s

VOYAGER 2

↓ 2311 SLEW->BD+28 BKGD

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A

600(36)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
NOVEMBER 13, 1995
317-318

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 14s

1200 RTLT=17h 11m 22s

0000 RTLT=17h 11m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D]

1930

65 [D] 0740

2030

15 [D]

0300

HPTXR

DSN COVERAGE

32

45 [D] 1015

1100 43 [D] 1255

2320

42 [D]

HPTXR

RTLT : 13h 15m 42s

1106

1200 RTLT=13h 15m 52s

COMMAND MORATORIUM

0000 RTLT=13h 16m 2s

↓ 2352 X/B LOW POWER

↓ 2356 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
NOVEMBER 14, 1995
318-319

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 11m 28s

1200 RTLTL=17h 11m 36s

0000 RTLTL=17h 11m 42s

0054 | 0055 PWS/RH

VOYAGER 1


FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)



RTLTL : 13h 16m 2s

1200 RTLTL=13h 16m 14s

0000 RTLTL=13h 16m 24s

COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0022 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0054 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 15, 1995
319-320

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 42s

1200 RTLT=17h 11m 50s

0000 RTLT=17h 11m 56s

VOYAGER 1

▼ 1610 DUMMY

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 61 -----| 1720

1705 |----- 24 [D] -----| 0035

0020 |----- 42 [D] -----| 0605

DSN COVERAGE
HPTXR

32

45 [D] -----| 1320

1420 |----- 65 [D] -----| 1720

0430 |----- 45 [D] -----|

HPTXR

2140 |----- 15 [D] -----| 0150

RTLT : 13h 16m 24s

1200 RTLT=13h 16m 34s

0000 RTLT=13h 16m 44s

VOYAGER 2

1040 COMMAND MORATORIUM

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0836 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 16, 1995
320-321

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 56s

1200 RTLT=17h 12m 2s

0000 RTLT=17h 12m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0910 |----- 61 [D] -----| 1715

1700

15 [D]

0230
0215 |----- 42 [D] -----|

0600

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1105
1050 |-- 43 [B] --| 1245

2150

45 [D]

HPTXR

RTLT : 13h 16m 44s

1200 RTLT=13h 16m 56s

0000 RTLT=13h 17m 6s

VOYAGER 2

▼ 1132 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| VGR |

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 17, 1995
321-322

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 12m 10s

1200 RTLT=17h 12m 16s

0000 RTLT=17h 12m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 61 [D] -----| 1710

1700 |----- 15 [D] -----| 0115

0100 |----- 42 [D] -----| 0555

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1105

1050 | - 43 [D] - -| 1240

2150 |----- 45 [D] -----

HPTXR

1500 | - - 65 [D] - - -| 1715

RTLT : 13h 17m 6s

1200 RTLT=13h 17m 16s

0000 RTLT=13h 17m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 18, 1995
322-323

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 12m 22s

1200 RTLT=17h 12m 30s

0000 RTLT=17h 12m 36s

VOYAGER 1

U/L 1000 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0441

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0900 | - - - - - 61 - - - - - | 1710

1655 | - - - - - 15 [D] - - - - - | 0115

0100 | - - - - - 42 [D] - - - - - | 0550

DSN COVERAGE
HPTXR

32

- - - - - 45 [D] - - - - - | 1310

2145 | - - - - - 45 [D] - - - - -

HPTXR

1410 | - - - - - 65 [D] - - - - - | 1710

RTLT : 13h 17m 26s

1200 RTLT=13h 17m 36s

0000 RTLT=13h 17m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/01/95 - 13:35

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 19, 1995
323-324

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 12m 36s

1200 RTLTL=17h 12m 42s

0000 RTLTL=17h 12m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0855 |----- 61 [D] -----| 1500

1445 |----- 15 [D] -----| 0235

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1100

1045 |--- 43 [D] ---| 1305

1405 |----- 65 [D] -----| 1705

2140 |----- 45 [D] -----

HPTXR

RTLTL : 13h 17m 46s

1200 RTLTL=13h 17m 56s

0000 RTLTL=13h 18m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8