

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 9, 1995
313-314

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 16s

1200 RTLT=17h 10m 24s

0000 RTLT=17h 10m 32s

VOYAGER 1

▼ 1700 DUMMY

FDSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -6.266 sec
SCAN PLAT POSITION:
AZ = -9.286 deg
EL = 110.659 deg
ROLLREF = RIGIL
KENTAURUS

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0935 |----- 61 -----| 1745
1730 |----- 24 [D] -----| 0055
0040 |----- 42 [D] -----| 0620

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1130
1115 |--- 43 [D] ---| 1315
1445 |----- 65 [D] -----| 1745

HPTXR

RTLT : 13h 14m 16s

1200 RTLT=13h 14m 26s

0000 RTLT=13h 14m 38s

VOYAGER 2

COMMAND MORATORIUM

↓ 2243 BAY 1 HTR OFF
↓ 2247 X/B HI POWER

↓ 0543 AAI
0546 |--- MAGROL ---

FDSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:48.265 min
SCAN PLAT POSITION:
AZ = -10.156 deg
EL = 110.666 deg
ROLLREF = VEGA

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

0535
EH-12

0552

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----| |----- VGR -----|

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0546-1142)
[2] S/C 32 = EH-12 @ 0535 XB=1.2K(39) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 10, 1995
314-315

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 32s

1200 RTLT=17h 10m 38s

0000 RTLT=17h 10m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0930 |----- 61 [D] -----| 1600

1545 |--- 14 [D] ---| 1745

0100 |----- 42 [D] -----| 0625

HPTXR

1730 |----- 24 [D] -----| 0115

DSN COVERAGE

32

----- 45 [D] -----| 1125

2215 |----- 45 [D] -----

1110 |--- 43 [D] ---| 1310

HPTXR

1200 RTLT=13h 14m 48s

0000 RTLT=13h 14m 58s

RTLT : 13h 14m 38s

----- COMMAND MORATORIUM -----

VOYAGER 2

↓ 1135 RAI
↓ 1142 CRU
↓ 1142 GYROS OFF

FDSL : 11AF

----- MAGROL -----| 1142

↓ 2311 SLEW->BD+28 4211

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

2242

UV-5A

600(36)

VOYAGER COVERAGE

----- VGR -----| ----- VGR -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0546-1142)
[2] S/C 32=EH-12 @ 1108 XB=1.2K(39)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 11, 1995
315-316

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 10m 46s

1200 RTLT=17h 10m 54s

0000 RTLT=17h 11m 0s

VOYAGER 1

U/L 1000 | - | - - - - - TLC (SHORT-FORM) - - - - - | D/L - | 0439

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0925 | - - - - - 61 - - - - - | 1730

1715 | - - - - - 24 [D] - - - - - | 0115

0100 | - - - - - 42 [D] - - - - - | 0620

HPTXR

DSN COVERAGE

32

45 [D] - - - - - | 1125

2210 | - - - - - 45 [D] - - - - -

1110 | - 43 [D] - - | 1305

1435 | - - - - - 65 [D] - - - - - | 1735

HPTXR

RTLT : 13h 14m 58s

1200 RTLT=13h 15m 10s

0000 RTLT=13h 15m 20s

VOYAGER 2

- - - - - COMMAND MORATORIUM - - - - - | 2227

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 12, 1995
316-317

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 0s

1200 RTLT=17h 11m 8s

0000 RTLT=17h 11m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0920 |----- 61 [D] -----| 1700 65 [D] 0745 |

1645 |----- 24 [D] -----| 0300

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1120 2205 |----- 45 [D] -----

1105 |-- 43 [D] --| 1300

1430 |----- 65 [D] -----| 1735

HPTXR

RTLT : 13h 15m 20s

1200 RTLT=13h 15m 30s

0000 RTLT=13h 15m 42s

VOYAGER 2

↓ 2311 SLEW->BD+28 BKGD

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
NOVEMBER 13, 1995
317-318

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 14s

1200 RTLT=17h 11m 22s

0000 RTLT=17h 11m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 65 [D] ----- | 1930 ----- 65 [D] 0740 |

2030 |----- 15 [D] ----- | 0300

DSN COVERAGE HPTXR

32 --- 45 [D] --- | 1015 ----- 2320 |----- 42 [D] -----

1100 |--- 43 [D] --- | 1255

HPTXR

RTLT : 13h 15m 42s

1106 |----- 1200 RTLT=13h 15m 52s

COMMAND MORATORIUM

0000 RTLT=13h 16m 2s

↓ 2352 X/B LOW POWER
↓ 2356 BAY 1 HTR ON

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY NOVEMBER 14, 1995 318-319	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8
RTLTL : 17h 11m 28s VOYAGER 1 FDSL : 11AF CCSL : A022 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=17h 11m 36s 0000 RTLTL=17h 11m 42s 0054 0055 PWS/RH
FDS MODE XB DATA RATE (MI)	CR-5T 160 (32)
31	0025 42 [D] 0600
DSN COVERAGE HPTXR	1530 14 [D] 1730 1715 24 [D] 0040
32	42 [D] 1210 1425 65 [D] 1725 2205 45 [D]
HPTXR	
RTLTL : 13h 16m 2s VOYAGER 2 FDSL : 11AF CCSL : B024 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=13h 16m 14s 0000 RTLTL=13h 16m 24s COMMAND MORATORIUM
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
0022 0023 PWS/RH 0033 DTR MAINT 0600 0136 PLSCAL - 0318 0136 MAGCAL 0438 0136 PESCAL 0456 0601 TAPPOS	
VOYAGER COVERAGE	VGR
NOTES	[1] S/C 32=GS-4B @ 0022 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 0054 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 15, 1995
319-320

SFOS/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 42s

1200 RTLT=17h 11m 50s

0000 RTLT=17h 11m 56s

VOYAGER 1

▼ 1610 DUMMY

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 61 -----| 1720

1705 |----- 24 [D] -----| 0035

0020 |----- 42 [D] -----| 0605

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1320

1420 |----- 65 [D] -----| 1720

0430 |----- 45 [D] -----|

HPTXR

2140 |----- 15 [D] -----| 0150

RTLT : 13h 16m 24s

1200 RTLT=13h 16m 34s

0000 RTLT=13h 16m 44s

VOYAGER 2

-----| 1040 COMMAND MORATORIUM

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

-----| 0836 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 16, 1995
320-321

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 11m 56s

1200 RTLT=17h 12m 2s

0000 RTLT=17h 12m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0910 |----- 61 [D] -----| 1715

1700 |----- 15 [D] -----|

0230

0215 |----- 42 [D] -----| 0600

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1105
1050 |-- 43 [B] --| 1245

2150 |----- 45 [D] -----|

HPTXR

RTLT : 13h 16m 44s

1200 RTLT=13h 16m 56s

0000 RTLT=13h 17m 6s

VOYAGER 2

▼ 1132 DUMMY (BRACKETED)

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| VGR |

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 17, 1995
321-322

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 12m 10s

1200 RTLT=17h 12m 16s

0000 RTLT=17h 12m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0910 |----- 61 [D] -----| 1710

1700 |----- 15 [D] -----| 0115

0100 |----- 42 [D] -----| 0555

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1105

1050 |-- 43 [D] --| 1240

2150 |----- 45 [D] -----

HPTXR

1500 |-- 65 [D] --| 1715

RTLT : 13h 17m 6s

1200 RTLT=13h 17m 16s

0000 RTLT=13h 17m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 18, 1995
322-323

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 12m 22s

1200 RTLT=17h 12m 30s

0000 RTLT=17h 12m 36s

VOYAGER 1

U/L 1000 |-----| TLC (SHORT-FORM) |-----| D/L |0441

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0900 |-----| 61 |-----| 1710

1655 |-----| 15 [D] |-----| 0115

0100 |-----| 42 [D] |-----| 0550

DSN COVERAGE
HPTXR

32

-----| 45 [D] |-----| 1310

2145 |-----| 45 [D] |-----|

HPTXR

1410 |-----| 65 [D] |-----| 1710

RTLT : 13h 17m 26s

1200 RTLT=13h 17m 36s

0000 RTLT=13h 17m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----| ON CALL |-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 19, 1995
323-324

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 12m 36s

1200 RTLTL=17h 12m 42s

0000 RTLTL=17h 12m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0855 |----- 61 [D] -----| 1500

1445 |----- 15 [D] -----| 0235

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1100

1045 |--- 43 [D] ---| 1305

1405 |----- 65 [D] -----| 1705

2140 |----- 45 [D] -----

HPTXR

RTLTL : 13h 17m 46s

1200 RTLTL=13h 17m 56s

0000 RTLTL=13h 18m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
NOVEMBER 20, 1995
324-325

MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 12m 48s

1200 RTLTL=17h 12m 54s

0000 RTLTL=17h 13m 0s

VOYAGER 1

▼ 1600 DUMMY

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0850 |----- 61 -----| 1700 65 [D] 0730 |---

1645 |-----

15 [D] -----

| 0115

0100 |-----

42 [D] -----

| 0545

DSN COVERAGE

HPTXR

32

45 [D] -----

| 12301400 |-----

65 [D] -----

| 1700

2030 |-----

24 [D] -----

| 0130

0430 |-----

45 [D] -----

HPTXR

RTLTL : 13h 18m 6s

1200 RTLTL=13h 18m 16s

0000 RTLTL=13h 18m 26s

VOYAGER 2

↓ 1443 SLEW->HELIO-1

↓ 0243 SLEW->HELIO-2

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE


|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 22, 1995
326-327

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 13m 12s

1200 RTLT=17h 13m 18s

0000 RTLT=17h 13m 24s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D]

1900

2350

0700

65 [D]

DSN COVERAGE
HPTXR

32

45 [D] 1045

1030 43 [B] 1220

2130

45 [D]

HPTXR

RTLT : 13h 18m 46s

1200 RTLT=13h 18m 56s

0000 RTLT=13h 19m 6s

VOYAGER 2

↓ 1443 SLEW->HELIO-5

▼ 1127 DUMMY (BRACKETED)

↓ 0243 SLEW->HELIO-6

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| VGR |

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 23, 1995
327-328

VGR STAFF/A148
VCB/MD MTG/A148

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 13m 24s

1200 RTLT=17h 13m 30s

0000 RTLT=17h 13m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 65 [D] ----- | 1305
1430 |----- 24 [D] ----- | 0220
0700 | 65 [D]

DSN COVERAGE
HPTXR

32 --- 45 [D] --- | 1045
1030 |--- 43 [D] --- | 1220
1350 |----- 65 [D] ----- | 1650

HPTXR

RTLT : 13h 19m 6s

1200 RTLT=13h 19m 16s

0000 RTLT=13h 19m 26s

VOYAGER 2

↓ 1444 SLEW->HELIO-7

↓ 0244 SLEW->HELIO-8

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

THANKSGIVING DAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 24, 1995
328-329

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 36s

1200 RTLTL=17h 13m 42s

0000 RTLTL=17h 13m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

65 [D] ----- | 1300

1450 | -- 14 [D] -- | 1650
1635 | -----

24 [D] ----- | 0215

DSN COVERAGE

HPTXR

32

45 [D] ----- | 1230

1345 | ---- 65 [D] ---- | 1645

2120 | ----- 45 [D] -----

HPTXR

RTLTL : 13h 19m 26s

1200 RTLTL=13h 19m 34s

0000 RTLTL=13h 19m 44s

VOYAGER 2

↓ 1444 SLEW->HELIO-9

↓ 0244 SLEW->HELIO-10

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

JPL HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 25, 1995
329-330

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 48s

1200 RTLTL=17h 13m 54s

0000 RTLTL=17h 14m 0s

VOYAGER 1

U/L 1000 |-----| TLC (SHORT-FORM) |-----| D/L -| 0442

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

|-----| 61 |-----| 0830 - 1345
1420 |-----| 15 [D] |-----| 2225
2340 |-----| 42 [D] |-----| 0520

HPTXR

DSN COVERAGE

32

45 [D] |-----| 1040
1025 |-----| 43 [D] |-----| 1240
1340 |-----| 65 [D] |-----| 1645
2115 |-----| 45 [D]

HPTXR

RTLTL : 13h 19m 44s

1200 RTLTL=13h 19m 54s

0000 RTLTL=13h 20m 4s

VOYAGER 2

↓ 1444 SLEW->MIDPOINT

↓ 0244 SLEW->HELIO-11

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 11/08/95 - 09:47

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 26, 1995
330-331

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 0s

1200 RTLTL=17h 14m 4s

0000 RTLTL=17h 14m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A022
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 61 [D] ----- | 0830 - 1635 |----- 24 [D] ----- | 0210 |----- 65 [D] -----

1620

DSN COVERAGE
HPTXR

32

----- 45 [D] ----- | 1035 |----- 45 [D] -----

1020 |----- 43 [D] ----- | 1205

2115

HPTXR

RTLTL : 13h 20m 4s

1200 RTLTL=13h 20m 12s

0000 RTLTL=13h 20m 22s

VOYAGER 2

↓ 1444 SLEW->HELIO-12

↓ 0244 SLEW->HELIO-13

FDSL : 11AF

CCSL : B024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8