

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 22, 1996  
053-054

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 30s

1200 RTLT=17h 16m 28s

0000 RTLT=17h 16m 26s

VOYAGER 1

↓ 1739 SLEW->HELIO-17A

FDLSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -7.485 sec

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

ROLLREF = RIGIL  
KENTAURUS

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 --- 61 [D] --- | 1015

1000 |----- 12 [D] ----- | 1855

0055 |----- 63 [D] ----- | 0350

DSN COVERAGE  
HPTXR

32

1650 |----- 42 [o] ----- | 0345

0530 | - 43 [o] - | 0700

HPTXR

RTLT : 13h 31m 0s

1200 RTLT=13h 30m 58s

0000 RTLT=13h 30m 56s

VOYAGER 2

↓ 2249 SLEW->HELIO-X11

FDLSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 2:34.300 min

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

ROLLREF = VEGA

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 23, 1996  
054-055

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 26s

1200 RTLTL=17h 16m 24s

0000 RTLTL=17h 16m 22s

VOYAGER 1

↓ 1739 SLEW->HELIO-16A

U/L 0800

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

1030 |----- 12 [D] -----| 1850

0630 |-- 61 --

0055 |----- 63 [D] -----| 0350

DSN COVERAGE  
HPTXR

32

1645 |----- 42 [D] -----| 0320

0310 |----- 45 [D] -----| 0640

HPTXR

RTLTL : 13h 30m 56s

1200 RTLTL=13h 30m 54s

0000 RTLTL=13h 30m 52s

VOYAGER 2

↓ 2249 SLEW->HELIO-X10

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 24, 1996  
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 22s

U/L

0800-

1200 RTLT=17h 16m 18s

0000 RTLT=17h 16m 16s

VOYAGER 1

----- TLC (SHORT-FORM) ----- + D/L -| 0244

FDSL : 11AF

↓ 1739 SLEW->HELIO-15A

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

61 -----| 1045

1030 |----- 12 [D] -----| 1845

0055 |----- 63 [D] -----| 0345

DSN COVERAGE  
HPTXR

32

1640 |----- 42 [o] -----| 0535

0540 | 43 [o] | 0650

HPTXR

RTLT : 13h 30m 52s

1200 RTLT=13h 30m 50s

0000 RTLT=13h 30m 48s

VOYAGER 2

↓ 2249 SLEW->HELIO-X9

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
FEBRUARY 25, 1996  
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 16s

1200 RTLTL=17h 16m 14s

0000 RTLTL=17h 16m 12s

VOYAGER 1

↓ 1739 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1015 |----- 12 [D] -----| 1840

0610 |-- 61 [D] --

DSN COVERAGE  
HPTXR

32

1640 |----- 42 [o] -----| 2345

0540 | 43 [o] | 0645

HPTXR

RTLTL : 13h 30m 48s

1200 RTLTL=13h 30m 46s

0000 RTLTL=13h 30m 44s

VOYAGER 2

↓ 2249 SLEW->HELIO-X8

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 26, 1996  
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 16m 12s

1200 RTLT=17h 16m 10s

0000 RTLT=17h 16m 8s

VOYAGER 1

↓ 1739 SLEW->HELIO-13A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 61 [D] ----- | 1030 0600 | --- 61 [D] ---

1015 |----- 12 [D] ----- | 1840

DSN COVERAGE  
HPTXR

32

1635 |----- 42 [o] -----

| 0315  
0310 |----- 45 [D] ----- | 0635

HPTXR

RTLT : 13h 30m 44s

1200 RTLT=13h 30m 42s

0000 RTLT=13h 30m 38s

VOYAGER 2

↓ 2249 SLEW->MIDPOINT1

↓ 0249 SLEW->MIDPOINT2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
FEBRUARY 27, 1996  
058-059

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 8s

1200 RTLTL=17h 16m 6s

0000 RTLTL=17h 16m 4s

VOYAGER 1

↓ 1739 SLEW->HELIO-12A  
1856 | 1857 PWS/RH

FDSL : 11AF

▼ 1600 DUMMY (09:16:04)

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1856  
GS-4B 1857

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

CR-5T  
160(32)

31 --- 61 [D] --- | 1035 0555 | --- 61 [D] ---

1020 |----- 12 -----| 1835

DSN COVERAGE  
HPTXR

32

1630 |----- 42 [o] -----| 0520  
0505 |--- 43 ---| 0635

HPTXR

RTLTL : 13h 30m 38s

1200 RTLTL=13h 30m 36s

0000 RTLTL=13h 30m 34s

VOYAGER 2

1829 | 1830 PWS/RH

↓ 2249 SLEW->HELIO-X7

FDSL : 11AF

DUMMY (19:10:34) 0540 ▼

PLBK MINI-SEQ (19:16:46) 0546 ▼

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1829  
GS-4B 1830

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

- [1] S/C 32=GS-4B @ 1829 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1856 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
FEBRUARY 28, 1996  
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1047 | PLSCAL - | 1230  
1047 | ---- MAGCAL ---- | 1350  
1047 | ----- PESCAL ----- | 1407

↓ 1739 SLEW->HELIO-11A

1200 RTLTL=17h 16m 2s

0000 RTLTL=17h 16m 0s

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 61 [D] ----- | 1030 0545 | --- 61 [D] ---

1020 | ----- 12 [D] ----- | 1545

0035 | ----- 63 [D] ----- | 0335

DSN COVERAGE  
HPTXR

32

1625 | ----- 42 [o] ----- | 0320

0310 | ----- 45 [D] ----- | 0625

HPTXR

RTLTL : 13h 30m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

↓ 2249 SLEW->HELIO-X6

\*

1926 | | 1942 CCS CHKSUM

1200 RTLTL=13h 30m 32s

0000 RTLTL=13h 30m 30s

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 29, 1996  
060-061

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 16m 0s

1200 RTLTL=17h 15m 56s

0000 RTLTL=17h 15m 54s

VOYAGER 1

↓ 1739 SLEW->MIDPOINT

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1025

1015 |----- 12 [D] -----| 1825

0535 |--- 61 [D] ---

0030 |--- 63 [D] ---| 0310

DSN COVERAGE  
HPTXR

32

1625 |----- 42 [o] -----| 0510

0515 | 43 [o] | 0625

HPTXR

RTLTL : 13h 30m 30s

1200 RTLTL=13h 30m 28s

0000 RTLTL=13h 30m 24s

VOYAGER 2

↓ 2249 SLEW->HELIO-X5

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 1, 1996  
061-062

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 54s

1200 RTLTL=17h 15m 52s

0000 RTLTL=17h 15m 50s

U/L 0800

VOYAGER 1

- ↓ 1411 GYRO INIT
- ↓ 1411 GYROS BC ON
- ↓ 1421 GYRO FAULT TEST
- ↓ 1739 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 61 [D] --- | 1025 0525 | --- 61 ---

1010 | --- 12 [D] --- | 1820

0025 | --- 63 [D] --- | 0305

DSN COVERAGE

HPTXR

32

1620 | --- 42 [D] --- | 0320

0310 | --- 45 [D] --- | 0615

HPTXR

RTLTL : 13h 30m 24s

1200 RTLTL=13h 30m 22s

0000 RTLTL=13h 30m 20s

VOYAGER 2

- ↓ 2249 SLEW->HLEIO-X4

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

| --- VGR --- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 2, 1996  
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 50s

1200 RTLT=17h 15m 48s

0000 RTLT=17h 15m 46s

U/L

0800-

VOYAGER 1

----- TLC (SHORT-FORM) ----- + D/L -| 0244

FDSL : 11AF

↓ 1738 SLEW->HELIO-9A

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

61 -----| 1020

0515 |----- 61 [D] -----

1005 |----- 12 [D] -----| 1820

0025 |----- 63 [D] -----| 0305

DSN COVERAGE  
HPTXR

32

1615 |----- 42 [D] -----| 0325

0310 |----- 45 [D] -----| 0610

HPTXR

RTLT : 13h 30m 20s

1200 RTLT=13h 30m 16s

0000 RTLT=13h 30m 14s

VOYAGER 2

↓ 2249 SLEW->HELIO-X3

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 3, 1996  
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 46s

1200 RTLT=17h 15m 44s

0000 RTLT=17h 15m 42s

VOYAGER 1

↓ 1738 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1015  
1000 |----- 12 [D] ----- | 1815  
0020 |----- 63 [D] ----- | 0325  
0505 |----- 61 [D] -----

DSN COVERAGE  
HPTXR

32  
1610 |----- 42 [o] ----- | 0320  
0310 |----- 45 [D] ----- | 0610

HPTXR

RTLT : 13h 30m 14s

1200 RTLT=13h 30m 12s

0000 RTLT=13h 30m 8s

VOYAGER 2

↓ 2249 SLEW->HELIO-X2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 4, 1996  
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 42s

1200 RTLTL=17h 15m 40s

0000 RTLTL=17h 15m 36s

VOYAGER 1

↓ 1710 GYRO INIT  
↓ 1738 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 -- 61 [D] - | 0940 0500 |----- 61 [D] -----  
0925 |----- 12 [D] ----- | 1810

DSN COVERAGE  
HPTXR

32 1605 |----- 42 [o] ----- | 0345  
0445 |-- 43 -- | 0615

HPTXR

RTLTL : 13h 30m 8s

1200 RTLTL=13h 30m 6s

0000 RTLTL=13h 30m 4s

VOYAGER 2

↓ 2248 SLEW->HELIO-X1

FDSL : 11AF

DUMMY (19:00:04) 0530 ▼

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR ----- | | VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
MARCH 5, 1996  
065-066

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 36s

1200 RTLTL=17h 15m 34s

0000 RTLTL=17h 15m 32s

VOYAGER 1

↓ 1738 SLEW->HELIO-6A  
1832 | 1833 PWS/RH

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

1832  
GS-4B | 1833

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

31 --- 61 [D] --- | 1005  
0950 |----- 12 [D] -----| 1645  
0005 |----- 63 [D] -----| 0315  
0450 |----- 61 [D] -----

DSN COVERAGE  
HPTXR

32  
1605 |----- 42 [o] -----| 0455  
0500 | 43 [o] | 0610

HPTXR

RTLTL : 13h 30m 4s

1200 RTLTL=13h 30m 0s

0000 RTLTL=13h 29m 58s

0404 | COMMAND MORATORIUM

VOYAGER 2

1804 | 1805 PWS/RH  
1811 | 1812 PWS/RH  
1816 | TAPPOS | 1940  
1918 | PLSCAL | 2100  
1918 |--- MAGCAL ---| 2220  
1918 |----- PESCAL -----| 2238

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1804 1805 1811  
GS-4B CR-5T GS-4B 1812

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 1804 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 1811 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=CR-5T @ 1805 XB=160(32) NOT RECOVERABLE
- [4] S/C 31=GS-4B @ 1832 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 6, 1996  
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 32s

1200 RTLT=17h 15m 30s

0000 RTLT=17h 15m 28s

VOYAGER 1

↓ 1738 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 61 [D] --- | 1005

0950 |----- 12 [D] -----| 1545

0520 |---- 61 [D] ----

DSN COVERAGE  
HPTXR

32

1600 |--- 42 [D] ---| 1800

1745 |----- 43 [D,A] -----| 0105

1745 |----- 45 [D,A] -----| 0105

HPTXR

1200 RTLT=13h 29m 54s

0000 RTLT=13h 29m 52s

RTLT : 13h 29m 58s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 1704 BAY 1 HTR OFF

↓ 1708 X/B HI POWER

↓ 1804 YAW=.05

1812 |----- PLAYBACK -----| 0048

↓ 0102 YAW=.10

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

1812

PB-5

7.2K(41)

0048

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 7, 1996  
067-068

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 28s

1200 RTLTL=17h 15m 26s

0000 RTLTL=17h 15m 24s

VOYAGER 1

- ↓ 1510 BAY 1 HTR OFF
- ↓ 1514 X/B HI POWER
- ▼ 1600 DUMMY (09:15:24)
- ▽ 1605 GYRO DRIFT U/D (09:20:24)
- ↓ 1738 SLEW->HELIO-4A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 61 [D] --- | 1000  
0945 |-----| 1800

0430 |----- 61 [D] -----

0000 |----- 63 [D] -----| 0310

DSN COVERAGE  
HPTXR

32

1555 |----- 42 [o] -----

0245  
0235 |----- 45 [D] -----| 0555

HPTXR

RTLTL : 13h 29m 52s

1200 RTLTL=13h 29m 48s

0000 RTLTL=13h 29m 46s

VOYAGER 2

- 1636 | 1643 TAPPOS
- ↓ 1657 GYROS BC ON
- ↓ 1658 GYRO INIT
- ↓ 1707 GYRO FAULT TEST
- 1800 | 1806 CCSTIM(B)

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 8, 1996  
068-069

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 24s

1200 RTLTL=17h 15m 22s

0000 RTLTL=17h 15m 20s

U/L 0800

VOYAGER 1

↓ 1111 AAI  
1114 |----- MAGROL -----| 1709

- ↓ 1702 RAI
- ↓ 1709 CRU
- ↓ 1709 GYROS OFF
- ↓ 1738 SLEW->HELIO-3A
- ↓ 1810 X/B LOW POWER
- ↓ 1814 BAY 1 HTR ON

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10/ .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 61 [D] --- | 0955

0910 |----- 12 [D] -----| 1755

2355 |----- 63 [D] -----| 0300

0445 |----- 61 -----

DSN COVERAGE  
HPTXR

32

1550 |----- 42 [o] -----| 0250

0235 |----- 45 [D] -----| 0550

HPTXR

RTLTL : 13h 29m 46s

1200 RTLTL=13h 29m 42s

0000 RTLTL=13h 29m 40s

----- COMMAND MORATORIUM -----| 0327

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1114-1709)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 9, 1996  
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 15m 20s

U/L

0800-

1200 RTLT=17h 15m 18s

0000 RTLT=17h 15m 16s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L | 0243

FDSL : 11AF

↓ 1738 SLEW->HELIO-2A

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

61 ---|0950

0410 |-----61 [D] -----

0935 |-----12 [D] -----| 1750

2350 |-----63 [D] -----| 0305

DSN COVERAGE

HPTXR

32

1550 |-----42 [o] -----| 0440

0425 | - 43 [o] - | 0555

HPTXR

RTLT : 13h 29m 40s

1200 RTLT=13h 29m 36s

0000 RTLT=13h 29m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/21/96 - 10:04

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 10, 1996  
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 15m 16s

1200 RTLTL=17h 15m 14s

0000 RTLTL=17h 15m 12s

VOYAGER 1

↓ 1738 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 61 [D] -- | 0945

0400 | -- 61 [D] -- | 0545

0930 | ----- 12 [D] ----- | 1745

2345 | ----- 63 [D] ----- | 0255

DSN COVERAGE  
HPTXR

1545 | ----- 42 [D] ----- | 2345

0425 | · 43 [D] - | 0555

HPTXR

RTLTL : 13h 29m 34s

1200 RTLTL=13h 29m 30s

0000 RTLTL=13h 29m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8