

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 28, 1996  
088-089

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 14m 10s

1200 RTLT=17h 14m 10s

0000 RTLT=17h 14m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 31 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -7.552 sec  
ROLLREF = RIGIL  
KENTAURUS

↓ 1838 SLEW->HELIO-17B

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 12 [D] ----- 1415 ----- 2235 |----- 63 [D] ----- | 0155 ----- 12 [D] 0745 |

DSN COVERAGE  
HPTXR

32 ----- 1435 |----- 42 [o] ----- | 2115 ----- 2100 |----- 45 [D] ----- | 0435

HPTXR

RTLT : 13h 27m 24s

1200 RTLT=13h 27m 20s

0000 RTLT=13h 27m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

S/C 32 STATUS  
FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 2:29.981 min  
ROLLREF = VEGA

↓ 1447 SLEW->HELIO-2

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 29, 1996  
089-090

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 8s

1200 RTLTL=17h 14m 6s

0000 RTLTL=17h 14m 6s

VOYAGER 1

U/L 1700 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

↓ 1838 SLEW->HELIO-18B

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 12 [D] ----- 1415 ----- 1535 | ----- 42 ----- 2115 ----- 2335 | --- 63 [D] --- | 0150 ----- 12 [D] 0740 | -

HPTXR  
DSN COVERAGE

32 ----- 1325 | ----- 45 [D] ----- ----- 0310 ----- 0310 | --- 43 --- | 0440

HPTXR

RTLTL : 13h 27m 16s

1200 RTLTL=13h 27m 12s

0000 RTLTL=13h 27m 8s

VOYAGER 2

↓ 1447 SLEW->HELIO-3

▼ 0340 DUMMY (17:07:08)

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- | | VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 30, 1996  
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 6s

1200 RTLTL=17h 14m 4s

0000 RTLTL=17h 14m 4s

VOYAGER 1

TLC (SHORT-FORM)  
D/L - 1142

↓ 1838 SLEW->HELIO-19B

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 13h 27m 8s

1200 RTLTL=13h 27m 4s

0000 RTLTL=13h 27m 0s

VOYAGER 2

↓ 1447 SLEW->HELIO-4

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 31, 1996  
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 4s

1200 RTLTL=17h 14m 2s

0000 RTLTL=17h 14m 0s

VOYAGER 1

↓ 1838 SLEW->HELIO-20B

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 12 [D] ----- 1435  
1525 |----- 42 [D] -----| 2110  
0305 - 0745 |----- 61 [D] -----|

DSN COVERAGE  
HPTXR

32 1315 |----- 45 [D] -----| 2345

HPTXR

RTLTL : 13h 27m 0s

1200 RTLTL=13h 26m 56s

0000 RTLTL=13h 26m 52s

VOYAGER 2

↓ 1447 SLEW->HELIO-5

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
APRIL 1, 1996  
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 14m 0s

1200 RTLTL=17h 14m 0s

0000 RTLTL=17h 13m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 12 [D] ----- 1425 ----- 1520 |----- 42 [D] -----| 1945 ----- 2220 |----- 63 [D] -----| 0205 |----- 65 [D] -----| 0510 ----- 12 [D] 0730 |-----

HPTXR

DSN COVERAGE

32 ----- 1310 |----- 45 [D] -----| 0420 ----- 0555 |----- 65 [D] -----|

HPTXR

RTLTL : 13h 26m 52s

1200 RTLTL=13h 26m 48s

0000 RTLTL=13h 26m 44s

VOYAGER 2

↓ 1447 SLEW->HELIO-6

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
 APRIL 2, 1996  
 093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 17h 13m 58s  
 VOYAGER 1  
 FDSL : 11AF  
 CCSL : A022  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=17h 13m 58s  
 0000 RTLT=17h 13m 56s

1655 | 1656 PWS/RH

1655 GS-4B 1656

FDS MODE CR-5T CR-5T  
 XB DATA RATE (MI) 160 (32) 160(32)

31 ----- 12 [D] ----- 1530 ----- 42 [D] ----- 2100 ----- 12 [D] 0725 | - - -

DSN COVERAGE HPTXR

32 | 0805 65 [D] ----- 1310 | ----- 45 [D] ----- | 0300  
 0240 | - 43 [o] - | 0410

HPTXR

RTLT : 13h 26m 44s  
 VOYAGER 2  
 FDSL : 11AF  
 CCSL : B025  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=13h 26m 40s  
 0000 RTLT=13h 26m 36s

↓ 1447 SLEW->HELIO-7  
 1627 | 1628 PWS/RH  
 1740 | PLSCAL - | 1923  
 1740 | - - - - MAGCAL - - - - | 2043  
 1740 | - - - - PESCAL - - - - | 2100

1627 GS-4B 1628

FDS MODE CR-5T CR-5T  
 XB DATA RATE (MI) 160 (32) 160(32)

VOYAGER COVERAGE | ----- VGR ----- |

NOTES [1] S/C 32=GS-4B @ 1627 XB=2.8K(41) NOT RECOVERABLE  
 [2] S/C 31=GS-4B @ 1655 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
APRIL 3, 1996  
094-095

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 56s

1200 RTLTL=17h 13m 56s

0000 RTLTL=17h 13m 54s

VOYAGER 1

▼ 1600 DUMMY (09:13:54)

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 12 [D] ----- | 1520 |----- 12 [D] 0720 |-----

1515 |----- 42 ----- | 2055

2235 |----- 65 [D] ----- | 0505

DSN COVERAGE  
HPTXR

32 ----- 1255 |----- 15 [D] ----- | 1545 |----- 0550 - 0800 |----- 65 [D] |-----

1545 |----- 45 [D] ----- | 0250

0235 |----- 43 ----- | 0420

HPTXR

RTLTL : 13h 26m 36s

1200 RTLTL=13h 26m 32s

0000 RTLTL=13h 26m 28s

VOYAGER 2

↓ 1447 SLEW->HELIO-8

▼ 0325 DUMMY (16:51:28)

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

|----- VGR -----|

| VGR |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
APRIL 4, 1996  
095-096

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 54s

1200 RTLTL=17h 13m 54s

0000 RTLTL=17h 13m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1520  
1515 |----- 42 [D] ----- | 2050  
2215 |----- 63 [D] ----- | 0215  
0200 |----- 65 [D] ----- | 0500  
12 [D] 0720 |---

DSN COVERAGE  
HPTXR

32 0800 65 [D]  
1300 |----- 45 [D] ----- | 0405  
0545 - 0755 |--- 65 [D] ---|

HPTXR

RTLTL : 13h 26m 28s

1200 RTLTL=13h 26m 24s

0000 RTLTL=13h 26m 20s

VOYAGER 2

↓ 1447 SLEW->HELIO-9

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
APRIL 5, 1996  
096-097

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 52s

1200 RTLTL=17h 13m 52s

0000 RTLTL=17h 13m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

-----12 [D]-----1510-----0215-----65 [D]-----

1505-----42 [D]-----2050

2230-----63 [D]-----0230

HPTXR

DSN COVERAGE

32

1255-----45 [D]-----0245

0230-----43 [o]-----0400

HPTXR

RTLTL : 13h 26m 20s

1200 RTLTL=13h 26m 16s

0000 RTLTL=13h 26m 12s

VOYAGER 2

↓ 1447 SLEW->HELIO-10

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----VGR-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
APRIL 6, 1996  
097-098

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 17h 13m 52s

1200 RTLTL=17h 13m 50s

0000 RTLTL=17h 13m 50s

VOYAGER 1

U/L 1700 | - | ----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 65 [D] -- | 0945

0930 | -----

12 [D] -----

1505

1500 | -----

42 -----

2045

2220 | -----

65 [D] -----

12 [D] 0710 | -----

0455

DSN COVERAGE

HPTXR

32

1255 | -----

45 [D] -----

0400

0540 - 0745 | --- 65 [D] --- |

HPTXR

RTLTL : 13h 26m 12s

1200 RTLTL=13h 26m 8s

0000 RTLTL=13h 26m 4s

VOYAGER 2

↓ 1447 SLEW->MIDPOINT

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/27/96 - 10:45

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
APRIL 7, 1996  
098-099

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 50s | 1200 RTLT=17h 13m 48s | 0000 RTLT=17h 13m 48s

VOYAGER 1  
-----| TLC (SHORT-FORM)  
| D/L -| 1142

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

31 ----- 12 [D] ----- | 1505  
1500 |----- 42 [D] -----| 2040  
2220 |----- 65 [D] -----| 0600

HPTXR  
DSN COVERAGE

32 1250 |----- 45 [D] -----| 0355

HPTXR

RTLT : 13h 26m 4s | 1200 RTLT=13h 26m 0s | 0000 RTLT=13h 25m 56s

VOYAGER 2

↓ 1446 SLEW->HELIO-11

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE CR-5T  
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
APRIL 8, 1996  
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 48s

1200 RTLT=17h 13m 48s

0000 RTLT=17h 13m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 12 [D] -----| 0705 - 1115

2215 |----- 65 [D] -----| 0445 12 [D] 0700

DSN COVERAGE HPTXR

32 |----- 12 [D] -----| 1540

1530 |----- 42 [o] -----| 0000 0530 | 65 [D] |

HPTXR

RTLT : 13h 25m 56s

1200 RTLT=13h 25m 52s

0000 RTLT=13h 25m 48s

VOYAGER 2

↓ 1446 SLEW->HELIO-12

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
APRIL 9, 1996  
100-101

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 48s

1200 RTLTL=17h 13m 46s

0000 RTLTL=17h 13m 46s

VOYAGER 1

1631 | 1632 PWS/RH

▼ 2319 EL-40 (16:33:12)  
▼ 2333 CCSL A023 (16:47:40)  
▼ 0020 DUMMY (17:33:46)  
▼ 0053 CR-5T (18:06:48)

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1631  
GS-4B 1632

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

31

12 [D]

0700 - 1500

0105

65 [D]

1450

42 [D]

1945

2245

63

0120

HPTXR

DSN COVERAGE

32

0740 65 [D]

1230

15 [D]

1520

0230

43

0400

1500

45 [D]

0245

HPTXR

1200 RTLTL=13h 25m 44s

0000 RTLTL=13h 25m 40s

RTLTL : 13h 25m 48s

VOYAGER 2

↓ 1446 SLEW->HELIO-13

1602 | 1603 PWS/RH

1614

DTR MAINT

2140

2141

TAPPOS

0016

DUMMY (16:50:40) 0325 ▼

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1602  
GS-4B 1603

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

VGR

VGR

NOTES

[1] S/C 32=GS-4B @ 1602 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 1631 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
APRIL 10, 1996  
101-102

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 46s

1200 RTLTL=17h 13m 46s

0000 RTLTL=17h 13m 46s

VOYAGER 1

↓ 1737 SLEW->7B-MIDPNT

FDSL : 11AF

\*  
1705 || 1710 CCS CHKSUM

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

\* 1634 \* 1809

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

EL-40  
40(30)

CR-5T  
160(32)

31

0745 65 [D]

12 [D]

0730 - 1355

1445

42 [D]

2030

2240

63 [D]

0120

0105

65 [D]

DSN COVERAGE

HPTXR

32

1235

45 [D]

2345

HPTXR

RTLTL : 13h 25m 40s

1200 RTLTL=13h 25m 36s

0000 RTLTL=13h 25m 32s

VOYAGER 2

↓ 1446 SLEW->HELIO-14

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- VGR -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
APRIL 11, 1996  
102-103

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 46s

1200 RTLTL=17h 13m 44s

0000 RTLTL=17h 13m 44s

VOYAGER 1

U/L 1700 | - | - - - - - TLC (SHORT-FORM)

FDSL : 11AF

↓ 1737 SLEW->HMAP-7B

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 65 [D] --- | 0925

0940 | - - - - - 12 [D] - - - - - | 1355

2205 | - - - - - 63 [D] - - - - - | 0100

0100 | - - - - - 61 [D] - - - - -

1440 | - - - - - 42 - - - - - | 1945

DSN COVERAGE  
HPTXR

32

1225 | - - - - - 15 [D] - - - - - | 1605

1600 | - - - - - 45 [D] - - - - - | 0235

HPTXR

RTLTL : 13h 25m 32s

1200 RTLTL=13h 25m 28s

0000 RTLTL=13h 25m 24s

VOYAGER 2

↓ 1446 SLEW->HELIO-15

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
APRIL 12, 1996  
103-104

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 44s

1200 RTLTL=17h 13m 44s

0000 RTLTL=17h 13m 44s

VOYAGER 1

-- TLC (SHORT-FORM) - + D/L - | 1142

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

| 0735 61 [D]

0520 | - 15 [D] - -

| - - - - - 12 [D] - - - - - | 0720 - 1350

2235 | - - - - 63 [D] - - - - | 0110

DSN COVERAGE  
HPTXR

32

1335 |

42 [o] |

| 0230

0520 | - 65 [D] - -

0215 | - 43 [o] - | 0345

HPTXR

RTLTL : 13h 25m 24s

1200 RTLTL=13h 25m 20s

0000 RTLTL=13h 25m 16s

VOYAGER 2

↓ 1446 SLEW->HELIO-16

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7



ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
APRIL 13, 1996  
104-105

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A022

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 25m 16s

1200 RTLT=13h 25m 12s

0000 RTLT=13h 25m 8s

VOYAGER 2

↓ 1446 SLEW->HELIO-17

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/27/96 - 10:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
APRIL 14, 1996  
105-106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 44s

1200 RTLTL=17h 13m 44s

0000 RTLTL=17h 13m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A022  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --| 0725 61 [D] |-----| 0710- 1050 |-----| 1430 |-----| 42 [D] |-----| 2015 |-----| 0035 |-----| 65 [D] |-----| 12 [D] 0640 |-----|

HPTXR

DSN COVERAGE

32 1150 |-----| 12 [D] |-----| 1530 |-----| 1515 |-----| 45 [D] |-----| 2345 |-----| 0510 |-----| 65 [D] |-----|

HPTXR

RTLTL : 13h 25m 8s

1200 RTLTL=13h 25m 4s

0000 RTLTL=13h 25m 0s

VOYAGER 2

↓ 1446 SLEW->HELIO-18

FDSL : 11AF

CCSL : B025  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7