

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 12, 1996
103-104

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 44s

1200 RTLTL=17h 13m 44s

0000 RTLTL=17h 13m 44s

VOYAGER 1

-- TLC (SHORT-FORM) - + D/L - | 1142

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

31

-- | 0735 61 [D]

0520 | -- 15 [D] --

| ----- 12 [D] ----- | 0720 - 1350

2235 | --- 63 [D] --- | 0110

HPTXR

DSN COVERAGE

32

1335 |

42 [o] |

| 0230

0520 | -- 65 [D] --

0215 | - 43 [o] - | 0345

HPTXR

RTLTL : 13h 25m 24s

1200 RTLTL=13h 25m 20s

0000 RTLTL=13h 25m 16s

VOYAGER 2

↓ 1446 SLEW->HELIO-16

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 13, 1996
104-105

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 13h 25m 16s

1200 RTLT=13h 25m 12s

0000 RTLT=13h 25m 8s

VOYAGER 2

↓ 1446 SLEW->HELIO-17

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 14, 1996
105-106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 --| 0725 61 [D] |-----| 0710- 1050 |-----| 1430 |-----| 42 [D] |-----| 2015 |-----| 0035 |-----| 65 [D] |-----| 12 [D] 0640 |-----|

HPTXR

DSN COVERAGE

32 1125 |-----| 24 [D,1] |-----| 1550 |-----| 2130 |-----| 0510 |-----| 65 [D] |-----|

HPTXR

1220 |-----| 45 [D] |-----| 2115 |-----| 42 [o] |-----| 0115

RTLT : 13h 25m 8s

1200 RTLT=13h 25m 4s

0000 RTLT=13h 25m 0s

VOYAGER 2

↓ 1446 SLEW->HELIO-18

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] DEMO PASS

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 15, 1996
106-107

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

↓ 1746 BEGIN SEQUENCE A023

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 12 [D] ----- | 1440 ----- 12 [D] 0635 | --

1425 | ----- 42 [D] ----- | 2010

2150 | ----- 65 [D] ----- | 0420

DSN COVERAGE
HPTXR

32 | 0715 65 [D] ----- 1215 | ----- 45 [D] ----- | 2120 ----- 0505 | -- 65 [D] | --

2110 | ----- 42 [D] ----- | 0125

HPTXR

RTLT : 13h 25m 0s

1200 RTLT=13h 24m 56s

0000 RTLT=13h 24m 52s

VOYAGER 2

↓ 1446 SLEW->HELIO-19

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 16, 1996
107-108

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 44s
VOYAGER 1
FDSL : 11AF
CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 13m 44s | 0000 RTLTL=17h 13m 44s

1607 | 1608 PWS/RH

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160 (32) 160(32)

31 |----- 12 [D] -----| 1520 |----- 12 [D] 0630 |-----

1505 |----- 42 [D] -----| 2005 |----- 0105 |----- 61 [D] -----| 0505

HPTXR 2125 |----- 63 [D] -----| 0055

DSN COVERAGE 32 | 0710 65 [D] |----- 1215 |----- 45 [D] -----| 2135 |----- 0200 |----- 43 [D] -----| 0330 |----- 0500 |----- 65 [D] -----|

HPTXR 2120 |----- 42 [D] -----| 0040

RTLTL : 13h 24m 52s
VOYAGER 2
FDSL : 11AF
CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=13h 24m 48s | 0000 RTLTL=13h 24m 44s

↓ 1446 SLEW->HELIO-20
1538 | 1539 PWS/RH ▼ 0230 DUMMY (15:54:44)

1538 GS-4B 1539

FDS MODE CR-5T CR-5T
XB DATA RATE (MI) 160 (32) 160(32)

VOYAGER COVERAGE |----- VGR -----| |----- VGR -----|

NOTES [1] S/C 32=GS-4B @ 1538 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1607 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 17, 1996
108-109

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

▼ 1700 DUMMY (10:13:44)

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1520 0105 |----- 61 [D] -----

1530 |----- 42 -----| 2000

12 [D] 0655 |

DSN COVERAGE HPTXR

32 | 0705 65 [D] 1210 |----- 45 [D] -----| 0145 0455 - 0700 |--- 65 [D] ---|

HPTXR

RTLT : 13h 24m 44s

1200 RTLT=13h 24m 40s

0000 RTLT=13h 24m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 18, 1996
109-110

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

↓ 1637 SLEW->BW VUL

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0710 61 [D] |-----| 12 [D] |-----| 1430 |-----| 2110 |-----| 63 [D] |-----| 0050 |-----| 12 [D] 0620 |-----|

-----| 1415 |-----| 42 [D] |-----| 1955 |-----| 0035 |-----| 61 [D] |-----| 0455

HPTXR

DSN COVERAGE

32 | 0700 65 [D] |-----| 1205 |-----| 45 [D] |-----| 2125 |-----| 2110 |-----| 42 [o] |-----| 0210

HPTXR

RTLT : 13h 24m 36s

1200 RTLT=13h 24m 32s

0000 RTLT=13h 24m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|-----| VGR |-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 19, 1996
110-111

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 44s

0000 RTLT=17h 13m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1425 ----- 12 [D] 0620 | ---

1410 |----- 42 [D] ----- | 1955

2310- 0625 |----- 61 [D] ----- |

HPTXR
DSN COVERAGE

32 ----- 1200 |----- 45 [D] ----- | 0205
0145 |----- 43 [o] ----- | 0315

HPTXR

RTLT : 13h 24m 28s

1200 RTLT=13h 24m 24s

0000 RTLT=13h 24m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 20, 1996
111-112

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 44s

1200 RTLT=17h 13m 46s

0000 RTLT=17h 13m 46s

VOYAGER 1

U/L 1635 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

12 [D]

1420

12 [D] 0615 | - - - - -

1405 | - - - - -

42

1950

2125 | - - - - -

65 [D]

0500

HPTXR

DSN COVERAGE

32

1155 | - - - - -

45 [D]

2050 | - - - - -

2100

42 [o]

0200

HPTXR

RTLT : 13h 24m 20s

1200 RTLT=13h 24m 18s

0000 RTLT=13h 24m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 21, 1996
112-113

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 46s

1200 RTLT=17h 13m 46s

0000 RTLT=17h 13m 46s

VOYAGER 1

TLC (SHORT-FORM) + D/L -| 1117

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 12 [D] ----- | 1415

1400 |----- 42 [D] ----- | 1945

2100 |----- 63 [D] ----- | 0040

0025 |----- 61 [D] ----- | 0445 |--- 24 [D] ---

0445 |--- 24 [D] ---

DSN COVERAGE
HPTXR

32 ----- 1155 |----- 45 [D] ----- | 2100

2045 |----- 42 [o] ----- | 2345

0440 - 0645 |--- 65 [D] --- |

HPTXR

RTLT : 13h 24m 14s

1200 RTLT=13h 24m 10s

0000 RTLT=13h 24m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B025

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 22, 1996
113-114

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 46s

1200 RTLT=17h 13m 48s

0000 RTLT=17h 13m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1415 ----- 0440 | -- 24 [D] --

1400 |----- 42 [D] ----- | 1940

2245 |----- 61 [D] ----- | 0455

DSN COVERAGE
HPTXR

32 ----- 1150 |----- 45 [D] ----- | 0150

0135 |-- 43 -- | 0305

0515- 0640 | 65 [D] - |

HPTXR

RTLT : 13h 24m 6s

1200 RTLT=13h 24m 2s

0000 RTLT=13h 23m 58s

▼ 0230 DUMMY (15:53:58)

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR ----- |

| VGR |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 23, 1996
114-115

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 48s

1200 RTLTL=17h 13m 48s | 0000 RTLTL=17h 13m 50s

VOYAGER 1

1543 | 1544 PWS/RH

TAPPOS 0632 | -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1543
GS-4B 1544

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

----- 24 [D] ----- | 1410 | 1355 | ----- 42 [D] ----- | 1935 | 2050 | ----- 63 [D] ----- | 0030 | 0435 | --- 24 [D] ---

HPTXR

DSN COVERAGE

32

1145 | ----- 45 [D] ----- | 2050 | 2035 | ----- 42 [o] ----- | 0135 | 0435 - 0635 | --- 65 [D] --- |

HPTXR

RTLTL : 13h 23m 58s

1200 RTLTL=13h 23m 54s | 0000 RTLTL=13h 23m 52s

VOYAGER 2

1513 | 1514 PWS/RH

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1513
GS-4B 1514

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

- [1] S/C 32=GS-4B @ 1513 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1543 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 24, 1996
115-116

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 50s

1200 RTLT=17h 13m 50s

0000 RTLT=17h 13m 52s

VOYAGER 1

FDSL : 11AF

---|0743 TAPPOS
| PLSCAL -|0734 - 0917
|---MAGCAL ---|0734 - 1037
|---PESCAL ---|0734 - 1054

▼ 1600 DUMMY (09:13:52)

BAY 1 HTR OFF 0520 ↓
X/B HI POWER 0524 ↓
YAW=.05 0620 ↓
PLAYBACK 0629 |---

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0629
PB-14

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 -----24 [D] -----|1405 0600 |14 [D]

1350 |-----42 -----|1935

0030 - 0620 |-----61 [D] -----|

DSN COVERAGE HPTXR

32 1140 |-----45 [D] -----|2050

2035 |-----42 [o] -----|0145

0430 - 0630 |--65 [D] --|

HPTXR

RTLT : 13h 23m 52s

1200 RTLT=13h 23m 48s

0000 RTLT=13h 23m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----VGR -----|

|---VGR ---

NOTES

[1] S/C 31=PB-14 @ 0629 XB=1.4k(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 25, 1996
116-117

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 52s

1200 RTLTL=17h 13m 52s

0000 RTLTL=17h 13m 54s

VOYAGER 1

↓ 1318 YAW=.10

↓ 2123 SLEW-> SUN +1 EL
↓ 2207 SLEW->2 DELTA EL ACROSS SUN
2207 | 2224 SUNMON
↓ 2216 SLEW->+2 DELTA EL ACROSS SUN
↓ 2226 SLEW->SAFE

GYROS BC ON 0514 ↓

GYRO FAULT TEST 0524 ↓

FDSL : 11AF

CSSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

-----PLAYBACK-----| 1304

TAPPOS 0452 || 0455
GYRO INIT 0514 ↓
CCSTIM(B) 0616- 0622 ||

FDS MODE
XB DATA RATE (MI)

	1304	2109	2228	
PB-14	CR-5T	UV-5A	CR-5T	
1.4K(39)	160(32)	600(36)	160(32)	

31 -----14 [D]-----| 1405

1345 |-----42 [D]-----| 1930

2045 |-----63 [D]-----| 0025

0100 |-----61 [D]-----| 0530

0515 |-----24 [D]-----

HPTXR
DSN COVERAGE

32 -----1135 |-----45 [D]-----| 0245

HPTXR

RTLTL : 13h 23m 44s

1200 RTLTL=13h 23m 40s

0000 RTLTL=13h 23m 36s

VOYAGER 2

FDSL : 11AF

CSSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

-----VGR-----| |-----VGR-----| |-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 26, 1996
117-118

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 54s

1200 RTLTL=17h 13m 54s

0000 RTLTL=17h 13m 56s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1400 0425 | --- 24 [D] ---

1345 |----- 42 [D] -----| 1925

2300 |----- 65 [D] -----| 0340

DSN COVERAGE
HPTXR

32 1125 |----- 15 [D] -----| 1505 0425- 0625 |--- 65 [D] ---|

1500 |----- 45 [D] -----| 0140

0120 | - 43 [o] - | 0250

HPTXR

RTLTL : 13h 23m 36s

1200 RTLTL=13h 23m 34s

0000 RTLTL=13h 23m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 27, 1996
118-119

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 13m 56s

1200 RTLT=17h 13m 56s

0000 RTLT=17h 13m 58s

VOYAGER 1

FDSL : 11AF

U/L 1635 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1350

0420

24 [D]

1340

42

1920

2100

65 [D]

0335

HPTXR

DSN COVERAGE

32

1130

45 [D]

0240

0420 - 0620

65 [D]

HPTXR

RTLT : 13h 23m 30s

1200 RTLT=13h 23m 26s

0000 RTLT=13h 23m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 04/10/96 - 09:09

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 28, 1996
119-120

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 13m 58s

1200 RTLTL=17h 13m 58s

0000 RTLTL=17h 14m 0s

VOYAGER 1

TLC (SHORT-FORM) + D/L - | 1117

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D]

1355

0415

24 [D]

1340

42 [D]

1915

2055

65 [D]

0330

HPTXR

DSN COVERAGE

32

1125

45 [D]

2030

2015

42 [o]

2345

0415- 0615

65 [D]

HPTXR

RTLTL : 13h 23m 22s

1200 RTLTL=13h 23m 20s

0000 RTLTL=13h 23m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7