

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 3, 1996
277-278

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 59m 0s

1200 RTLTL=17h 59m 10s

0000 RTLTL=17h 59m 22s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -8.295 sec

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1135 | - 63 [D] - | 1310

1300 | ----- 65 [D] ----- | 2150

2330 | ----- 15 [D] ----- | 0530

DSN COVERAGE
HPTXR

32

----- 45 [D] ----- | 1600

0400 | ----- 45 [D] -----

0040 | ----- 24 [o] ----- | 0410

HPTXR

0030 | ----- 25 [D,1] ----- | 0430

RTLTL : 13h 49m 20s

1200 RTLTL=13h 49m 32s

0000 RTLTL=13h 49m 44s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 2:07.408 min

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

[1] DEMO TRACK

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 4, 1996
278-279

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 17h 59m 22s

█ 1200 RTLTL=17h 59m 32s

█ 0000 RTLTL=17h 59m 42s

VOYAGER 1

U/L 1635 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1335 | - - - - -

61 - - - - -

1815

1820 | - - - - -

15 [D] - - - - -

0520

DSN COVERAGE HPTXR

32

45 [D] - - - - -

1600

0040 | - - - - -

45 [D] - - - - -

HPTXR

RTLTL : 13h 49m 44s

█ 1200 RTLTL=13h 49m 56s

█ 0000 RTLTL=13h 50m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 5, 1996
279-280

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 17h 59m 42s

1200 RTLT=17h 59m 54s

0000 RTLT=18h 0m 4s

VOYAGER 1

-- TLC (SHORT-FORM) -- | D/L -| 1203

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1025 |----- 65 [D] -----| 2130

2115 |----- 15 [D] -----| 0525

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1600

0035 |----- 45 [D] -----|

HPTXR

RTLT : 13h 50m 8s

1200 RTLT=13h 50m 20s

0000 RTLT=13h 50m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 6, 1996
280-281

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 0m 4s

1200 RTLT=18h 0m 16s

0000 RTLT=18h 0m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1020

65 [D]

2130

2115

15 [D]

0520

HPTXR

DSN COVERAGE

32

45 [D]

1555

0035

45 [D]

HPTXR

RTLT : 13h 50m 32s

1200 RTLT=13h 50m 44s

0000 RTLT=13h 50m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 7, 1996
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 0m 26s

1200 RTLTL=18h 0m 36s

0000 RTLTL=18h 0m 48s

VOYAGER 1

▼ 1624 EL-40 (10:25:33)

FDSL : 11AF

▼ 1639 CCSL A024 (10:40:14)

CCSL : A023

▼ 1730 DUMMY (11:30:48)

TWNC : ON

▼ 1739 CR-5T (11:40:45)

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1325 |----- 61 -----| 1805

2215 |----- 24 [D] -----| 0510

HPTXR

2245 |----- 25 [D,1] -----| 0445

DSN COVERAGE

32

----- 45 [D] ----- | 1550

0045 |----- 15 [D] -----| 0430 |----- 45 [D] -----| 0335

HPTXR

RTLTL : 13h 50m 56s

1200 RTLTL=13h 51m 10s

0000 RTLTL=13h 51m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] DEMO TRACK

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 8, 1996
282-283

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 0m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T	EL-40	CR-5T	CR-5T
160 (32)	40(30)	160(32)	160(32)

*
1058 || 1102 CCS CHKSUM

2222 | PLSCAL -| 0004
2222 | --- MAGCAL ---| 0124
2222 | --- PESCAL ---| 0142

0407 | 0408 PWS/RH

0407
GS-4B 0408

* *
1026 1141

31	0950 --- 63 [D] --- 1255	1240 --- 65 [D] --- 1800	1755 --- 15 [D] --- 0510
HPTXR			
DSN COVERAGE			
32	----- 45 [D] ----- 1550		
HPTXR			

RTLT : 13h 51m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T	CR-5T
160 (32)	160(32)

0327
GS-4B 0328

0327 | 0328 PWS/RH

VOYAGER COVERAGE

| --- VGR --- | | ----- VGR ----- |

NOTES

- [1] S/C 32=GS-4B @ 0327 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0407 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 9, 1996
283-284

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 1m 8s

1200 RTLT=18h 1m 18s

0000 RTLT=18h 1m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1315 |----- 61 [D] -----| 1755

2245 |----- 15 [D] -----| 0500

DSN COVERAGE
HPTXR

32

45 [D] -----| 1515

1500 |-----| 1555 43 [B]

0020 |----- 45 [D] -----|

HPTXR

RTLT : 13h 51m 46s

1200 RTLT=13h 51m 58s

0000 RTLT=13h 52m 10s

VOYAGER 2

FDSL : 11AF

▼ 1518 DUMMY BRACKETED (5:10:10)

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 10, 1996
284-285

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 1m 30s

1200 RTLT=18h 1m 40s

0000 RTLT=18h 1m 50s

↓ 2302 SLEW->VW HYI

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1005

2115

65 [D]

2100

15 [D]

0455

HPTXR

DSN COVERAGE

32

--- 45 [D] --- | 0915

0600 | 45 [D]

HPTXR

RTLT : 13h 52m 10s

1200 RTLT=13h 52m 22s

0000 RTLT=13h 52m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 11, 1996
285-286

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 1m 50s

█ 1200 RTLT=18h 2m 0s

█ 0000 RTLT=18h 2m 10s

VOYAGER 1

U/L 1650 |----- TLC (SHORT-FORM) -----

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1345 |----- 61 -----| 1750

2330 |----- 15 [D] -----| 0500

2330 |----- 25 [D,1] -----| 0445

HPTXR
DSN COVERAGE

32

----- 45 [D] -----| 1445

0030 |----- 45 [D] -----

HPTXR

RTLT : 13h 52m 34s

█ 1200 RTLT=13h 52m 46s

█ 0000 RTLT=13h 52m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

[1] DEMO TRACK

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 12, 1996
286-287

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 2m 10s

1200 RTLT=18h 2m 20s

0000 RTLT=18h 2m 32s

VOYAGER 1

--- TLC (SHORT-FORM) --- | D/L | 1220

FDSL : 11AF

CCSL : A023

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1100

65 [D]

2100

2045

15 [D]

0500

HPTXR

DSN COVERAGE

32

45 [D]

1530

0025

45 [D]

HPTXR

RTLT : 13h 52m 58s

1200 RTLT=13h 53m 10s

0000 RTLT=13h 53m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

--- ON CALL ---

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 13, 1996
287-288

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 2m 32s

1200 RTLT=18h 2m 42s

0000 RTLT=18h 2m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1045 |----- 65 [D] -----| 1445

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1445

2325 |----- 24 [o] -----| 0330

0530 | 45 [D] |

HPTXR

RTLT : 13h 53m 22s

1200 RTLT=13h 53m 34s

0000 RTLT=13h 53m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 14, 1996
288-289

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 2m 52s

1200 RTLT=18h 3m 2s

0000 RTLT=18h 3m 12s

VOYAGER 1

↓ 1811 BEGIN SEQUENCE A024

FDSL : 11AF

CCSL : A023
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0950 |-----65 [D]-----| 1250

1950 |-----15 [D]-----| 0450

DSN COVERAGE
HPTXR

32 |-----45 [D]-----| 1525

0000 |-----45 [D]-----|

HPTXR

RTLT : 13h 53m 46s

1200 RTLT=13h 53m 58s

0000 RTLT=13h 54m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----VGR-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
OCTOBER 15, 1996
289-290

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 3m 12s

1200 RTLTL=18h 3m 22s

0000 RTLTL=18h 3m 32s

VOYAGER 1

↓ 1602 SLEW->BKGND

0344 | 0345 PWS/RH

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0344
GS-4B 0345

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

1140

----- 65 [D] ----- | 1955

1940

----- 15 [D] ----- | 0445

DSN COVERAGE
HPTXR

32

----- 45 [D] ----- | 1520

2335

----- 24 [o] ----- | 0430 | 45 [D] ----- | 0325

HPTXR

RTLTL : 13h 54m 10s

1200 RTLTL=13h 54m 22s

0000 RTLTL=13h 54m 34s

VOYAGER 2

0304 | 0305 PWS/RH

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0304
GS-4B 0305

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

- [1] S/C 32=GS-4B @ 0304 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0344 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 16, 1996
290-291

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 3m 32s

1200 RTLT=18h 3m 42s

0000 RTLT=18h 3m 52s

VOYAGER 1

FDSL : 11AF

▼ 0300 DUMMY (21:03:38)

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0920 |-----63 [D]-----| 1220

0030 |---15 [D]---| 0255

0240 |---24---| 0440

DSN COVERAGE
HPTXR

32 -----45 [D]-----| 1440

1425 |43 [B]| 1525

2355 |-----45 [D]-----|

HPTXR

RTLT : 13h 54m 34s

1200 RTLT=13h 54m 48s

0000 RTLT=13h 55m 0s

VOYAGER 2

FDSL : 11AF

▼ 1458 DUMMY BRACKETED (04:53:06)

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----VGR-----|

|---VGR---|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 17, 1996
291-292

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 3m 52s

1200 RTLTL=18h 4m 2s

0000 RTLTL=18h 4m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1015

65 [D]

2030

2045

15 [D]

0430

HPTXR

DSN COVERAGE

32

45 [D]

1510

2350

45 [D]

HPTXR

RTLTL : 13h 55m 0s

1200 RTLTL=13h 55m 12s

0000 RTLTL=13h 55m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 18, 1996
292-293

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 4m 12s

1200 RTLT=18h 4m 20s

0000 RTLT=18h 4m 30s

VOYAGER 1

U/L 0045 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1230 | - - - - - 65 [D] - - - - - | 1720

0015 | - - - - - 24 - - - - - | 0425

DSN COVERAGE
HPTXR

32

45 [D] - - - - - | 1510

2345 | - - - - - 45 [D] - - - - -

HPTXR

RTLT : 13h 55m 24s

1200 RTLT=13h 55m 36s

0000 RTLT=13h 55m 48s

VOYAGER 2

↓ 0901 SLEW->MDPT1

↓ 0101 SLEW->MDPT2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

| - - - - - VGR - - - - - |

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 19, 1996
293-294

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 4m 30s

1200 RTLT=18h 4m 40s

0000 RTLT=18h 4m 50s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 2018

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

0910 |----- 63 [D] -----| 1210

1200 |----- 65 [D] -----| 2045

2350 |----- 15 [D] -----| 0430

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1505

2345 |----- 45 [D] -----

HPTXR

RTLT : 13h 55m 48s

1200 RTLT=13h 56m 0s

0000 RTLT=13h 56m 12s

VOYAGER 2

↓ 1101 SLEW->DARK PLATE

FDSL : 11AF

CCSL : B026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/02/96 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 20, 1996
294-295

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 4m 50s

1200 RTLT=18h 5m 0s

0000 RTLT=18h 5m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925

65 [D]

2045

2030

15 [D]

0415

DSN COVERAGE
HPTXR

32

45 [D]

1500

0430

45 [D]

HPTXR

RTLT : 13h 56m 12s

1200 RTLT=13h 56m 24s

0000 RTLT=13h 56m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7