

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 27, 1997
058-059

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 16m 24s

1200 RTLTL=18h 16m 22s

0000 RTLTL=18h 16m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -9.612 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLTL : 14h 20m 16s

1200 RTLTL=14h 20m 14s
↓ 1113 SLEW->HELIO-6B

0000 RTLTL=14h 20m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:49.498 min

ROLLREF = VEGA

↓ 2313 SLEW->HELIO-5B

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 28, 1997
059-060

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 16m 20s

1200 RTLT=18h 16m 18s

0000 RTLT=18h 16m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0845 61 [D]
----- 25 [D] ----- | 0830 - 1355

0655 | 65 [D]

0400 - 0715 | ----- 61 [D] ----- |

DSN COVERAGE
HPTXR

32

1440 | ----- 25 [D] ----- | 1840
1830 | ----- 45 [D] ----- |

0635

HPTXR

RTLT : 14h 20m 12s

1200 RTLT=14h 20m 8s

0000 RTLT=14h 20m 6s

VOYAGER 2

↓ 1113 SLEW->HELIO-4B

↓ 2313 SLEW->HELIO-3B

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 1, 1997
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 16m 16s

1200 RTLT=18h 16m 14s

0000 RTLT=18h 16m 12s

↓ 0500 GYRO INIT

VOYAGER 1

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D]

1150

1210

25 [D]

1945

0625

65 [D]

HPTXR

0345

61 [D]

0645

DSN COVERAGE

32

1815

45 [D]

0630

HPTXR

RTLT : 14h 20m 6s

1200 RTLT=14h 20m 4s

0000 RTLT=14h 20m 2s

VOYAGER 2

↓ 1113 SLEW->HELIO-2B

↓ 2313 SLEW->HELIO-1B

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 2, 1997
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 16m 12s

1200 RTLTL=18h 16m 8s

0000 RTLTL=18h 16m 6s

VOYAGER 1

↓ 0809 SLEW->HELIO-19A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D]

1205

1150

25 [D]

1940

0150

65 [D]

DSN COVERAGE
HPTXR

32

1810

45 [D]

2345

HPTXR

RTLTL : 14h 20m 2s

1200 RTLTL=14h 20m 0s

0000 RTLTL=14h 19m 56s

VOYAGER 2

↓ 2113 SLEW->BKG 1

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 3, 1997
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 16m 6s

1200 RTLTL=18h 16m 4s

0000 RTLTL=18h 16m 2s

VOYAGER 1

↓ 0809 SLEW->HELIO-18A

↓ 0200 BAY 1 HTR OFF

↓ 0204 X/B HI POWER

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

65 [D] -----| 1205

1150 |----- 25 [D] -----| 1935

0500 |----- 65 [D] -----

HPTXR

0045 |----- 63 [D] -----| 0515

DSN COVERAGE

32

1505 |----- 45 [D] -----| 0625

HPTXR

RTLTL : 14h 19m 56s

1200 RTLTL=14h 19m 54s

0000 RTLTL=14h 19m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- VGR -----|


| - VGR - - |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 5, 1997
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 58s

1200 RTLTL=18h 15m 56s

0000 RTLTL=18h 15m 54s

VOYAGER 1

0800 X/B LOW POWER

0804 BAY 1 HTR ON

FDSL : 11AF

0809 SLEW->HELIO-16A

1205 | PLSCAL -| 1348

1205 | --- MAGCAL --- | 1508

1205 | --- PESCAL --- | 1525

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] -| 0925

0910 |----- 25 [D] -----| 1930

0500 |----- 65 [D] -----|

HPTXR

0055 |----- 63 [D] -----| 0510

DSN COVERAGE

32

1800 |----- 45 [D] -----| 0615

HPTXR

1200 RTLTL=14h 19m 44s

0000 RTLTL=14h 19m 42s

RTLTL : 14h 19m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

VGR |----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 6, 1997
065-066

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 54s

1200 RTLTL=18h 15m 52s

0000 RTLTL=18h 15m 50s

VOYAGER 1

0809 SLEW->HELIO-15A

FDSL : 11AF

1045 DUMMY (05:01)

U/L 1115 |---| TLC (SHORT-FORM) |---| D/L |0659

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0815 65 [D]

24 [T] |---| 0815- 1145

1130 |---| 25 [D] |---| 1745

0120 |---| 63 [D] |---| 0445 |---| 65 [D] |---| 0450

DSN COVERAGE

HPTXR

32

1445 |---| 43 [B] |---| 1645

1800 |---| 45 [D] |---| 0610

HPTXR

RTLTL : 14h 19m 42s

1200 RTLTL=14h 19m 38s

0000 RTLTL=14h 19m 36s

VOYAGER 2

1513 DUMMY (BRACKETED 05:32)

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|---| VGR |---|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 7, 1997
066-067

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 50s

█ 1200 RTLTL=18h 15m 48s

█ 0000 RTLTL=18h 15m 44s

VOYAGER 1

↓ 0809 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

--- 65 [D] --- | 1045

0615 | - 65 [D] - -

1030 |

----- 25 [D] ----- | 1920

DSN COVERAGE
HPTXR

32

1410 | ----- 24 [D] ----- | 1810

HPTXR

RTLTL : 14h 19m 36s

█ 1200 RTLTL=14h 19m 32s

█ 0000 RTLTL=14h 19m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 8, 1997
067-068

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 18h 15m 44s

1200 RTLTL=18h 15m 42s

0000 RTLTL=18h 15m 40s

VOYAGER 1

↓ 0808 SLEW->HELIO-13A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

65 [D] ----- | 1145

0530 | --- 65 [D] ---

1130 |----- 25 [D] ----- | 1920

HPTXR

DSN COVERAGE

32

1745 |----- 45 [D] ----- | 0610

HPTXR

RTLTL : 14h 19m 30s

1200 RTLTL=14h 19m 26s

0000 RTLTL=14h 19m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 9, 1997
068-069

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 40s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A024
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

↓ 0808 SLEW->HELIO-12A

1200 RTLT=18h 15m 38s
 0000 RTLT=18h 15m 36s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 65 [D] ----- | 1115
 1100 |----- 25 [D] ----- | 1915
 HPTXR
 DSN COVERAGE
 32 1745 |----- 45 [D] ----- | 2345
 HPTXR

RTLT : 14h 19m 24s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B027
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=14h 19m 22s
 0000 RTLT=14h 19m 18s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 10, 1997
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 36s

1200 RTLT=18h 15m 34s

0000 RTLT=18h 15m 32s

VOYAGER 1

↓ 0808 SLEW->HELIO-11A

SLEW->MIDPNT2 0708 ↓

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] -----

| 1910

0140 - 0800 |

----- 65 [D] -----

24 [T] 0800

DSN COVERAGE
HPTXR

32

1435 |

----- 45 [D] -----

| 0600

HPTXR

RTLT : 14h 19m 18s

1200 RTLT=14h 19m 16s

0000 RTLT=14h 19m 12s

VOYAGER 2

↓ 1512 SLEW->M 15

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY MARCH 11, 1997 070-071	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
RTLT : 18h 15m 32s VOYAGER 1 FDSL : 11AF CCSL : A024 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=18h 15m 30s ↓ 1108 SLEW->MIDPNT1 ▼ 1145 DUMMY (06:00) U/L 1215 - ----- TLC (SHORT-FORM) ----- - 0759 D/L - 1926 1927 PWS/RH 1926 GS-4B 1927 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160(32) 160(32)
31 DSN COVERAGE HPTXR 32 HPTXR	0800 65 [D] ----- 24 [T] ----- 0800 - 1245 1230 ----- 25 [D] ----- 1905 1425 ----- 45 [D] ----- 0550 0110 ----- 63 [D] ----- 0435 0420 ----- 65 [D] -----
RTLT : 14h 19m 12s VOYAGER 2 FDSL : 11AF CCSL : B027 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=14h 19m 8s 1852 1853 PWS/RH 1903 ----- 2014 TAPPOS 2030 PLSCAL - 2212 2030 ----- MAGCAL ----- 2332 2030 ----- PESCAL ----- 2350 0402 COMMAND MORATORIUM 1852 GS-4B 1853 FDS MODE CR-5T CR-5T XB DATA RATE (MI) 160(32) 160(32)
VOYAGER COVERAGE	VGR ----- VGR -----
NOTES	[1] S/C 32=GS-4B @ 1852 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 1926 XB=2.8K(41) NOT RECOVERABLE
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 12, 1997
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 28s

1200 RTLT=18h 15m 26s

0000 RTLT=18h 15m 24s

VOYAGER 1

↓ 0808 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 65 [D] | 0915 0545 | --- 65 [D] ---
0900 | ----- 25 [D] ----- | 1900 0110 | ----- 63 [D] ----- | 0445

DSN COVERAGE
HPTXR

32 1835 | ----- 43 [B,A] ----- | 0205
1835 | ----- 45 [D,A] ----- | 0205

HPTXR

RTLT : 14h 19m 6s

1200 RTLT=14h 19m 2s

0000 RTLT=14h 19m 0s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 1751 BAY 1 HTR OFF

↓ 1755 X/B HI POWER

↓ 1851 YAW=.05

1900 | ----- PLAYBACK ----- | 0135

↓ 0150 YAW=.10

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

1900

0135

CR-5T

PB-5

CR-5T

160(32)

7.2K(41)

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 13, 1997
072-073

VCB/MD MTG/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 24s

1200 RTLT=18h 15m 22s

0000 RTLT=18h 15m 20s

VOYAGER 1

↓ 0808 SLEW->HELIO-9A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 65 [D] --- | 1045

1230 | ----- 25 [D] ----- | 1900

0100 | ----- 63 [D] ----- | 0445
0430 - 0740 | ----- 25 [D] 0725 | ---
65 [D] ----- |

DSN COVERAGE
HPTXR

32

1425 | ----- 45 [D] ----- | 0240

HPTXR

RTLT : 14h 19m 0s

1200 RTLT=14h 18m 56s

0000 RTLT=14h 18m 52s

VOYAGER 2

----- COMMAND MORATORIUM -----

1723 | 1731 TAPPOS

↓ 1745 GYRO INIT

↓ 1745 GYROS BC ON

↓ 1755 GYRO FAULT TEST

1848 | 1851 CCSTIM(B)

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

| ----- VGR ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 14, 1997
073-074

☐ SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 20s

█ 1200 RTLT=18h 15m 18s

█ 0000 RTLT=18h 15m 16s

VOYAGER 1

↓ 0808 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] -----

| 1745

25 [D] 0725 |-----

DSN COVERAGE
HPTXR

32

1420 |-----

45 [D] -----

| 0340

HPTXR

RTLT : 14h 18m 52s

█ 1200 RTLT=14h 18m 50s

█ 0000 RTLT=14h 18m 46s

----- COMMAND MORATORIUM -----

| 0326

VOYAGER 2

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- VGR -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 15, 1997
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 16s

1200 RTLT=18h 15m 14s

0000 RTLT=18h 15m 12s

VOYAGER 1

↓ 0808 SLEW->HELIO-7A

FDSL : 11AF

CCSL : A024

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- 1850 ----- 0120 - 0730 |----- 65 [D] ----- 25 [D] 0720 |-----

DSN COVERAGE

HPTXR

32 ----- 1415 |----- 45 [D] ----- 0535

HPTXR

RTLT : 14h 18m 46s

1200 RTLT=14h 18m 44s

0000 RTLT=14h 18m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/26/97 - 08:59

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 16, 1997
075-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 18h 15m 12s

1200 RTLT=18h 15m 10s

0000 RTLT=18h 15m 8s

VOYAGER 1

↓ 0808 SLEW->HELIO-6A

FDSL : 11AF

CCSL : A024
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] ----- 1845

0025 |----- 63 [D] ----- | 0420 |----- 65 [D] ----- | 0435

DSN COVERAGE
HPTXR

32

1410 |----- 45 [D] ----- | 2325

HPTXR

RTLT : 14h 18m 40s

1200 RTLT=14h 18m 36s

0000 RTLT=14h 18m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8