

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 2, 1997
275-276

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 58m 32s

1200 RTLTL=18h 58m 42s

0000 RTLTL=18h 58m 54s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -12.057 sec

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1515 |----- 61 [D] -----| 2020
2000 |----- 25 [D] -----| 0530

HPTXR

DSN COVERAGE

32

1230 |----- 45 [D] -----| 1630

0040 |----- 24 [D] -----| 0350

HPTXR

RTLTL : 14h 38m 44s

1200 RTLTL=14h 38m 56s

0000 RTLTL=14h 39m 8s

VOYAGER 2

S/C 32 STATUS

↓ 1422 SLEW->HELIO-7A

↓ 0222 SLEW->HELIO-8A

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 01:21.535 min

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

CR-5T

160(32)

1217 GS-4B 1218

2137 GS-4B 2138

0657 GS-4B 0658 CR-5T

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1217 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 2137 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=GS-4B @ 0657 XB=2.8K(41) NOT RECOVERABLE
- [4] S/C 32=GS-4B @ 0657 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 3, 1997
276-277

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 58m 54s

1200 RTLTL=18h 59m 4s

0000 RTLTL=18h 59m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1200 |-----61 [D]-----|2020

2000 |-----25 [D]-----|0530

DSN COVERAGE
HPTXR

32

1230 |-----45 [D]-----|1625

0040 |-----24 [D]-----|0345

HPTXR

RTLTL : 14h 39m 8s

1200 RTLTL=14h 39m 20s

0000 RTLTL=14h 39m 32s

VOYAGER 2

↓ 1422 SLEW->HELIO-9A

↓ 0222 SLEW->HELIO-10A

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1621
GS-4B 1622

CR-5T

160(32)

0141
GS-4B 0142

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----


NOTES

[1] S/C 32=GS-4B @ 1621 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 32=GS-4B @ 0141 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 5, 1997
278-279

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 18h 59m 38s

1200 RTLT=18h 59m 48s

0000 RTLT=18h 59m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1155

61 [D]

2010

1955

25 [D]

0520

HPTXR

DSN COVERAGE

32

1230

45 [D]

1615

0030

24 [D]

0340

HPTXR

RTLT : 14h 39m 56s

1200 RTLT=14h 40m 8s

0000 RTLT=14h 40m 20s

VOYAGER 2

↓ 1422 SLEW->HELIO-12A

↓ 0223 SLEW->HELIO-13A

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

1502
GS-4B 1502

0026
GS-4B 0027

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1502 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 0026 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 6, 1997
279-280

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 18h 59m 58s
VOYAGER 1
FDSL : 11AF
CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

1200 RTLTL=19h 0m 10s 0000 RTLTL=19h 0m 20s

DSN COVERAGE HPTXR
31 2255 |-----24 [D]-----| 0500
32 0030 |-----34 [D]-----|
HPTXR

RTLTL : 14h 40m 20s
VOYAGER 2
FDSL : 11AF
CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=14h 40m 32s 0000 RTLTL=14h 40m 44s

↓ 1423 SLEW->HELIO-14A ↓ 0223 SLEW->HELIO-15A

0946 GS-4B 0947 1906 GS-4B 1907 0426 GS-4B 0427

FDS MODE CR-5T CR-5T CR-5T CR-5T
XB DATA RATE (MI) 160(32) 160(32) 160(32) 160(32)


VOYAGER COVERAGE ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 0946 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 32=GS-4B @ 1906 XB=2.8K(41) NOT RECOVERABLE
[3] S/C 32=GS-4B @ 0426 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 8, 1997
281-282

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 0m 42s
VOYAGER 1
FDSL : 11AF
CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

U/L 0030 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDS MODE	CR-5T	EL-40	CR-5T
XB DATA RATE (MI)	160(32)	40(30)	160(32)

31 1430 | - - - - - 61 [D] - - - - - | 1955
2100 | - - - - - 24 [T] - - - - - | 0455

DSN COVERAGE HPTXR

32	1225 - - - - - 45 [D] - - - - - 1605	0020 - - - - - 34 [D] - - - - -
----	--	-----------------------------------

HPTXR

RTLT : 14h 41m 8s
VOYAGER 2
FDSL : 11AF
CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=14h 41m 20s
0000 RTLT=14h 41m 32s

↓ 1423 SLEW->HELIO-18A
↓ 0223 SLEW->HELIO-19A

FDS MODE	CR-5T	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)	160(32)

1714 GS-4B 1715 0234 GS-4B 0235

VOYAGER COVERAGE - - - - - ON CALL - - - - - + - - - - VGR - - - - - ON CALL - - - - -

NOTES
[1] S/C 32=GS-4B @ 1714 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 32=GS-4B @ 0234 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 9, 1997
282-283

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 1m 2s

1200 RTLTL=19h 1m 14s

0000 RTLTL=19h 1m 24s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM) -----| D/L | 2059

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1335

61 [D]

2130

2245

24 [D]

0450

HPTXR

DSN COVERAGE

32

0730 34 [D]

1225

45 [D]

1600

0015

34 [D]

HPTXR

RTLTL : 14h 41m 32s

1200 RTLTL=14h 41m 46s

0000 RTLTL=14h 41m 58s

VOYAGER 2

↓ 1423 SLEW->HELIO-20A

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1154

GS-4B

1155

CR-5T

160(32)

2114

GS-4B

2115

CR-5T

160(32)

0635

GS-4B

0635

CR-5T

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1154 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 2114 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=GS-4B @ 0635 XB=2.8K(41) NOT RECOVERABLE
- [4] S/C 32=GS-4B @ 0635 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 10, 1997
283-284

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 1m 24s

1200 RTLT=19h 1m 34s

0000 RTLT=19h 1m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2330 |-----24 [D]-----| 0445

DSN COVERAGE
HPTXR

32

| 0725 34 [D]

1225 |-----45 [D]-----| 1600

0015 |-----34 [D]-----|

HPTXR

RTLT : 14h 41m 58s

1200 RTLT=14h 42m 10s

0000 RTLT=14h 42m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1559
GS-4B 1559

CR-5T

160(32)

0119
GS-4B 0120

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1559 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 32=GS-4B @ 0119 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 11, 1997
284-285

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 1m 44s

1200 RTLT=19h 1m 56s

0000 RTLT=19h 2m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1130

----- 61 [D] -----

1945

2245

----- 24 [D] -----

0440

HPTXR

DSN COVERAGE

32

0725 34 [D]

1225

----- 45 [D] -----

1555

0010

----- 34 [D] -----

0440

HPTXR

RTLT : 14h 42m 22s

1200 RTLT=14h 42m 34s

0000 RTLT=14h 42m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1039
GS-4B 1040

CR-5T

160(32)

1959
GS-4B 2000

CR-5T

160(32)

0519
GS-4B 0520

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 1039 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 1959 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=GS-4B @ 0519 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 12, 1997
285-286

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 2m 6s

1200 RTLTL=19h 2m 16s

0000 RTLTL=19h 2m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1745

24 [D]

0435

DSN COVERAGE
HPTXR

32

0720 34 [D]

1225

45 [D]

1550

0005

34 [D]

0400

HPTXR

RTLTL : 14h 42m 46s

1200 RTLTL=14h 42m 58s

0000 RTLTL=14h 43m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1439
GS-4B 1440

CR-5T

160(32)

0003
GS-4B 0004

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

- [1] S/C 32=GS-4B @ 1439 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 0003 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 13, 1997
286-287

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 2m 26s

1200 RTLTL=19h 2m 36s

0000 RTLTL=19h 2m 46s

VOYAGER 1

↓ 1841 BEGIN SEQUENCE A026

U/L 0300 | - | TLC (SHORT-FORM) -

FDSL : 11AF

▼ 0200 DUMMY (21:02)

CCSL : A025
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0955 |----- 65 [D] -----| 1445

0115 |----- 24 -----| 0435

DSN COVERAGE HPTXR

32 1230 |----- 45 [D] -----| 1540

0005 |----- 34 [D] -----

HPTXR

RTLTL : 14h 43m 10s

1200 RTLTL=14h 43m 22s

0000 RTLTL=14h 43m 34s

2247 |----- COMMAND MORATORIUM -----

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0923
GS-4B 0924

1843
GS-4B 1844

0403
GS-4B 0404

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR - |----- ON CALL -----


NOTES

- [1] S/C 32=GS-4B @ 0923 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 32=GS-4B @ 1843 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 32=GS-4B @ 0403 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
OCTOBER 15, 1997
288-289

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 3m 6s

1200 RTLT=19h 3m 18s

0000 RTLT=19h 3m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1030 |----- 65 [D] -----| 1440

2130 |----- 24 [D] -----| 0425

HPTXR

DSN COVERAGE

32

| 0710 34 [D]

1225 |----- 45 [D] -----| 1535

2355 |----- 34 [D] -----|

HPTXR

RTLT : 14h 43m 58s

1200 RTLT=14h 44m 10s

0000 RTLT=14h 44m 22s

----- COMMAND MORATORIUM -----| 2217

VOYAGER 2

FDSL : 11AF

CCSL : B028

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 16, 1997
289-290

VCB/MD MTG/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 3m 28s

1200 RTLT=19h 3m 38s

0000 RTLT=19h 3m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0005 |----- 24 [D] -----| 0420

DSN COVERAGE HPTXR

32

0705 34 [D]

1230 |----- 45 [D] -----| 1530

0030 |----- 34 [D] -----|

HPTXR

RTLT : 14h 44m 22s

1200 RTLT=14h 44m 34s

0000 RTLT=14h 44m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 17, 1997
290-291

☐ SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 3m 48s

1200 RTLT=19h 3m 56s

0000 RTLT=19h 4m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0915 | 63 [D] - | 1045

2350 | ----- 15 [D] ----- | 0425

DSN COVERAGE
HPTXR

32

0705 34 [D]

1225 | ----- 45 [D] ----- | 1525

2345 - 0700 | ----- 34 [D] -----

HPTXR

RTLT : 14h 44m 46s

1047 | -----

1200 RTLT=14h 44m 58s

----- COMMAND MORATORIUM -----

0000 RTLT=14h 45m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

↓ 0102 BAY 1 HTR OFF

↓ 0106 X/B HI POWER

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 18, 1997
291-292

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 4m 6s

1200 RTLT=19h 4m 16s

0000 RTLT=19h 4m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2200 |----- 24 [D] -----| 0415

DSN COVERAGE
HPTXR

32

0700 34 [D]

1220 |----- 45 [D] -----| 1520

2340 - 0655 |----- 34 [D] -----|

HPTXR

1200 RTLT=14h 45m 22s

0000 RTLT=14h 45m 34s

RTLT : 14h 45m 10s

----- COMMAND MORATORIUM -----

VOYAGER 2

↓ 1325 SLEW->ALPHA VIR

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

1223

CR-5T

160(32)

UV-5A

600(36)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/01/97 - 08:46

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 19, 1997
292-293

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 4m 26s

1200 RTLT=19h 4m 36s

0000 RTLT=19h 4m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0925 |----- 65 [D] -----| 1425

1700 |----- 25 [D] -----| 2220

2205 |----- 24 [D] -----| 0405

DSN COVERAGE
HPTXR

32

1230 |--- 45 [D] ---| 1515

0430 - 0655 |--- 34 [D] ---|

HPTXR

RTLT : 14h 45m 34s

1200 RTLT=14h 45m 46s

0000 RTLT=14h 45m 58s

-----| 1020 COMMAND MORATORIUM

↓ 1325 SLEW->NGP

VOYAGER 2

FDSL : 11AF

CCSL : B028
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

1234

UV-5A

600(36)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7