

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 19, 1998
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 16s

1200 RTLT=19h 17m 12s

0000 RTLT=19h 17m 10s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -13.142 sec

ROLLREF = RIGIL
KENTAURUS

▼ 0150 DUMMY (NO D/L)

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 0900 |----- 15 [D] -----| 1650

0110 |----- 63 -----| 0645

DSN COVERAGE
HPTXR

32 1535 |----- 43 [D] -----| 1935

HPTXR

RTLT : 15h 10m 52s

1200 RTLT=15h 10m 52s

0000 RTLT=15h 10m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: 1:04.159 min

ROLLREF = VEGA

↓ 0137 SLEW->HELIO-15A

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 20, 1998
051-052

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 10s

1200 RTLT=19h 17m 8s

0000 RTLT=19h 17m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0855 |----- 25 [D] -----| 1650 0220 - 0750 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32 1535 |-- 45 [D] ---| 1750 2215 |----- 43 [o] -----| 0645

HPTXR

RTLT : 15h 10m 50s

1200 RTLT=15h 10m 48s

0000 RTLT=15h 10m 48s

↓ 0137 SLEW->HELIO-16A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 21, 1998
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 6s

1200 RTLT=19h 17m 4s

0000 RTLT=19h 17m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0925 |-----25 [D]-----| 1650

0625 - 0735 | 54 [D] |

0100 |-----63 [D]-----| 0640

DSN COVERAGE
HPTXR

32

1525 |-----43 [D]-----| 1925

1910 |-----45 [D]-----| 0030

HPTXR

RTLT : 15h 10m 48s

1200 RTLT=15h 10m 46s

0000 RTLT=15h 10m 44s

↓ 0137 SLEW->HELIO-17A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 22, 1998
053-054

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 17m 2s

1200 RTLT=19h 17m 0s

0000 RTLT=19h 16m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

0850 |----- 25 [D] -----| 1445

0210 |----- 54 [D] -----| 0705

DSN COVERAGE
HPTXR

32

1645 |----- 42 [D] -----| 2045
2025 - 0715 |----- 43 [o] -----|

HPTXR

RTLT : 15h 10m 44s

1200 RTLT=15h 10m 42s

0000 RTLT=15h 10m 40s

VOYAGER 2

↓ 0137 SLEW->HELIO-18A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 23, 1998
054-055

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 58s

1200 RTLT=19h 16m 56s

0000 RTLT=19h 16m 54s

VOYAGER 1

↓ 1239 SLEW->HELIO-20A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 |----- 25 [D] -----| 0845 - 1700 | 0205 - 0710 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32 |----- 1525 |----- 45 [D] -----| 0035 |----- 34 [D] -----| 0600
0030 |----- 0530 - 0715 |----- 43 [D] -----|

HPTXR

RTLT : 15h 10m 40s

1200 RTLT=15h 10m 40s

0000 RTLT=15h 10m 38s

VOYAGER 2

↓ 0137 SLEW->HELIO-19A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY FEBRUARY 24, 1998 055-056	
UTC: 8	9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8
RTLTL : 19h 16m 54s VOYAGER 1 FDSL : 11AF CCSL : A026 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=19h 16m 52s 0000 RTLTL=19h 16m 50s ↓ 1239 SLEW->HELIO-19A 2021 2021 PWS/RH 2021 GS-4B 2021 CR-5T CR-5T XB DATA RATE (MI) 160 (32) 160(32)
31	HPTXR DSN COVERAGE HPTXR 25 [D] 0840 - 2010 0200 - 0735 54 [D]
32	HPTXR 1525 45 [D] 1725 1810 43 [D] 2300 2245 34 [D] 0035 0355 - 0710 43 [o]
RTLTL : 15h 10m 38s VOYAGER 2 FDSL : 11AF CCSL : B029 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLTL=15h 10m 36s 0000 RTLTL=15h 10m 34s 1941 1942 PWS/RH ↓ 0137 SLEW->HELIO-20A 1941 GS-4B 1942 CR-5T CR-5T XB DATA RATE (MI) 160 (32) 160(32)
VOYAGER COVERAGE	----- ON CALL -----
NOTES	[1] S/C 32=GS-4B @ 1941 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 2021 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
FEBRUARY 25, 1998
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 50s

1200 RTLT=19h 16m 48s

0000 RTLT=19h 16m 44s

VOYAGER 1

↓ 1239 SLEW->HELIO-18A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----25 [D]-----| 0835 - 1700 | 0045 - 0745 |-----63 [D]-----|

DSN COVERAGE HPTXR

32 |-----1510 |-----43 [D]-----| 2030

HPTXR

RTLT : 15h 10m 34s

1200 RTLT=15h 10m 32s

0000 RTLT=15h 10m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 26, 1998
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 44s

1200 RTLT=19h 16m 42s

0000 RTLT=19h 16m 40s

VOYAGER 1

↓ 1239 SLEW->HELIO-17A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----25 [D]-----| 0835 - 1700 | 0040 - 0745 |-----63 [D]-----|

DSN COVERAGE
HPTXR

32 |-----1515 |-----34 [D]-----| 2245 | 0345 |-----43 [B]-----| 0705

HPTXR

RTLT : 15h 10m 30s

1200 RTLT=15h 10m 28s

0000 RTLT=15h 10m 26s

VOYAGER 2

DUMMY (BRACKETED 5MIN 19:37) 0427 ▼

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

|-----ON CALL-----|-----VGR-----|-----ON CALL-----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 27, 1998
058-059

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 40s

1200 RTLTL=19h 16m 38s

0000 RTLTL=19h 16m 36s

VOYAGER 1

▼ 1425 DUMMY (09:40)

FDSL : 11AF

U/L 1500 |----- TLC (SHORT-FORM) -----

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1239 SLEW->HELIO-16A

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [T] ----- | 0845 - 1600

0150 |----- 54 [D] -----

DSN COVERAGE
HPTXR

32

1515 |----- 34 [D] ----- | 0105

HPTXR

RTLTL : 15h 10m 26s

1200 RTLTL=15h 10m 24s

0000 RTLTL=15h 10m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - |----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 28, 1998
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 36s

1200 RTLTL=19h 16m 34s

0000 RTLTL=19h 16m 32s

VOYAGER 1

↓ 1239 SLEW->HELIO-15A

FDSL : 11AF

TLC (SHORT-FORM)
D/L 1145

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

54 [D] 1125

1105

25 [D]

1955

0145

54 [D]

DSN COVERAGE
HPTXR

32

1510

34 [D]

0035

HPTXR

RTLTL : 15h 10m 22s

1200 RTLTL=15h 10m 20s

0000 RTLTL=15h 10m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 1, 1998
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 32s

1200 RTLTL=19h 16m 30s

0000 RTLTL=19h 16m 28s

VOYAGER 1

↓ 1239 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

54 [D] ----- | 1125

1105 |----- 25 [D] ----- | 1700

0140 |----- 54 [D] -----

DSN COVERAGE
HPTXR

32

1505 |----- 34 [D] ----- | 0645

HPTXR

RTLTL : 15h 10m 18s

1200 RTLTL=15h 10m 16s

0000 RTLTL=15h 10m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 2, 1998
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 28s

1200 RTLTL=19h 16m 26s

0000 RTLTL=19h 16m 22s

VOYAGER 1

↓ 1239 SLEW->HELIO-13A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----| 0855 54 [D] ----- 0025 - 0800 |----- 63 [D] -----

|----- 24 [D] -----| 0835 - 1625
1610 |----- 25 [D] -----| 1945

DSN COVERAGE

HPTXR

32

2245 |----- 34 [D] -----| 0035

HPTXR

RTLTL : 15h 10m 12s

1200 RTLTL=15h 10m 10s

0000 RTLTL=15h 10m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 4, 1998
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 18s

1200 RTLT=19h 16m 16s

0000 RTLT=19h 16m 14s

VOYAGER 1

1148 | PLSCAL - | 1330
1148 | --- MAGCAL --- | 1450
1148 | --- PESCAL --- | 1508
 ↓ 1239 SLEW->HELIO-11A

FDSL : 11AF

▼ 1725 DUMMY (12:41)

U/L 1800 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 | - - | 0830 54 [D]

0015 | - - - - - 63 [D] - - - - -

| - - - - - 25 [D] - - - - - | 0810 - 1725
1655 | - - 43 [T] - - | 1855

DSN COVERAGE
HPTXR

32

1450 | - - - - - 45 [D] - - - - - | 2245

HPTXR

RTLT : 15h 10m 4s

1200 RTLT=15h 10m 0s

0000 RTLT=15h 9m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 5, 1998
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 16m 14s

1200 RTLTL=19h 16m 12s

0000 RTLTL=19h 16m 10s

VOYAGER 1

↓ 1239 SLEW->MIDPT2

FDSL : 11AF

↓ 1439 SLEW->MIDPT1

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

----- TLC (SHORT-FORM) -----| D/L -| 1444

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0815 63 [D]

|----- 25 [D] -----| 0805 - 1700

0015 - 0745 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32

1445 |--- 45 [D] ---| 1700

1645 |--- 42 [D] ---| 1930

HPTXR

RTLTL : 15h 9m 58s

1200 RTLTL=15h 9m 56s

0000 RTLTL=15h 9m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----| VGR |----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 6, 1998
065-066

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 10s

1200 RTLT=19h 16m 8s

0000 RTLT=19h 16m 6s

VOYAGER 1

↓ 1239 SLEW->HELIO-10A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0125 |----- 54 [D] -----

25 [D] 0800

DSN COVERAGE
HPTXR

32

1440 |----- 43 [D] -----| 1845

0315 |----- 34 [D] -----| 0625

HPTXR

RTLT : 15h 9m 54s

1200 RTLT=15h 9m 50s

0000 RTLT=15h 9m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 7, 1998
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 6s

1200 RTLT=19h 16m 4s

0000 RTLT=19h 16m 0s

VOYAGER 1

↓ 1239 SLEW->HELIO-9A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0820 54 [D]

0120 | 54 [D]

25 [D] | 0800 - 1925

DSN COVERAGE
HPTXR

32

1440 | 34 [D]

0620

HPTXR

RTLT : 15h 9m 48s

1200 RTLT=15h 9m 46s

0000 RTLT=15h 9m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/17/98 - 13:28

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 8, 1998
067-068

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 16m 0s

1200 RTLT=19h 15m 58s

0000 RTLT=19h 15m 56s

VOYAGER 1

↓ 1239 SLEW->HELIO-8A

FDSL : 11AF

CCSL : A026
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 --- 54 [D] --- | 1025 25 [D] 0750 |

1010 |----- 25 [D] -----| 1720

0125 |----- 63 [D] -----| 0550

DSN COVERAGE
HPTXR

32

1440 |----- 34 [D] -----| 0100

HPTXR

RTLT : 15h 9m 42s

1200 RTLT=15h 9m 40s

0000 RTLT=15h 9m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8