

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 12, 1998  
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 44s

1200 RTLTL=19h 15m 42s

0000 RTLTL=19h 15m 40s

VOYAGER 1

↓ 1238 SLEW->HELIO-4A

FDSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -13.379 sec

ROLLREF = RIGIL  
KENTAURUS

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

----- 25 [D] ----- | 1700

2345 |----- 63 [D] ----- | 25 [D] 0735 |

DSN COVERAGE  
HPTXR

32

1415 |----- 43 [D] ----- | 1830

HPTXR

RTLTL : 15h 9m 20s

1200 RTLTL=15h 9m 16s

0000 RTLTL=15h 9m 14s

VOYAGER 2

----- COMMAND MORATORIUM -----

1724 | 1731 TAPPOS

↓ 1745 GYROS BC ON

↓ 1746 GYRO INIT

↓ 1755 GYRO FAULT TEST

FDSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: 1:01.492 min

ROLLREF = VEGA

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 13, 1998  
072-073

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 40s

1200 RTLT=19h 15m 38s

0000 RTLT=19h 15m 36s

VOYAGER 1

↓ 1238 SLEW->HELIO-3A

▼ 0005 DUMMY (NO D/L)

FDSL : 11AF

U/L 0600 | - |  
TLC (SHORT-FORM | - - - - -

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31

25 [D] - - - - - | 1330

2340 | - - - - - 63 [T] - - - - -

DSN COVERAGE  
HPTXR

32

1410 | - - - - - 43 [D] - - - - - | 1825

HPTXR

RTLT : 15h 9m 14s

1200 RTLT=15h 9m 10s

0000 RTLT=15h 9m 8s

COMMAND MORATORIUM

| 0236

VOYAGER 2

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

ON CALL

| - VGR - |

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 14, 1998  
073-074

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 36s

1200 RTLTL=19h 15m 34s

0000 RTLTL=19h 15m 32s

VOYAGER 1

↓ 1238 SLEW->HELIO-2A

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

----- TLC (SHORT-FORM ----- † D/L -| 0217

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 63 [T] ----- | 1150 ----- 25 [D] 0725 | - - -

1135 | ----- 25 [D] ----- | 1900

0050 - 0740 | ----- 54 [D] ----- |

DSN COVERAGE

HPTXR

32

1415 | ----- 34 [D] ----- | 2315

HPTXR

RTLTL : 15h 9m 8s

1200 RTLTL=15h 9m 4s

0000 RTLTL=15h 9m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 15, 1998  
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 32s

1200 RTLT=19h 15m 30s

0000 RTLT=19h 15m 28s

VOYAGER 1

↓ 1238 SLEW->HELIO-1A

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 25 [D] ----- 1855 ----- 2335 ----- 63 [D] ----- 14 [D] 0705 -----

HPTXR

DSN COVERAGE

32 ----- 1410 ----- 34 [D] ----- 2250 -----

HPTXR

RTLT : 15h 9m 2s

1200 RTLT=15h 8m 58s

0000 RTLT=15h 8m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 16, 1998  
075-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 15m 28s

1200 RTLTL=19h 15m 26s

0000 RTLTL=19h 15m 24s

VOYAGER 1

↓ 1238 SLEW->HELIO-1B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 ----- 14 [D] ----- | 1430

2330 |----- 63 [D] ----- | 0515

DSN COVERAGE  
HPTXR

32 1355 |----- 43 [B] ----- | 2045

2245 |----- 34 [D] ----- | 0545

HPTXR

RTLTL : 15h 8m 56s

1200 RTLTL=15h 8m 52s

0000 RTLTL=15h 8m 48s

VOYAGER 2

DUMMY (BRACKETED 4MIN 05:21) 1413 ▼

- ↓ 1901 ALL DB=.05
- ↓ 1917 AAI
- 1918 |---| 1955 ASCAL
- ↓ 1952 RAI
- ↓ 1955 CRU
- ↓ 2004 ROLL=.25
- ↓ 2004 YAW=.10
- ↓ 2005 GYRO FAULT TEST

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05/ .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

1846	1958
CR-5T	EL-40
160 (32)	40(30)
CR-5T	CR-5T
160(32)	160(32)

VOYAGER COVERAGE

----- ON CALL ----- |----- VGR ----- |----- ON CALL -----


NOTES

[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1918-1955)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 18, 1998  
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 20s

1200 RTLT=19h 15m 18s

0000 RTLT=19h 15m 16s

VOYAGER 1

↓ 1238 SLEW->HELIO-3B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 0920 | --- 15 [D] --- | 1140

2320 - 0745 | ----- 63 [D] ----- | 14 [T] 0730 | ---

DSN COVERAGE  
HPTXR

32

1355 | ----- 45 [D] ----- | 2045

HPTXR

RTLT : 15h 8m 42s

1200 RTLT=15h 8m 38s

0000 RTLT=15h 8m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 19, 1998  
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 16s

1200 RTLT=19h 15m 14s

0000 RTLT=19h 15m 12s

VOYAGER 1

↓ 1238 SLEW->HELIO-4B

▼ 1430 DUMMY (09:45)

FDSL : 11AF

U/L 1500 |----- TLC (SHORT-FORM) -----

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 [T] ----- | 1545

2315 |----- 63 [D] ----- | 0520

DSN COVERAGE  
HPTXR

32

1355 |----- 34 [D] ----- | 0115

HPTXR

RTLT : 15h 8m 36s

1015 |-----

----- COMMAND MORATORIUM -----

0000 RTLT=15h 8m 28s

VOYAGER 2

↓ 1855 AAI

1858 |----- MAGROL ----- | 0054

FDSL : 11AF

↓ 0046 RAI

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : ON

↓ 0054 CRU

↓ 0054 GYROS OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR |----- ON CALL ----- | VGR ----- |----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1858-0054)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 20, 1998  
079-080

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 12s

1200 RTLT=19h 15m 10s

0000 RTLT=19h 15m 8s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)  
D/L 1143

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1238 SLEW->HELIO-5B

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 14 [D] -----| 0830 - 1230

2315 |----- 63 [D] -----| 0440 |----- 54 [D] -----| 0500

DSN COVERAGE  
HPTXR

32

2245 |----- 34 [D] -----| 0530

HPTXR

RTLT : 15h 8m 28s

1200 RTLT=15h 8m 26s

0000 RTLT=15h 8m 22s

VOYAGER 2

COMMAND MORATORIUM

2136 SLEW->HELIO-17B

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : HI

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 21, 1998  
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 8s

1200 RTLT=19h 15m 6s

0000 RTLT=19h 15m 4s

VOYAGER 1

↓ 1238 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 --- 54 [D] --- | 1005

0945 |----- 15 [D] ----- | 1500

0025 - 0715 |----- 54 [D] ----- | 24 [D] 0715 |-----

DSN COVERAGE  
HPTXR

32

1345 |----- 34 [D] ----- | 2315

HPTXR

RTLT : 15h 8m 22s

1200 RTLT=15h 8m 18s

0000 RTLT=15h 8m 16s

VOYAGER 2

↓ 2136 SLEW->HELIO-16B

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 22, 1998  
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 4s

1200 RTLT=19h 15m 4s

0000 RTLT=19h 15m 2s

VOYAGER 1

↓ 1238 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 24 [D] -| 0920

2305 |----- 63 [D] -----| 0505 14 [T] 0710 |---

DSN COVERAGE HPTXR

32

1345 |----- 34 [D] -----| 2315

HPTXR

RTLT : 15h 8m 16s

1200 RTLT=15h 8m 12s

0000 RTLT=15h 8m 8s

VOYAGER 2

↓ 2136 SLEW->HELIO-15B

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
MARCH 23, 1998  
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 15m 2s

1200 RTLT=19h 15m 0s

0000 RTLT=19h 14m 58s

VOYAGER 1

↓ 1238 SLEW->HELIO-8B

FDSL : 11AF

▼ 1500 DUMMY (10:45)

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

U/L 1515 |----- TLC SHORT-FORM -----

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 [T] ----- | 1545

2300 |----- 63 [D] ----- | 0650 | 15 [D] | 0705

DSN COVERAGE  
HPTXR

32

1505 |----- 42 [o] ----- | 0115

0055 |----- 34 [D] ----- | 0520

HPTXR

RTLT : 15h 8m 8s

1200 RTLT=15h 8m 4s

0000 RTLT=15h 8m 2s

VOYAGER 2

↓ 2136 SLEW->HELIO-14B

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
MARCH 25, 1998  
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 14m 54s

1200 RTLT=19h 14m 54s

0000 RTLT=19h 14m 52s

VOYAGER 1

↓ 1238 SLEW->HELIO-10B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 -----14 [D] ----- | 1215

2255 | -----63 [D] ----- | 0445 0630 | 24 [D] |

DSN COVERAGE HPTXR

32 1320 | -----43 [D] ----- | 1755

0250 | -----43 [o] ----- | 0520

HPTXR

RTLT : 15h 7m 54s

1113 | -----1200 RTLT=15h 7m 50s

0000 RTLT=15h 7m 46s

VOYAGER 2

-----COMMAND MORATORIUM-----

↓ 2136 SLEW->HELIO-12B

↓ 0151 X/B LOW POWER

↓ 0155 BAY 1 HTR ON

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : HI  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 26, 1998  
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 19h 14m 52s

1200 RTLTL=19h 14m 50s

0000 RTLTL=19h 14m 48s

VOYAGER 1

↓ 1238 SLEW->MIDPT1

↓ 1438 SLEW->MIDPT2

FDSL : 11AF

CCSL : A026

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [D] ----- | 1425

2250 |----- 63 [D] ----- | 0440

DSN COVERAGE  
HPTXR

32

1335 |----- 34 [D] ----- | 2145

HPTXR

RTLTL : 15h 7m 46s

1200 RTLTL=15h 7m 44s

0000 RTLTL=15h 7m 40s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 2136 SLEW->HELIO-11B

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 27, 1998  
086-087

SCRAP/A106

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 14m 48s

1200 RTLT=19h 14m 46s

0000 RTLT=19h 14m 46s

VOYAGER 1

↓ 1238 SLEW->HELIO-11B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 0920 |----- 24 [D] -----| 1255

0000 - 0740 |----- 54 [D] -----| 15 [D] 0720 |---

DSN COVERAGE  
HPTXR

32 1440 |----- 42 [D] -----| 1920

2245 |----- 34 [D] -----| 0505

HPTXR

RTLT : 15h 7m 40s

1200 RTLT=15h 7m 36s

0000 RTLT=15h 7m 32s

1047 COMMAND MORATORIUM

↓ 2136 SLEW->HELIO-10B

VOYAGER 2

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 28, 1998  
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 14m 46s

1200 RTLT=19h 14m 44s

0000 RTLT=19h 14m 42s

VOYAGER 1

↓ 1238 SLEW->HELIO-12B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1455

2355 | ----- 54 [D] ----- | 0645 | 24 [D] | 0705

DSN COVERAGE HPTXR

32

1320 | ----- 34 [D] ----- | 0500

HPTXR

RTLT : 15h 7m 32s

1200 RTLT=15h 7m 28s

0000 RTLT=15h 7m 26s

VOYAGER 2

↓ 2136 SLEW->HELIO-9B

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/10/98 - 10:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 29, 1998  
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 19h 14m 42s

1200 RTLT=19h 14m 42s

0000 RTLT=19h 14m 40s

VOYAGER 1

↓ 1238 SLEW->HELIO-13B

FDSL : 11AF

CCSL : A026  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [D] ----- | 1520

2355 | ----- 54 [D] ----- | 0625 | - - 15 [D] - -

DSN COVERAGE HPTXR

32

1315 | ----- 34 [D] ----- | 0200

HPTXR

RTLT : 15h 7m 26s

1200 RTLT=15h 7m 22s

0000 RTLT=15h 7m 18s

VOYAGER 2

↓ 2136 SLEW->HELIO-8B

FDSL : 11AF

CCSL : B029  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05 / .10 / .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8