

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 7, 1998
127-128

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 14m 50s

1200 RTLTL=19h 14m 52s

0000 RTLTL=19h 14m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : ON

D/L | 0743

↓ 1138 SLEW->BKGND

S/C 31 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: -13.988 sec
ROLLREF = RIGIL KENTAURUS

1128

FDS MODE
XB DATA RATE (MI)

UV-5A
600 (36)

CR-5T
160(32)

31

15 [D]

1250

1230 | -- 25 [D] --- | 1445

2115 | ----- 54 [D] -----

0335 | ----- 14 [D] -----

0350

DSN COVERAGE

HPTXR

32

1040 | ----- 34 [o] ----- | 2145

HPTXR

RTLTL : 15h 2m 52s

1200 RTLTL=15h 2m 50s

0000 RTLTL=15h 2m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1733 SLEW->HELIO-12A

S/C 32 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: 54.375 sec
ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 8, 1998
128-129

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 14m 54s

1200 RTLTL=19h 14m 56s

0000 RTLTL=19h 14m 58s

VOYAGER 1

↓ 0724 AAI

----- MAGROL ----- | 0727 - 1323

FDSL : 11AF

↓ 1316 RAI

↓ 1323 CRU

↓ 1323 GYROS OFF

CCSL : A027

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 0955

0330 ----- 14 [D] -----

0940 ----- 24 [D] ----- | 1505

2115 - 0655 ----- | 54 [D] -----

DSN COVERAGE
HPTXR

32

1035 ----- 45 [D] ----- | 1820

1815 ----- 42 [o] ----- | 0105

HPTXR

RTLTL : 15h 2m 46s

1200 RTLTL=15h 2m 44s

0000 RTLTL=15h 2m 42s

VOYAGER 2

↓ 1733 SLEW->HELIO-13A

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- VGR ----- | ----- ON CALL -----

NOTES

[1] S/C 31 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0727-1323)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 9, 1998
129-130

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 14m 58s

1200 RTLT=19h 15m 0s

0000 RTLT=19h 15m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- | 0945 ----- 0345 |----- 14 [D] -----

0930 |----- 24 [D] ----- | 1505

2110 |----- 54 [D] ----- | 0300

DSN COVERAGE
HPTXR

32 ----- 1030 |----- 34 [D] ----- | 0215

HPTXR

RTLT : 15h 2m 42s

1200 RTLT=15h 2m 38s

0000 RTLT=15h 2m 36s

VOYAGER 2

↓ 1733 SLEW->HELIO-14A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 10, 1998
130-131

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 4s

1200 RTLT=19h 15m 6s

0000 RTLT=19h 15m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 14 [D] ----- 0940 ----- 25 [D] 0630 -----

0925 |----- 15 [D] -----| 1430

2105 - 0645 |----- 54 [D] -----|

DSN COVERAGE
HPTXR

32 ----- 1030 |----- 34 [o] -----| 0215

HPTXR

RTLT : 15h 2m 36s

1200 RTLT=15h 2m 34s

0000 RTLT=15h 2m 32s

VOYAGER 2

↓ 1733 SLEW->HELIO-15A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 11, 1998
131-132

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 8s

1200 RTLT=19h 15m 10s

0000 RTLT=19h 15m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----25 [D] ----- 1310

2100 - 0640 |-----54 [D]-----| 25 [D] 0625 |-----|

DSN COVERAGE HPTXR

32 1025 |-----45 [D]-----| 1545

1935 |-----34 [D]-----| 0210

HPTXR

RTLT : 15h 2m 32s

1200 RTLT=15h 2m 28s

0000 RTLT=15h 2m 26s

VOYAGER 2

↓ 1733 SLEW->HELIO-16A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----ON CALL-----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 12, 1998
132-133

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 15m 12s
VOYAGER 1
FDSL : 11AF
CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=19h 15m 16s
0000 RTLTL=19h 15m 18s

1556 | 1557 PWS/RH

1556 GS-4B 1557

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

DSN COVERAGE

31 ----- 25 [D] ----- 1505 ----- 2055 - 0640 ----- 54 [D] ----- 15 [D] 0625 -----

HPTXR

32 ----- 1020 ----- 34 [D] ----- 0000 ----- 2345 ----- 43 [B] ----- 0215 -----

HPTXR

RTLTL : 15h 2m 26s
VOYAGER 2
FDSL : 11AF
CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 2m 24s
0000 RTLTL=15h 2m 22s

1513 | 1514 PWS/RH
1733 SLEW->HELIO-17A

1513 GS-4B 1514

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE ----- ON CALL ----- VGR ----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1513 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1556 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 13, 1998
133-134

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 18s

1200 RTLT=19h 15m 20s

0000 RTLT=19h 15m 24s

↓ 0128 SLEW->Alpha Vir
SLEW->HZ 43 0428 ↓

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

0119

0424

UV-5A
600(36)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1130

0115 - 0640 | ----- 63 [D] ----- | 14 [T] 0620 |

DSN COVERAGE
HPTXR

32 1015 | ----- 45 [D] ----- | 1715

1925 | ----- 34 [D] ----- | 0200

HPTXR

RTLT : 15h 2m 22s

1200 RTLT=15h 2m 20s

0000 RTLT=15h 2m 18s

VOYAGER 2

↓ 1733 SLEW->HELIO-18A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 14, 1998
134-135

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 24s

1200 RTLT=19h 15m 26s

0000 RTLT=19h 15m 28s

VOYAGER 1

FDSL : 11AF

▼ 0910 DUMMY (04:25)

CCSL : A027
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

U/L 0925 |---| TLC (SHORT-FORM) |---| D/L | 0609

↓ 1421 X/B LOW POWER

↓ 1425 BAY 1 HTR ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |---| 14 [T] |---| 1045

2050 - 0630 |---| 54 [D] |---| 0615 |---|

DSN COVERAGE
HPTXR

32 |---| 1010 |---| 34 [D] |---| 1830

HPTXR

RTLT : 15h 2m 18s

1200 RTLT=15h 2m 14s

0000 RTLT=15h 2m 12s

VOYAGER 2

FDSL : 11AF

↓ 1733 SLEW->HELIO-19A

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL
VGR |---| ON CALL |---| VGR |---| ON CALL |---|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 15, 1998
135-136

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 28s

1200 RTLT=19h 15m 32s

0000 RTLT=19h 15m 34s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1155

1930 |----- 63 [D] ----- | 0205

15 [D] 0610 |-----

0150 - 0625 |----- 54 [D] ----- |

DSN COVERAGE
HPTXR

32 ----- 1005 |----- 45 [D] ----- | 2015

1955 |----- 34 [D] ----- | 0155

HPTXR

RTLT : 15h 2m 12s

1200 RTLT=15h 2m 10s

0000 RTLT=15h 2m 8s

VOYAGER 2

↓ 1733 SLEW->HELIO-20A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 16, 1998
136-137

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 34s

1200 RTLT=19h 15m 38s

0000 RTLT=19h 15m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1155

2040 - 0620 | ----- 54 [D] ----- | 15 [D] 0605 | -----

DSN COVERAGE HPTXR

32 ----- 1005 | ----- 34 [o] ----- | 0150

HPTXR

RTLT : 15h 2m 8s

1200 RTLT=15h 2m 6s

0000 RTLT=15h 2m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 17, 1998
137-138

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 40s

1200 RTLT=19h 15m 44s

0000 RTLT=19h 15m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1150

2035 |----- 54 [D] -----| 0310 |----- 15 [D] -----| 0325

DSN COVERAGE HPTXR

32 ----- 1000 |----- 34 [D] -----| 0145

HPTXR

RTLT : 15h 2m 4s

1200 RTLT=15h 2m 2s

0000 RTLT=15h 2m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MAY 18, 1998
138-139

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 15m 48s

1200 RTLT=19h 15m 50s

0000 RTLT=19h 15m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1010

1935 | ----- 65 [D] ----- | 0305 | ----- 15 [D] ----- | 0320

DSN COVERAGE
HPTXR

32 ----- 0950 | ----- 45 [D] ----- | 1935

1915 | ----- 34 [o] ----- | 0140

HPTXR

RTLT : 15h 2m 0s

1200 RTLT=15h 1m 58s

0000 RTLT=15h 1m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MAY 19, 1998
139-140

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 15m 54s
VOYAGER 1
FDSL : 11AF
CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=19h 15m 58s | 0000 RTLTL=19h 16m 0s

1532 | 1533 PWS/RH

1532 GS-4B | 1533

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

31 ----- 15 [D] ----- | 1155
1930 | ----- 65 [D] ----- | 0305 ----- 25 [D] -----
0320

HPTXR

DSN COVERAGE

32 ----- 0950 | ----- 34 [D] ----- | 0135

HPTXR

RTLTL : 15h 1m 56s
VOYAGER 2
FDSL : 11AF
CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 1m 54s | 0000 RTLTL=15h 1m 54s

1449 | 1450 PWS/RH

1449 GS-4B | 1450

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 1449 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1532 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MAY 20, 1998
140-141

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 16m 0s

1200 RTLT=19h 16m 4s

↓ 2339 SLEW->HELIO-20A

▼ 0320 DUMMY (22:36)

VOYAGER 1

FDSL : 11AF

U/L 0340 | - |
TLC (SHORT-FORM) | - - - - -

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1155

1910 | ----- 63 [D] ----- | 0255 | ----- 14 [T] -----
| 0315

DSN COVERAGE
HPTXR

32 0940 | ----- 45 [D] ----- | 1655

1850 | ----- 34 [D] ----- | 2335
2315 | ----- 43 [B] ----- | 0145

HPTXR

RTLT : 15h 1m 54s

1200 RTLT=15h 1m 52s

0000 RTLT=15h 1m 50s

▼ 2342 DUMMY (BRACKETED 5MIN 14:44)

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR - | - ON CALL - - | VGR - | ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MAY 21, 1998
141-142

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 16m 8s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A027
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE
 XB DATA RATE (MI)

1200 RTLT=19h 16m 12s
 0000 RTLT=19h 16m 14s
 ↓ 1139 SLEW->HELIO-19A
 ↓ 2339 SLEW->HELIO-18A
 D/L -| 0024
 TLC (SHORT-FORM)

CR-5T
 160(32)

31
 HPTXR
 DSN COVERAGE
 32
 HPTXR

14 [T] ----- | 1445
 1920 | ----- 65 [D] ----- | 0100
 0045 | -- 63 [D] --- | 0300
 0240 | ----- 14 [D] -----
 0945 | ----- 34 [D] ----- | 2145

RTLT : 15h 1m 50s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B029
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF
 FDS MODE
 XB DATA RATE (MI)

1200 RTLT=15h 1m 48s
 0000 RTLT=15h 1m 46s
 CR-5T
 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MAY 22, 1998
142-143

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 16m 14s

1200 RTLTL=19h 16m 18s

0000 RTLTL=19h 16m 22s

VOYAGER 1

↓ 1139 SLEW->HELIO-17A

↓ 2339 SLEW->HELIO-16A

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 14 [D] --- 0855

1915 |----- 65 [D] -----| 0235 |----- 14 [D] -----|

DSN COVERAGE
HPTXR

32 0940 |----- 34 [o] -----| 0125

HPTXR

RTLTL : 15h 1m 46s

1200 RTLTL=15h 1m 44s

0000 RTLTL=15h 1m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MAY 23, 1998
143-144

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 16m 22s

1200 RTLT=19h 16m 26s

0000 RTLT=19h 16m 30s

VOYAGER 1

↓ 1139 SLEW->HELIO-15A

↓ 2339 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 14 [D] --- 0855

1905 |----- 63 [D] -----

14 [D] 0650 |

DSN COVERAGE
HPTXR

32

0935 |----- 34 [D] ----- | 0120

HPTXR

RTLT : 15h 1m 44s

1200 RTLT=15h 1m 42s

0000 RTLT=15h 1m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 05/06/98 - 08:48

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MAY 24, 1998
144-145

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 16m 30s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A027
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=19h 16m 34s
 0000 RTLT=19h 16m 38s

↓ 1139 SLEW->HELIO-13A
 ↓ 2339 SLEW->HELIO-12A

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 | 0710 63 [D] | 0325 |----- 24 [D] |-----
 |----- 14 [D] |----- | 1435 |-----
 |----- 1910 |----- 65 [D] |----- | 0355 |-----
 HPTXR
 DSN COVERAGE
 32 | 0930 |----- 34 [D] |----- | 0120 |-----
 HPTXR

RTLT : 15h 1m 40s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B029
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=15h 1m 40s
 0000 RTLT=15h 1m 38s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7