

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 11, 1998
162-163

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 19m 30s

↓ 0840 SLEW->HELIO-16B
1200 RTLTL=19h 19m 36s
0000 RTLTL=19h 19m 42s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L -| 0018

FDSSL : 11AF

↓ 2040 SLEW->HELIO-17B

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: N/A

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

HPTXR

DSN COVERAGE

32

HPTXR

----- 15 [D] ----- | 1305
1855 |----- 54 [D] ----- | 0420 |----- 25 [D] -----
0815 |----- 45 [D] ----- | 1955

RTLTL : 15h 1m 26s

1200 RTLTL=15h 1m 26s
0000 RTLTL=15h 1m 26s

VOYAGER 2

↓ 1533 SLEW->HELIO-18A

2134 |----- COMMAND MORATORIUM -----

FDSSL : 11AF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: N/A

ROLLREF = VEGA

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 12, 1998
163-164

SCRAP

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 19m 42s

1200 RTLT=19h 19m 48s

0000 RTLT=19h 19m 54s

VOYAGER 1

↓ 0840 SLEW->HELIO-18B

↓ 2041 SLEW->HELIO-19B

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31

----- 25 [D] ----- | 1250

1755 |

----- 65 [D] -----

0335 | ----- 25 [D] -----

| 0350

DSN COVERAGE HPTXR

32

0810 | --- 45 [D] --- | 1045

1750 | --- 45 [D] --- | 1950

HPTXR

RTLT : 15h 1m 26s

1200 RTLT=15h 1m 28s

0000 RTLT=15h 1m 28s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 1205 GYROS AB ON

↓ 1206 GYRO INIT

↓ 1215 GYRO FAULT TEST

↓ 1533 SLEW->HELIO-17A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 13, 1998
164-165

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 19m 54s

↓ 0841 SLEW->HELIO-20B

1200 RTLT=19h 20m 2s

0000 RTLT=19h 20m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

----- 25 [D] ----- | 1300

1850 |

----- 54 [D] -----

0415 |

----- 25 [D] -----

| 0430

DSN COVERAGE HPTXR

32

0805 |

----- 45 [D] -----

| 0005

HPTXR

RTLT : 15h 1m 28s

1200 RTLT=15h 1m 28s

0000 RTLT=15h 1m 30s

----- COMMAND MORATORIUM -----

| 2104

↓ 1533 SLEW->HELIO-16A

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 14, 1998
165-166

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 20m 8s

1200 RTLT=19h 20m 14s

0000 RTLT=19h 20m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 -----25 [D] ----- | 1240

1845 |-----54 [D]----- | 0410 |-----25 [D]----- | 0425

DSN COVERAGE HPTXR

32 0800 |-----45 [D]----- | 0000

HPTXR

RTLT : 15h 1m 30s

1200 RTLT=15h 1m 30s

0000 RTLT=15h 1m 32s

VOYAGER 2

↓ 1533 SLEW->HELIO-15A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JUNE 15, 1998
166-167

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 20m 20s

1200 RTLT=19h 20m 28s

0000 RTLT=19h 20m 34s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 ----- 25 [D] ----- | 1235

1745 |----- 65 [D] ----- | 0500 |-- 25 [D] ---|

DSN COVERAGE HPTXR

32 0755 |----- 45 [D] ----- | 1045

1740 |----- 45 [D] ----- | 2355

HPTXR

RTLT : 15h 1m 32s

1200 RTLT=15h 1m 32s

0000 RTLT=15h 1m 34s

VOYAGER 2

↓ 1533 SLEW->HELIO-14A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 16, 1998
167-168

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 20m 34s

1200 RTLTL=19h 20m 40s | 0000 RTLTL=19h 20m 48s

VOYAGER 1

1358 | 1359 PWS/RH

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1359
GS-4B 1359

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

31

25 [D]

1245

1735

65 [D]

0455

25 [D]

DSN COVERAGE
HPTXR

32

0755

45 [D]

2105

HPTXR

RTLTL : 15h 1m 34s

1200 RTLTL=15h 1m 36s | 0000 RTLTL=15h 1m 36s

VOYAGER 2

↓ 1306 GYRO INIT
1313 | 1314 PWS/RH

FDSL : 11AF

↓ 1533 SLEW->HELIO-13A

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1313
GS-4B 1314

FDS MODE
XB DATA RATE (MI)

CR-5T

CR-5T

160 (32)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1313 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1359 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 17, 1998
168-169

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 20m 48s

1200 RTLT=19h 20m 54s

0000 RTLT=19h 21m 0s

VOYAGER 1

DUMMY (23:26) 0405 ▼

FDSL : 11AF

U/L 0430 | - |
TLC (SHORT-FORM) | - - - - -

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1245

1745 | - - - - - 65 [D] - - - - - | 0340 | - - - - - 24 [T] - - - - - | 0400

DSN COVERAGE
HPTXR

32 0750 | - - - - - 45 [D] - - - - - | 1645

2125 | - - - - 43 [B] - - - - | 2355

HPTXR

RTLT : 15h 1m 36s

1200 RTLT=15h 1m 38s

0000 RTLT=15h 1m 40s

VOYAGER 2

↓ 1533 SLEW->HELIO-12A

▼ 2152 DUMMY (BRACKETED 5MIN 12:53)

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + - VGR - - + ----- ON CALL ----- + VGR - | - - ON CALL - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 18, 1998
169-170

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 21m 0s

1200 RTLT=19h 21m 8s

0000 RTLT=19h 21m 14s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 0119

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 24 [T] -- | 0850

1745 |

65 [D]

0445 | -- 25 [D] --

| 0330

DSN COVERAGE
HPTXR

32

0905 |

42 [D]

| 1600

1930 |

45 [D]

---| 2145

HPTXR

RTLT : 15h 1m 40s

1200 RTLT=15h 1m 40s

0000 RTLT=15h 1m 42s

VOYAGER 2

↓ 1533 SLEW->HELIO-11A

2201 |

COMMAND MORATORIUM

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 19, 1998
170-171

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 21m 14s

1200 RTLTL=19h 21m 22s

0000 RTLTL=19h 21m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] 1235

1745

65 [D]

0325 25 [D]

0345

DSN COVERAGE
HPTXR

32

45 [D]

0740 - 2340

HPTXR

RTLTL : 15h 1m 42s

1200 RTLTL=15h 1m 44s

0000 RTLTL=15h 1m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

COMMAND MORATORIUM

↓ 1133 SLEW->MIDPNT-2A

↓ 1944 X/B LOW POWER

↓ 1233 BAY 1 HTR OFF

↓ 1948 BAY 1 HTR ON

↓ 1237 X/B HI POWER

↓ 1316 AAI

1319 MAGROL 1914

↓ 1907 RAI

↓ 1914 CRU

↓ 1914 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1319-1914)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 20, 1998
171-172

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 21m 28s

1200 RTLT=19h 21m 36s

0000 RTLT=19h 21m 42s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] -----|1230

1745 |-----

65 [D] -----

0440 |--- 25 [D] ---|0455

DSN COVERAGE
HPTXR

32

45 [D] -----

|0735 - 2335

HPTXR

RTLT : 15h 1m 46s

1200 RTLT=15h 1m 48s

0000 RTLT=15h 1m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

----- COMMAND MORATORIUM -----

|0446

↓ 1333 SLEW->MIDPNT-1A

↓ 1533 SLEW->HELIO-10A

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 21, 1998
172-173

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 21m 42s

1200 RTLT=19h 21m 50s

0000 RTLT=19h 21m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] -----| 1225

1720 |-----

65 [D] -----

0430 |-----

0450

24 [D] -----

DSN COVERAGE
HPTXR

32

45 [D] -----

| 0730 - 1950

HPTXR

RTLT : 15h 1m 50s

1200 RTLT=15h 1m 52s

0000 RTLT=15h 1m 52s

VOYAGER 2

↓ 1533 SLEW->HELIO-9A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
JUNE 23, 1998
174-175

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 22m 12s

1200 RTLTL=19h 22m 20s

0000 RTLTL=19h 22m 28s

VOYAGER 1

----- TLC (SHORT-FORM) ----- | D/L | 2320

FDSL : 11AF

1335 | 1336 PWS/RH

↓ 2142 SLEW->MIDPOINT

0527 | PLSCAL

0527 | MAGCAL

0527 | PESCAL

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1335
GS-4B 1336

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

25 [D]

1220

1810

54 [D]

0220

15 [D]

0240

DSN COVERAGE

HPTXR

32

45 [D]

0725 - 2325

HPTXR

RTLTL : 15h 1m 56s

1200 RTLTL=15h 2m 0s

0000 RTLTL=15h 2m 2s

VOYAGER 2

1249 | 1250 PWS/RH

↓ 1533 SLEW->HELIO-7A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1249
GS-4B 1250

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1249 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 1335 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JUNE 24, 1998
175-176

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 22m 28s

1200 RTLT=19h 22m 34s

0000 RTLT=19h 22m 42s

VOYAGER 1

FDSL : 11AF

0709 PLSCAL

CCSL : A027

MAGCAL | 0829

TWNC : ON

PESCAL - | 0847

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1215

1855 | ----- 65 [D] ----- | 0255 | ----- 15 [D] ----- | 0315

HPTXR

DSN COVERAGE

32

----- 43 [D] ----- | 0715 - 1305

1245 | ----- 42 [o] ----- | 2125

HPTXR

RTLT : 15h 2m 2s

1200 RTLT=15h 2m 4s

0000 RTLT=15h 2m 6s

VOYAGER 2

↓ 1533 SLEW->HELIO-6A

FDSL : 11AF

CCSL : B029

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JUNE 25, 1998
176-177

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 22m 42s

1200 RTLT=19h 22m 50s

0000 RTLT=19h 22m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 15 [D] ----- | 1100

1745 |----- 65 [D] ----- | 0300 |----- 25 [D] ----- | 0320

DSN COVERAGE
HPTXR

32 |----- 43 [D] ----- | 0710 - 1300

1245 |----- 45 [D] ----- | 1945

HPTXR

RTLT : 15h 2m 6s

1200 RTLT=15h 2m 8s

0000 RTLT=15h 2m 10s

VOYAGER 2

↓ 1533 SLEW->HELIO-5A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
JUNE 26, 1998
177-178

SCRAP/A106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 22m 58s

1200 RTLT=19h 23m 6s

0000 RTLT=19h 23m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] ----- | 1205

1855 |----- 65 [D] ----- | 0210

0150 |----- 25 [D] -----

DSN COVERAGE
HPTXR

32

45 [D] ----- | 0710 - 1045

1025 |----- 42 [o] ----- | 2125

HPTXR

RTLT : 15h 2m 10s

1200 RTLT=15h 2m 14s

0000 RTLT=15h 2m 16s

VOYAGER 2

↓ 1533 SLEW->HELIO-4A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JUNE 27, 1998
178-179

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 23m 14s

1200 RTLT=19h 23m 22s

0000 RTLT=19h 23m 30s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

25 [D] ----- | 1205

1655 |

65 [D] -----

0135 |

0155

25 [D] -----

DSN COVERAGE
HPTXR

32

45 [D] -----

0710 - 2310

HPTXR

RTLT : 15h 2m 16s

1200 RTLT=15h 2m 18s

0000 RTLT=15h 2m 22s

VOYAGER 2

↓ 1533 SLEW->HELIO-3A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 06/10/98 - 09:13

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JUNE 28, 1998
179-180

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 23m 30s

1200 RTLT=19h 23m 38s

0000 RTLT=19h 23m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A027
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 25 [D] ----- | 1200

1750 |----- 54 [D] ----- | 0330

DSN COVERAGE
HPTXR

32 |----- 45 [D] ----- | 0705 - 1130

43 [D] 0655 |

1125 |----- 42 [D] ----- | 2140

HPTXR

RTLT : 15h 2m 22s

1200 RTLT=15h 2m 24s

0000 RTLT=15h 2m 26s

VOYAGER 2

↓ 1533 SLEW->HELIO-2A

FDSL : 11AF

CCSL : B029
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7