

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 17, 1998
260-261


UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 52m 40s | 1200 RTLT=19h 52m 52s | 0000 RTLT=19h 53m 4s

VOYAGER 1
FDSSL : 11AF
CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

S/C 31 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: -14.914 sec
ROLLREF = RIGIL KENTAURUS

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)



RTLT : 15h 23m 6s | 1200 RTLT=15h 23m 16s | 0000 RTLT=15h 23m 28s
2230 |----- COMMAND MORATORIUM -----

VOYAGER 2
FDSSL : 11AF
CCSL : B100
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS
FDS CLOCK DRIFT: ADD TO S/C EVENT ERT: 37.278 sec
ROLLREF = VEGA

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 18, 1998
261-262

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 53m 4s

1200 RTLT=19h 53m 14s

0000 RTLT=19h 53m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1400 |----- 63 [D] -----| 1750

1815 |----- 54 [D] -----| 2150

0540 | 34 [D] |

2330 |----- 25 [D] -----| 0600

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1735

0210 |----- 45 [D] -----

HPTXR

RTLT : 15h 23m 28s

1200 RTLT=15h 23m 40s

0000 RTLT=15h 23m 52s

----- COMMAND MORATORIUM -----

VOYAGER 2

↓ 0725 AAI

|----- MAGROL -----| 0728 - 1324

FDSL : 11AF

↓ 1317 RAI

↓ 1324 CRU

↓ 1324 GYROS OFF

CCSL : B100

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- VGR -----|

----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (0728-1324)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 19, 1998
262-263

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 53m 26s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

1200 RTLT=19h 53m 38s 0000 RTLT=19h 53m 50s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 ----- 34 [D] ----- | 1035
 1240 |----- 54 [D] -----| 2145
 2125 |----- 25 [D] -----| 0340
 HPTXR
 DSN COVERAGE
 32 ----- 45 [D] ----- | 1735 0435 |--- 45 [D] ---
 HPTXR

RTLT : 15h 23m 52s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=15h 24m 4s 0000 RTLT=15h 24m 14s

----- COMMAND MORATORIUM -----| 2200

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 20, 1998
263-264

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 53m 50s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

1200 RTLT=19h 54m 2s
 0000 RTLT=19h 54m 14s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

31 1135 |----- 65 [D] -----| 2140 0535 | 34 [D] -
 HPTXR 2120 |----- 25 [D] -----| 0550
 DSN COVERAGE
 32 ----- 45 [D] -----| 1730 0420 |--- 45 [D] ---
 HPTXR

RTLT : 15h 24m 14s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=15h 24m 26s
 0000 RTLT=15h 24m 38s

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 21, 1998
264-265

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 54m 14s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=19h 54m 24s 0000 RTLT=19h 54m 36s

DSN COVERAGE HPTXR

31 ----- 34 [D] ----- | 1030
 1420 | ----- 65 [D] ----- | 2230
 2210 | ----- 25 [D] ----- | 0510
 0450 | --- 34 [D] ---

32 ----- 45 [D] ----- | 1210
 1150 | ----- 34 [o] ----- | 1705
 0500 | --- 45 [D] ---

HPTXR

RTLT : 15h 24m 38s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=15h 24m 50s 0000 RTLT=15h 25m 2s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
 SEPTEMBER 22, 1998
 265-266

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 54m 36s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

1200 RTLTL=19h 54m 48s
 0000 RTLTL=19h 55m 0s

PWS/RH 0504 | 0505

0504
 GS-4B 0505

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31 ----- 34 [D] ----- | 1025
 1630 | -- 54 [D] --- | 1850
 1830 |----- 14 [D] ----- | 0055
 0035 |----- 25 [D] ----- | 0545
 34 [D] 0645 |-----

HPTXR

DSN COVERAGE

32 ----- 45 [D] ----- | 1720
 0110- 0645 |----- 43 [o] ----- |

HPTXR

RTLTL : 15h 25m 2s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=15h 25m 14s
 0000 RTLTL=15h 25m 24s

2303 |----- COMMAND MORATORIUM -----
 0411 | 0412 PWS/RH
 PLSCAL 0549 |-----
 MAGCAL 0549 |-----
 PESCAL 0549 |-----

0412
 GS-4B 0412

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES
 [1] S/C 32=GS-4B @ 0412 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 0504 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 23, 1998
266-267

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 55m 0s

1200 RTLT=19h 55m 10s

0000 RTLT=19h 55m 22s

VOYAGER 1

U/L 0525 | - |
TLC (SHORT-FORM) | - - - -

FDSL : 11AF

▼ 1945 DUMMY (15:40)

CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

34 [D] - - - - | 1020

1230 | - - - - - - - - 65 [D] - - - - - - - - | 1925

0500 | - - 34 [T] - - - -

1920 | - - - - - - - - 14 - - - - - - - - | 0220

HPTXR

DSN COVERAGE

32

45 [D] - - - - - - - - | 1345

1325 | - 34 [D] - - | 1515

45 [D] 0630 | - - - -

1455 | - - - - 43 [D] - - - - | 1725

HPTXR

1200 RTLT=15h 25m 36s

0000 RTLT=15h 25m 48s

RTLT : 15h 25m 24s

COMMAND MORATORIUM

VOYAGER 2

↓ 1359 X/B LOW POWER

↓ 1403 BAY 1 HTR ON

FDSL : 11AF

-- | 0732 PLSCAL

MAGCAL - | 0852

- - PESCAL - - | 0909

CCSL : B100
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - | VGR + - - - - - ON CALL - - - - - | - VGR - + - - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 24, 1998
267-268

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 55m 22s
VOYAGER 1
FDSL : 11AF
CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1200 RTLTL=19h 55m 34s
0000 RTLTL=19h 55m 46s

TLC (SHORT-FORM) D/L 0249

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 34 [T] 1015 1220 54 [D] 1650 2205 15 [D] 0400 34 [D] 0645

HPTXR 1635 65 [D] 2220

DSN COVERAGE HPTXR 32 45 [D] 1715 0600 45 [D]

HPTXR 0100-0620 43 [B]

RTLTL : 15h 25m 48s
VOYAGER 2
FDSL : 11AF
CCSL : B100
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 26m 0s
0000 RTLTL=15h 26m 12s

COMMAND MORATORIUM 2237
DUMMY (BRACKETED 4MIN 16:44) 0118 ▼

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ON CALL VGR

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 25, 1998
268-269

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 55m 46s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=19h 55m 56s 0000 RTLT=19h 56m 8s

DSN COVERAGE

HPTXR 31 ----- 34 [D] ----- | 1010
 1635 |----- 65 [D] ----- | 2125
 2305 |----- 25 [D] ----- | 0320
 0300 |----- 34 [D] -----

HPTXR 32 ----- 45 [D] ----- | 1710
 0450 |----- 45 [D] -----

RTLT : 15h 26m 12s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=15h 26m 24s 0000 RTLT=15h 26m 36s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 26, 1998
269-270

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 56m 8s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=19h 56m 20s 0000 RTLT=19h 56m 30s

DSN COVERAGE HPTXR
 31 ----- 34 [D] ----- | 1010
 1210 |----- 54 [D] -----| 1835
 1945 |----- 25 [D] -----| 0530
 32 ----- 45 [D] ----- | 1705
 0450 |--- 45 [D] ---|

RTLT : 15h 26m 36s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

1200 RTLT=15h 26m 48s 0000 RTLT=15h 27m 0s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 27, 1998
270-271

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 56m 30s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=19h 56m 42s 0000 RTLT=19h 56m 54s

DSN COVERAGE HPTXR

31 ----- 34 [D] ----- | 1005
 1205 |----- 54 [D] ----- | 1645
 1630 |----- 65 [D] ----- | 2115
 2055 |----- 15 [D] ----- | 0525

32 ----- 45 [D] ----- | 1700
 0055 |----- 45 [D] -----

HPTXR

RTLT : 15h 27m 0s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=15h 27m 12s 0000 RTLT=15h 27m 24s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 28, 1998
271-272

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 56m 54s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A028
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=19h 57m 4s 0000 RTLT=19h 57m 16s

31 1215 |----- 54 [D] -----| 2110
 2050 |----- 15 [D] -----| 0545

DSN COVERAGE HPTXR
 32 |----- 45 [D] -----| 1700 0455 |--- 45 [D] ---|

HPTXR

RTLT : 15h 27m 24s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B100
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ON CALL

1200 RTLT=15h 27m 36s 0000 RTLT=15h 27m 48s

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
SEPTEMBER 29, 1998
272-273

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 19h 57m 16s
VOYAGER 1
FDSL : 11AF
CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

1200 RTLTL=19h 57m 28s
0000 RTLTL=19h 57m 38s

▼ 1845 DUMMY (14:43)

U/L 1900 |----- TLC (SHORT-FORM) -----

0441 | 0442 PWS/RH

FDS MODE
XB DATA RATE (MI)

	CR-5T	CR-5T
	160(32)	160(32)

31
1210 |----- 54 [D] ----- | 1840
1820 |----- 14 [T] ----- | 0020
0000 |----- 25 [D] ----- | 0515

DSN COVERAGE HPTXR

32
45 [D] ----- | 1450
1430 |----- 43 [B] ----- | 1700
0445 |----- 45 [D] -----

HPTXR

RTLTL : 15h 27m 48s
VOYAGER 2
FDSL : 11AF
CCSL : B100
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=15h 28m 0s
0000 RTLTL=15h 28m 10s

▼ 1527 DUMMY (BRACKETED 5MIN 06:55)

0349 | 0350 PWS/RH

FDS MODE
XB DATA RATE (MI)

	CR-5T	CR-5T
	160(32)	160(32)

0349
GS-4B 0350

VOYAGER COVERAGE
----- ON CALL ----- | - VGR - | ON CALL | VGR - |----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 0349 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 0441 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 30, 1998
273-274

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 57m 38s

1200 RTLT=19h 57m 50s

0000 RTLT=19h 58m 0s

VOYAGER 1

FDSL : 11AF

----- TLC (SHORT-FORM) -----| D/L -| 1626

CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1155

----- 54 [D] -----

2005 |----- 2025

15 [D] -----

| 0540

DSN COVERAGE
HPTXR

32

45 [D] -----

| 1650

0135 |-----

43 [B] -----

0545 | 34 [D] |

| 0605

HPTXR

1200 RTLT=15h 28m 22s

0000 RTLT=15h 28m 34s

RTLT : 15h 28m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B100
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 1, 1998
274-275

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 58m 0s

1200 RTLT=19h 58m 12s

0000 RTLT=19h 58m 22s

VOYAGER 1

FDSL : 11AF

CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1150

54 [D]

2010

1950

25 [D]

0510

DSN COVERAGE
HPTXR

32

34 [D]

1245

0445

45 [D]

1230

45 [D]

1645

HPTXR

RTLT : 15h 28m 34s

1200 RTLT=15h 28m 46s

0000 RTLT=15h 28m 58s

VOYAGER 2

↓ 1727 BEGIN SEQUENCE B101

FDSL : 11AF

CCSL : B100
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 2, 1998
275-276

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 58m 22s

1200 RTLT=19h 58m 34s

0000 RTLT=19h 58m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A028
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1230 |----- 65 [D] -----| 2020

2345 |----- 15 [D] -----| 0530

DSN COVERAGE
HPTXR

32

45 [D] -----| 1640

0440 |--- 45 [D] ---|

HPTXR

RTLT : 15h 28m 58s

1200 RTLT=15h 29m 10s

0000 RTLT=15h 29m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B101
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 3, 1998
276-277

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 58m 44s

1200 RTLT=19h 58m 56s

0000 RTLT=19h 59m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A028

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1145 |-----54 [D]-----

1840

0540 | 34 [D] -

1820 |-----25 [D]-----

| 0500

DSN COVERAGE
HPTXR

32

45 [D]-----| 1640

0435 |---45 [D]---

0050 |-----34 [D]-----

| 0455

HPTXR

RTLT : 15h 29m 22s

1200 RTLT=15h 29m 34s

0000 RTLT=15h 29m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B101

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 09/15/98 - 10:40

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 4, 1998
277-278

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 19h 59m 6s

1200 RTLT=19h 59m 18s

0000 RTLT=19h 59m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A028

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

HPTXR

DSN COVERAGE

32

HPTXR

RTLT : 15h 29m 46s

1200 RTLT=15h 29m 58s

0000 RTLT=15h 30m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B101

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7