


ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 19, 1999
078-079

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 20h 15m 28s

1200 RTLTL=20h 15m 26s

0000 RTLTL=20h 15m 24s

VOYAGER 1

1200 | - | U/L

TLC SHORT-FORM

FDSL : 11AF

↓ 1408 SLEW->HELIO-11C

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1015 | - - - - - 14 [T] - - - - - | 1445

0200 | - - - - - 63 [D] - - - - - | 0630

25 [D] 0725 | - - -

DSN COVERAGE
HPTXR

32

1410 | - - - - - 34 [o] - - - - - | 0155

HPTXR

RTLTL : 15h 59m 16s

1200 RTLTL=15h 59m 12s

0000 RTLTL=15h 59m 8s

COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 20, 1999
079-080

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 24s

1200 RTLT=20h 15m 22s

0000 RTLT=20h 15m 20s

VOYAGER 1

↓ 1408 SLEW->MIDPNT-C

FDSL : 11AF

---| TLC SHORT-FORM
| D/L -| 0943

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 25 [D] ----- | 1540

2315 |----- 63 [D] -----| 0315

DSN COVERAGE
HPTXR

1910 |----- 34 [o] -----| 0210

HPTXR

RTLT : 15h 59m 8s

1200 RTLT=15h 59m 6s

0000 RTLT=15h 59m 2s

---| 0855 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 21, 1999
080-081

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 20s

1200 RTLT=20h 15m 18s

0000 RTLT=20h 15m 16s

VOYAGER 1

↓ 1341 SLEW->HELIO-10C

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 1200 |----- 25 [D] -----| 1750 2310 |----- 63 [D] -----| 0645 | 14 [D] | 0645

DSN COVERAGE HPTXR

32 1600 |----- 43 [D] -----| 2015 1945 |----- 34 [o] -----| 0525

HPTXR

RTLT : 15h 59m 2s

1200 RTLT=15h 58m 58s

0000 RTLT=15h 58m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 22, 1999
081-082

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 16s

1200 RTLT=20h 15m 14s

0000 RTLT=20h 15m 12s

VOYAGER 1

↓ 1408 SLEW->HELIO-9C

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 14 [D] ----- 1415

0040 |----- 54 [D] -----| 0525

DSN COVERAGE
HPTXR

32 1355 |----- 43 [B] -----| 2225

HPTXR

RTLT : 15h 58m 56s

1200 RTLT=15h 58m 52s

0000 RTLT=15h 58m 48s

VOYAGER 2

▼ 2137 DUMMY (BRACKETED 5MIN NO D/L)

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR - +----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 23, 1999
082-083

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 20h 15m 12s

1200 RTLTL=20h 15m 12s

0000 RTLTL=20h 15m 10s

VOYAGER 1

FDSL : 11AF

1200 | U/L

TLC SHORT-FORM

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1408 SLEW->HELIO-8C

1850 | 1851 PWS/RH

1902 | DTR MAINT

0026

0030 | 0032 TAPPOS

1850
GS-4B 1851

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

31

1030 | 14 [T,3] | 1430

0640 | 14 [D] |

DSN COVERAGE
HPTXR

32

1500 | 34 [o] | 0420

HPTXR

RTLTL : 15h 58m 48s

1200 RTLTL=15h 58m 46s

0000 RTLTL=15h 58m 42s

VOYAGER 2

FDSL : 11AF

1804 | 1805 PWS/RH

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

1804
GS-4B 1805

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

- [1] S/C 32=GS-4B @ 1804 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1850 XB=2.8K(41) NOT RECOVERABLE
- [3] ETX TEST

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 24, 1999
083-084

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 10s

1200 RTLT=20h 15m 8s

0000 RTLT=20h 15m 6s

VOYAGER 1

↓ 1408 SLEW->HELIO-7C

▼ 0130 DUMMY (NO D/L)

FDSL : 11AF

---| TLC SHORT-FORM
| D/L | 0940

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----14 [D]-----| 1435

0050 |-----54-----

DSN COVERAGE
HPTXR

32

1430 |-----34 [D]-----| 1855

1835 |-----43 [D]-----| 0520

HPTXR

RTLT : 15h 58m 42s

1200 RTLT=15h 58m 38s

0000 RTLT=15h 58m 36s

VOYAGER 2

-----COMMAND MORATORIUM-----

↓ 0151 X/B LOW POWER

↓ 0155 BAY 1 HTR ON

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

| - VGR - |

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 25, 1999
084-085

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 6s

1200 RTLT=20h 15m 4s

0000 RTLT=20h 15m 2s

VOYAGER 1

FDSL : 11AF

1315 | U/L

TLC SHORT-FORM

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 1408 SLEW->HELIO-6C

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---54---|0940

0935 |-----14 [T]-----|1415

0000 |-----63 [D]-----|0645

DSN COVERAGE
HPTXR

32

1730 |---43 [D]---|2005

1935 |-----34 [o]-----|0505

HPTXR

RTLT : 15h 58m 36s

1200 RTLT=15h 58m 32s

0000 RTLT=15h 58m 28s

COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 26, 1999
085-086

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 20h 15m 2s

1200 RTLTL=20h 15m 2s

0000 RTLTL=20h 15m 0s

VOYAGER 1

↓ 1408 SLEW->HELIO-5C

FDSL : 11AF

-----| TLC SHORT-FORM
| D/L -| 1100

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

0945 |----- 14 [D] -----| 1350

2045 | - 34 [D] - | 2220

0100 |----- 63 -----| 0645

DSN COVERAGE
HPTXR

32

1825 |----- 43 [D] -----| 0220

0200 |----- 34 [o] -----| 0505

HPTXR

RTLTL : 15h 58m 28s

1200 RTLTL=15h 58m 24s

0000 RTLTL=15h 58m 22s

-----| 0957 COMMAND MORATORIUM

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 27, 1999
086-087

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 15m 0s

1200 RTLT=20h 14m 58s

0000 RTLT=20h 14m 56s

VOYAGER 1

↓ 1408 SLEW->HELIO-4C

FDSL : 11AF

CCSL : A030

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1055 |----- 14 [D] -----| 1545

0045 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32

1805 |----- 34 [o] -----|

0500

HPTXR

RTLT : 15h 58m 22s

1200 RTLT=15h 58m 18s

0000 RTLT=15h 58m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B103

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 28, 1999
087-088

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 14m 56s

1200 RTLT=20h 14m 54s

0000 RTLT=20h 14m 54s

VOYAGER 1

↓ 1408 SLEW->HELIO-3C

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 63 [D] ----- | 1055
1035 |----- 15 [D] ----- | 1800

DSN COVERAGE
HPTXR

32 1455 |----- 43 [D] ----- | 1955
2305 |----- 45 [D] ----- | 0515

HPTXR

RTLT : 15h 58m 14s

1200 RTLT=15h 58m 10s

0000 RTLT=15h 58m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 29, 1999
088-089

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 14m 54s

1200 RTLT=20h 14m 52s

0000 RTLT=20h 14m 50s

VOYAGER 1

↓ 1408 SLEW->HELIO-2C

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0905 |----- 24 [D] -----| 1500

2240 |----- 63 [D] -----| 0545

DSN COVERAGE
HPTXR

32 1655 |----- 34 [O] -----| 2320

2300 |----- 45 [D] -----| 0255

HPTXR

RTLT : 15h 58m 8s

1200 RTLT=15h 58m 4s

0000 RTLT=15h 58m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 31, 1999
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 20h 14m 48s

1200 RTLTL=20h 14m 46s

0000 RTLTL=20h 14m 46s

VOYAGER 1

FDSL : 11AF

-----| TLC SHORT-FORM
| -D/L - | 1055

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1041 | PLSCAL - | 1223
1041 | --- MAGCAL --- | 1343
1041 | --- PESCAL --- | 1401

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1000 |-----| 15 [D] -----| 1750

0020 |-----| 65 [D] -----| 0505

DSN COVERAGE
HPTXR

32

1820 |-----| 34 [o] -----| 0445

HPTXR

RTLTL : 15h 57m 52s

1200 RTLTL=15h 57m 50s

0000 RTLTL=15h 57m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 1, 1999
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 14m 46s

1200 RTLT=20h 14m 44s

0000 RTLT=20h 14m 42s

VOYAGER 1

▼ 1500 DUMMY NO D/L)

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0940 |-----24-----| 1515

0045- 0715 |-----63 [D]-----|

DSN COVERAGE
HPTXR

32

1830 |-----34 [D]-----| 2245

2255 |-----45 [D]-----| 0250

HPTXR

RTLT : 15h 57m 46s

1200 RTLT=15h 57m 42s

0000 RTLT=15h 57m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----| VGR - |----- ON CALL -----|

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 2, 1999
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 14m 42s

1200 RTLT=20h 14m 42s

0000 RTLT=20h 14m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1210 |----- 24 [D] -----| 1515

1805 |----- 34 [D] -----| 2150

DSN COVERAGE
HPTXR

32

1755 |----- 42 [D] -----| 2310

2250 |----- 34 [o] -----| 0435

HPTXR

RTLT : 15h 57m 38s

1200 RTLT=15h 57m 34s

0000 RTLT=15h 57m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 3, 1999
093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 20h 14m 40s

1200 RTLT=20h 14m 40s

0000 RTLT=20h 14m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1445 | --- 25 [D] --- | 1715

2220 - 0715 | ----- 63 [D] ----- | 0645 | 24 [D] |

HPTXR

DSN COVERAGE

32

1300 | ----- 43 [B] ----- | 2345

2335 | ----- 42 [o] ----- | 0330

HPTXR

RTLT : 15h 57m 32s

1200 RTLT=15h 57m 28s

0000 RTLT=15h 57m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/17/99 - 07:05

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 4, 1999
094-095

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 20h 14m 38s

1200 RTLT=20h 14m 38s

0000 RTLT=20h 14m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A030
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 24 [D] ----- | 1710

2215 |

----- 63 [D] -----

HPTXR
DSN COVERAGE

32

1645 |

----- 34 [D] ----- | 2155

0140 |

----- 34 [D] ----- | 0430

HPTXR

RTLT : 15h 57m 24s

1200 RTLT=15h 57m 20s

0000 RTLT=15h 57m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B103
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7