

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
FEBRUARY 24, 2000
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 17m 14s

1200 RTLT=21h 17m 12s

0000 RTLT=21h 17m 10s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -18.420 sec

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 0800 65 [D]

0905 |----- 15 [D] -----| 1545

0140 - 0755 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1510 |----- 43 [o] -----| 2355

HPTXR

RTLT : 16h 52m 4s

1200 RTLT=16h 52m 2s

0000 RTLT=16h 52m 2s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -19.845 sec

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
FEBRUARY 25, 2000
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 17m 10s

1200 RTLT=21h 17m 8s

0000 RTLT=21h 17m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 0900 |----- 15 [D] -----| 1345

0050 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32 1520 |----- 45 [D] -----| 0035

0030 - 0735 |----- 43 [o] -----|

HPTXR

RTLT : 16h 52m 2s

1200 RTLT=16h 52m 0s

0000 RTLT=16h 51m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
FEBRUARY 26, 2000
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 17m 6s

1200 RTLTL=21h 17m 4s

0000 RTLTL=21h 17m 0s

VOYAGER 1

↓ 1039 SLEW->HELIO-1B

↓ 2239 SLEW->HELIO-2B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0830 63 [D]

14 [D]

0825 - 1925

0050

63 [D]

DSN COVERAGE

HPTXR

32

1520

43 [o]

0105

HPTXR

RTLTL : 16h 51m 58s

1200 RTLTL=16h 51m 56s

0000 RTLTL=16h 51m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
FEBRUARY 27, 2000
058-059

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 17m 0s

1200 RTLT=21h 16m 58s

0000 RTLT=21h 16m 56s

VOYAGER 1

↓ 1039 SLEW->HELIO-3B

↓ 2239 SLEW->HELIO-4B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 63 [D] 0915 1000 |----- 14 [D] -----| 1615 0130 - 0750 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32 1510 |----- 45 [D] -----| 1910

HPTXR

RTLT : 16h 51m 54s

1200 RTLT=16h 51m 52s

0000 RTLT=16h 51m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
FEBRUARY 28, 2000
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 56s

1200 RTLT=21h 16m 54s

0000 RTLT=21h 16m 52s

VOYAGER 1

↓ 1039 SLEW->HELIO-5B

↓ 2239 SLEW->HELIO-6B

FDSL : 11AF

▼ 1745 DUMMY (15:01)

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0940 |----- 14 -----| 1850

0225 |--- 54 [D] ---| 0425

DSN COVERAGE
HPTXR

32

1455 |----- 43 [D] -----| 2045

HPTXR

RTLT : 16h 51m 50s

1200 RTLT=16h 51m 50s

0000 RTLT=16h 51m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

| - - VGR - - |


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 1, 2000
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 48s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

↓ 1039 SLEW->HELIO-9B

1200 | PLSCAL | 1342
1200 | --- MAGCAL --- | 1502
1200 | --- PESCAL --- | 1520

↓ 2239 SLEW->HELIO-10B

U/L 1515 | - | - - - - - TLC (SHORT-FORM) - - - - -

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1145 | - - - - - 14 [T] - - - - - | 1600

0030 | - - - - - 63 [D] - - - - - | 0645

DSN COVERAGE
HPTXR

32

1600 | - - - - - 43 [D] - - - - - | 2330

0530 | - 45 [D] - | 0700

HPTXR

RTLT : 16h 51m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=16h 51m 42s

0000 RTLT=16h 51m 40s

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 2, 2000
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 44s

1200 RTLT=21h 16m 42s

0000 RTLT=21h 16m 38s

VOYAGER 1

↓ 1039 SLEW->MIDPNT-B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

----- TLC (SHORT-FORM) ----- | D/L - | 1400

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |----- 15 [D] -----| 0835 - 1545

0030 |----- 63 [D] -----| 0645

DSN COVERAGE
HPTXR

32 |----- 1655 |----- 34 [D] -----| 2115

HPTXR

RTLT : 16h 51m 40s

1200 RTLT=16h 51m 38s

0000 RTLT=16h 51m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 3, 2000
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 38s

1200 RTLT=21h 16m 36s

0000 RTLT=21h 16m 34s

VOYAGER 1

↓ 1039 SLEW->HELIO-11B

↓ 2239 SLEW->HELIO-12B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0900 |----- 24 [D] -----| 1425

0025 |----- 63 [D] -----|

DSN COVERAGE
HPTXR

32 1615 |----- 43 [B] -----| 2345

HPTXR

RTLT : 16h 51m 34s

1200 RTLT=16h 51m 32s

0000 RTLT=16h 51m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

▼ 2242 DUMMY (5MIN BRACKETED 15:34)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 4, 2000
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 34s

1200 RTLT=21h 16m 32s

0000 RTLT=21h 16m 30s

VOYAGER 1

↓ 1039 SLEW->HELIO-13B

↓ 2239 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

--| 0825 63 [D]

0020 |----- 63 [D] -----

0900 |----- 24 [D] -----| 1400

DSN COVERAGE
HPTXR

32

1445 |----- 45 [D] -----| 2245

HPTXR

RTLT : 16h 51m 30s

1200 RTLT=16h 51m 28s

0000 RTLT=16h 51m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 5, 2000
065-066

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 16m 30s

1200 RTLTL=21h 16m 28s

0000 RTLTL=21h 16m 26s

VOYAGER 1

↓ 1039 SLEW->HELIO-15B

↓ 2239 SLEW->HELIO-16B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0825 63 [D]

0120 - 0755

63 [D]

----- 15 [D] -----

0825 - 1930

DSN COVERAGE
HPTXR

32

1645

43 [D]

2315

HPTXR

RTLTL : 16h 51m 26s

1200 RTLTL=16h 51m 24s

0000 RTLTL=16h 51m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 6, 2000
066-067

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 26s

1200 RTLT=21h 16m 24s

0000 RTLT=21h 16m 22s

VOYAGER 1

↓ 1039 SLEW->HELIO-17B

↓ 2239 SLEW->HELIO-18B

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 25 [D] -----

0835 - 1920

0245

----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1545

----- 34 [D] -----

1955

HPTXR

RTLT : 16h 51m 22s

1200 RTLT=16h 51m 18s

0000 RTLT=16h 51m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY MARCH 7, 2000 067-068	
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	
RTLT : 21h 16m 22s VOYAGER 1 FDSL : 11AF CCSL : A034 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS :	1200 RTLT=21h 16m 20s ↓ 1039 SLEW->HELIO-19B 1944 1945 PWS/RH ↓ 2239 SLEW->HELIO-20B 1944 GS-4B 1945
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
31 HPTXR DSN COVERAGE 32 HPTXR	0815 63 [D] 0925 ----- 24 [D] ----- 1325 0010 ----- 63 [D] ----- 0415 1425 ----- 43 [B] ----- 2345
RTLT : 16h 51m 16s VOYAGER 2 FDSL : 11AF CCSL : B106 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF	1200 RTLT=16h 51m 14s 0000 RTLT=16h 51m 12s 0132 ----- COMMAND MORATORIUM ----- 1854 1855 PWS/RH 2008 PLSCAL - 2150 2008 --- MAGCAL --- 2310 2008 --- PESCAL --- 2328 1906 --- 2016 TAPPOS ▼ 2237 DUMMY (5 MIN BRACKETED 15:29) 1854 GS-4B 1855
FDS MODE XB DATA RATE (MI)	CR-5T 160(32)
VOYAGER COVERAGE	----- ON CALL ----- + -- VGR -- + ----- ON CALL -----
NOTES	[1] S/C 32=GS-4B @ 1854 XB=2.8K(41) NOT RECOVERABLE [2] S/C 31=GS-4B @ 1944 XB=2.8K(41) NOT RECOVERABLE
UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8	

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 8, 2000
068-069

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 18s

1200 RTLT=21h 16m 14s

0000 RTLT=21h 16m 12s

SLEW->HELIO-19A 0608 ↓

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 |-----15 [D]-----| 0815 - 1300

0005 |-----63 [D]-----| 0545

DSN COVERAGE HPTXR

32 |-----1420-----| 43 [D]-----| 0205

HPTXR

1200 RTLT=16h 51m 8s

0000 RTLT=16h 51m 6s

RTLT : 16h 51m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

-----COMMAND MORATORIUM-----
↓ 1754 BAY 1 HTR OFF
↓ 1758 X/B HI POWER
↓ 1854 YAW=.05

↓ 0152 YAW=.10

1902 |-----PWPSPB-----| 0138

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

1902

PB-14
1.4K(39)

0138

CR-5T
160(32)

VOYAGER COVERAGE

-----ON CALL-----+-----VGR-----+-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 9, 2000
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 12s

1200 RTLT=21h 16m 10s

0000 RTLT=21h 16m 8s

VOYAGER 1

↓ 1808 SLEW->HELIO-18A

SLEW->HELIO-17A 0608 ↓

FDSL : 11AF

▼ 0030 DUMMY

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

U/L 0245 | - | - - - TLC (SHORT-FORM) - - - -

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 0810 - 1815

0000 | ----- 63 [T] ----- | 0415

DSN COVERAGE
HPTXR

32

1425 | --- 45 [D] --- | 1655
1635 | - 34 [D] - - | 1825

HPTXR

RTLT : 16h 51m 6s

1200 RTLT=16h 51m 4s

0000 RTLT=16h 51m 2s

VOYAGER 2

----- COMMAND MORATORIUM -----

↓ 1747 GYROS BC ON

↓ 1748 GYRO INIT

↓ 1757 GYRO FAULT TEST

FDSL : 11AF

1726 || 1733 TAPPOS

CCSL : B106

1849 || 1853 CCSTIM (B)

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR + ----- ON CALL ----- | VGR - | ----- ON CALL ----- |

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 10, 2000
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 8s

1200 RTLT=21h 16m 6s

0000 RTLT=21h 16m 4s

VOYAGER 1

↓ 1808 SLEW->HELIO-16A

SLEW->HELIO-15A 0608 ↓

FDSL : 11AF

CCSL : A034

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS :

TLC (SHORT-FORM)

† D/L † 0130

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

15 [D]

0805 - 1430

2355

63 [D]

DSN COVERAGE

HPTXR

32

1415

43 [D]

1950

HPTXR

RTLT : 16h 51m 2s

1200 RTLT=16h 50m 58s

0000 RTLT=16h 50m 56s

VOYAGER 2

COMMAND MORATORIUM

0056

FDSL : 11AF

CCSL : B106

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 11, 2000
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 16m 4s

1200 RTLT=21h 16m 2s

0000 RTLT=21h 16m 0s

VOYAGER 1

↓ 1808 SLEW->HELIO-14A

SLEW->HELIO-13A 0608 ↓

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0810 63 [D] | 2355 | ----- 63 [D] -----

| ----- 24 [D] ----- | 0830 - 1245

DSN COVERAGE
HPTXR

32 | 1420 | ----- 45 [D] ----- | 1820

HPTXR

RTLT : 16h 50m 56s

1200 RTLT=16h 50m 52s

0000 RTLT=16h 50m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/23/00 - 07:19

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 12, 2000
072-073

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 16m 0s

1200 RTLTL=21h 15m 58s

0000 RTLTL=21h 15m 56s

VOYAGER 1

↓ 1808 SLEW->HELIO-12A

SLEW->HELIO-11A 0608 ↓

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS :

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 0805 63 [D]

|----- 24 [D] -----| 0825 - 1345

2350 |----- 63 [D] -----| 0410

DSN COVERAGE
HPTXR

32

1435 |----- 34 [D] -----| 1835

HPTXR

RTLTL : 16h 50m 50s

1200 RTLTL=16h 50m 48s

0000 RTLTL=16h 50m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B106
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8