

ISSUE DATE: 03/29/00 - 07:53

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 30, 2000
090-091

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 21h 14m 56s

1200 RTLTL=21h 14m 54s

0000 RTLTL=21h 14m 52s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -18.524 sec

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1545

2240 | ----- 63 [D] ----- | 0655 | 25 [D] | 0655

HPTXR
DSN COVERAGE

32

1325 | ----- 34 [D] ----- | 1745

HPTXR

RTLTL : 16h 48m 56s

1200 RTLTL=16h 48m 52s

0000 RTLTL=16h 48m 48s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -23.795 sec

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/00 - 07:53

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 31, 2000
091-092

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 52s

1200 RTLT=21h 14m 52s

0000 RTLT=21h 14m 50s

VOYAGER 1

FDSL : 11AF

U/L 0200 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 - - - - - 25 [D] - - - - - | 1545

2235 | - - - - - 63 [T] - - - - - | 0640 | 15 [D] -
0650

DSN COVERAGE HPTXR

32 1800 | - - - - - 45 [D] - - - - - | 2205

HPTXR

RTLT : 16h 48m 48s

1200 RTLT=16h 48m 46s

0000 RTLT=16h 48m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/00 - 07:53

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 1, 2000
092-093

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 21h 14m 50s

1200 RTLT=21h 14m 48s

0000 RTLT=21h 14m 48s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -|0045

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

15 [D]

1745

2315

65 [D]

0340

0635

15 [D]

DSN COVERAGE

HPTXR

32

1255

45 [D]

0145

HPTXR

RTLT : 16h 48m 42s

1200 RTLT=16h 48m 38s

0000 RTLT=16h 48m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/29/00 - 07:53

PST: 0 1 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 2, 2000
093-094

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 48s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A034
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=21h 14m 46s 0000 RTLT=21h 14m 46s

31 ----- 15 [D] ----- | 1200 2225 - 0640 | ----- 63 (D) ----- | 15 [D] 0630 |

HPTXR

DSN COVERAGE 1415 | ----- 43 [o] ----- | 2305

HPTXR

RTLT : 16h 48m 34s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=16h 48m 32s 0000 RTLT=16h 48m 28s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 3, 2000
094-095

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 46s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A034
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=21h 14m 44s 0000 RTLT=21h 14m 44s

31 ----- 15 [D] ----- 1225 2220 |----- 63 [D] ----- | 0320 15 [D] 0625 |-----

DSN COVERAGE HPTXR

32 1310 |----- 34 [D] ----- | 1745

HPTXR

RTLT : 16h 48m 28s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160 (32)

1200 RTLT=16h 48m 24s 0000 RTLT=16h 48m 20s

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 4, 2000
095-096

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 14m 44s

1200 RTLTL=21h 14m 42s

0000 RTLTL=21h 14m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1807 | 1808 PWS/RH

▼ 0130 DUMMY (22:44)

▼ 0134 EL-40 (22:49)

▼ 0149 CCSL A035 (23:03)

▼ 0229 CR-5T (23:44)

1808
GS-4B 1808

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

----- 15 [D] ----- | 1325

2220 |----- 63 ----- | 0545

DSN COVERAGE
HPTXR

32

1250 |----- 45 [D] ----- | 1625

1800 |----- 43 [B] ----- | 2200

HPTXR

RTLTL : 16h 48m 20s

1200 RTLTL=16h 48m 16s

0000 RTLTL=16h 48m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1717 | 1718 PWS/RH

1831 | PLSCAL - | 2013
1831 |----- MAGCAL ----- | 2133
1831 |----- PESCAL ----- | 2151

▼ 2017 DUMMY (BRACKETED 5 MIN 13:06)

1717
GS-4B 1718

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR + ----- ON CALL ----- + VGR + ----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1717 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1808 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 5, 2000
096-097

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 40s

1200 RTLT=21h 14m 40s

0000 RTLT=21h 14m 40s

VOYAGER 1

* 2318 || 2323 CCS CHKSUM

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

* 2250 2345 *

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

EL-40
40(30)

CR-5T
160(32)

31 0805 |----- 15 [D] -----| 1730 2215 |----- 63 [D] -----| 0545 15 [D] 0620 |---

DSN COVERAGE HPTXR

32 1300 |----- 34 [D] -----| 1710

HPTXR

RTLT : 16h 48m 14s

1200 RTLT=16h 48m 10s

0000 RTLT=16h 48m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- |--- VGR ---| ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 6, 2000
097-098

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 40s

1200 RTLT=21h 14m 38s

0000 RTLT=21h 14m 38s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1445

2210 - 0625 | ----- 63 [D] ----- | 25 [D] 0630 |

HPTXR

DSN COVERAGE

32

1255 | ----- 34 [D] ----- | 1855

HPTXR

RTLT : 16h 48m 6s

1200 RTLT=16h 48m 2s

0000 RTLT=16h 48m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 7, 2000
098-099

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 38s

1200 RTLT=21h 14m 36s

0000 RTLT=21h 14m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 25 [D] ----- | 1445

2250 - 0630 | ----- 65 [D] ----- | 15 [D] 0610 |

DSN COVERAGE HPTXR

32 1250 | ----- 34 [D] ----- | 1830

HPTXR

RTLT : 16h 48m 0s

1200 RTLT=16h 47m 56s

0000 RTLT=16h 47m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 8, 2000
099-100

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 36s

1200 RTLT=21h 14m 34s

0000 RTLT=21h 14m 34s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1635

2200 - 0615 | ----- 63 [D] ----- | 24 [D] 0635 |

DSN COVERAGE
HPTXR

32

1230 | ----- 45 [D] ----- | 1700

0030 | ----- 45 [D] ----- | 0435

HPTXR

RTLT : 16h 47m 52s

1200 RTLT=16h 47m 48s

0000 RTLT=16h 47m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 9, 2000
100-101

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 34s

1200 RTLT=21h 14m 34s

0000 RTLT=21h 14m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ----- 24 [D] ----- | 1315

0245- 0635 |----- 15 [D] 0610 |-----
65 [D] ----- |

2200 |----- 63 [D] ----- | 0305

DSN COVERAGE HPTXR

32 1245 |----- 34 [D] ----- | 1845

HPTXR

RTLT : 16h 47m 44s

1200 RTLT=16h 47m 42s

0000 RTLT=16h 47m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

↓ 0206 BML - CST CNANGL U/D

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
APRIL 10, 2000
101-102

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 32s

1200 RTLT=21h 14m 32s

0000 RTLT=21h 14m 32s

VOYAGER 1

↓ 1947 BEGIN SEQUENCE A035

FDSL : 11AF

CCSL : A034
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 ----- 15 [D] ----- | 1350

2155 - 0615 | ----- 63 [D] ----- | 0600 | 15 [D]

DSN COVERAGE HPTXR

32 ----- 1210 | ----- 43 [D] ----- | 2145

HPTXR

RTLT : 16h 47m 38s

1200 RTLT=16h 47m 34s

0000 RTLT=16h 47m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
APRIL 11, 2000
102-103

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 14m 32s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A035
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=21h 14m 30s
 0000 RTLTL=21h 14m 30s

1743 | 1744 PWS/RH
 0114 | 0128 FDS MRO

U/L 0205 | - - - TLC (SHORT-FORM) - - -
 ↓ 0030 RESTORE FAILED FDS LOC

▼ 0145 DUMMY (22:59)

1743 GS-4B 1744
 0101 EH-12 0128

FDS MODE	CR-5T	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)	160(32)

DSN COVERAGE

31 ----- 15 [D] ----- | 1435
 2150 | ----- 63 [T] ----- | 0300
 24 [D] 0645 |

HPTXR

32 1545 | ----- 34 [D] ----- | 2005

HPTXR

RTLTL : 16h 47m 30s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=16h 47m 28s
 0000 RTLTL=16h 47m 24s

1652 | 1653 PWS/RH
 1704 | ----- DTR MAINT ----- | 2230

2232 | - - - TAPPOS - - - | 0106

1653 GS-4B 1653

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE ----- ON CALL ----- | - - - VGR - - - | ----- ON CALL ----- |

NOTES

[1] S/C 32=GS-4B @ 1653 XB=2.8K(41) NOT RECOVERABLE
 [2] S/C 31=GS-4B @ 1743 XB=2.8K(41) NOT RECOVERABLE
 [3] S/C 31 = EH-12 @ 0101 XB=1.2Kbps (MI=39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
APRIL 12, 2000
103-104

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 30s

1200 RTLT=21h 14m 30s

0000 RTLT=21h 14m 30s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L - 0048

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

24 [D] 1245

2145- 0610

63 [D]

0550 15 [D]

DSN COVERAGE
HPTXR

32

1355 43 [B] 2135

HPTXR

RTLT : 16h 47m 24s

1200 RTLT=16h 47m 20s

0000 RTLT=16h 47m 16s

VOYAGER 2

FDSL : 11AF

▼ 1952 DUMMY (5 MIN BRACKETED 12:40)

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

VGR

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
APRIL 13, 2000
104-105

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 30s

1200 RTLT=21h 14m 30s

0000 RTLT=21h 14m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A035

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 15 [D] ----- | 1445

2140 | ----- 63 [D] ----- | 0545

HPTXR

DSN COVERAGE

32

1230 | ----- 34 [D] ----- | 1945

HPTXR

RTLT : 16h 47m 16s

1200 RTLT=16h 47m 14s

0000 RTLT=16h 47m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B107

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
APRIL 14, 2000
105-106

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 28s

1200 RTLT=21h 14m 28s

0000 RTLT=21h 14m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A035
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2140 |-----63 [D]-----| 0250 0545 | 15 [D] |

DSN COVERAGE HPTXR

32

1205 |-----45 [D]-----| 1605

HPTXR

RTLT : 16h 47m 10s

1200 RTLT=16h 47m 6s

0000 RTLT=16h 47m 2s

VOYAGER 2

FDSL : 11AF

CCSL : B107
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
APRIL 15, 2000
106-107

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 28s

1200 RTLT=21h 14m 28s

0000 RTLT=21h 14m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A035

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----15 [D]-----|1650

2135 |-----63 [D]-----|0555 |25 [D] |0600

DSN COVERAGE
HPTXR

32

1200 |-----45 [D]-----|0145

HPTXR

RTLT : 16h 47m 2s

1200 RTLT=16h 47m 0s

0000 RTLT=16h 46m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B107

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 03/29/00 - 07:53

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
APRIL 16, 2000
107-108

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 14m 28s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A035
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=21h 14m 28s
 0000 RTLT=21h 14m 28s

↓ 1938 SLEW->HELIO-1A

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

31 ----- 25 [D] ----- | 1355
 2130 |----- 63 [D] ----- | 0245
 0225 - 0610 |----- 65 [D] ----- |

HPTXR
 DSN COVERAGE
 32
 1725 |----- 45 [D] ----- | 0135
 HPTXR

RTLT : 16h 46m 56s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B107
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLT=16h 46m 52s
 0000 RTLT=16h 46m 48s

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7