

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 17, 2000
230-231

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 40m 24s

1200 RTLT=21h 40m 36s

0000 RTLT=21h 40m 46s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 31 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -19.434 sec

ROLLREF = RIGIL
KENTAURUS

↓ 1629 BAY 1 HTR OFF
↓ 1633 X/B HI POWER

↓ 0015 YAW=.05

0025 - 0651 |----- PWSPB -----|

2251 | 2253 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

0025

PB-14
1.4K(39)

0651
CR-5T

31 | 0715 14 [D]
25 [D] | 0805

2330 |----- 14 [D] -----|

HPTXR

1600 |----- 63 [D] -----| 2315

DSN COVERAGE

32 |----- 45 [D] -----| 1400

1745 | - 34 [o] - - | 1930

0335 |----- 45 [D] -----|

HPTXR

1200 RTLT=16h 54m 36s

0000 RTLT=16h 54m 46s

RTLT : 16h 54m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

S/C 32 STATUS

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -38.894 sec

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL ----- |----- VGR -----|

NOTES

[1] S/C 31=PB-14 @ 0651 XB=1.4K(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 18, 2000
231-232

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 40m 46s

1200 RTLTL=21h 40m 58s

0000 RTLTL=21h 41m 10s

VOYAGER 1

0701 YAW=-.10

2231 YAW=.05

YAW=-.10 0638

FDSL : 11AF

1651 TAPPOS 1814

2242-0628 PWSPB

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

2242

PB-14
1.4K(39)

0628
CR-5T

31 0735 14 [D]

2120

14 [D]

1640 65 [D] 2140

DSN COVERAGE
HPTXR

32 45 [D] 0825 1100

45 [D] 1940

HPTXR

1200 RTLTL=16h 54m 54s

0000 RTLTL=16h 55m 4s

RTLTL : 16h 54m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

VGR

ON CALL

VGR

NOTES

[1] S/C 31=PB-14 @ 0628 XB=1.4K(39)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 19, 2000
232-233

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 41m 10s

1200 RTLTL=21h 41m 22s

0000 RTLTL=21h 41m 34s

VOYAGER 1

FDSL : 11AF

1402 | 1402 TAPPOS

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0725 14 [D]

1350 | ----- 63 [D] ----- | 1645

0030 | ----- 15 [D] -----

HPTXR

1940 | ----- 54 [D] ----- | 2340

DSN COVERAGE

32

0905 | ----- 45 [D] ----- | 1935

0325 | ----- 45 [D] -----

HPTXR

RTLTL : 16h 55m 4s

1200 RTLTL=16h 55m 12s

0000 RTLTL=16h 55m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 20, 2000
233-234

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 41m 34s

1200 RTLT=21h 41m 46s

0000 RTLT=21h 41m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31 15 [D] | 0815

1310 | ----- 63 [D] ----- | 1700

2110 - 0635 | ----- 14 [D] ----- |

DSN COVERAGE
HPTXR

32 ----- 45 [D] ----- | 1540

HPTXR

RTLT : 16h 55m 22s

1200 RTLT=16h 55m 32s

0000 RTLT=16h 55m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 21, 2000
234-235

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 41m 58s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A036
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10 / .25
 GYROS : OFF

1200 RTLTL=21h 42m 8s
 0000 RTLTL=21h 42m 20s

↓ 2052 SLEW->SAFE
 ↓ 0052 SLEW->ALPHA VIR
 ↓ 0352 SLEW->SAFE

U/L 0120 | - | - - - - - TLC (SHORT-FORM) - - - - -

| | | | |
|-------------------|---------|------|---------|
| FDS MODE | CR-5T | 2333 | UV-5A |
| XB DATA RATE (MI) | 160(32) | | 600(36) |

31
 DSN COVERAGE HPTXR
 1915 | - - - - - 65 [D] - - - - - | 0005
 2345 | - - - - - 14 [T] - - - - -

32
 DSN COVERAGE HPTXR
 0835 | - - - - - 45 [D] - - - - - | 1910

RTLTL : 16h 55m 40s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B109
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

1200 RTLTL=16h 55m 50s
 0000 RTLTL=16h 56m 0s

| | |
|-------------------|----------|
| FDS MODE | CR-5T |
| XB DATA RATE (MI) | 160 (32) |

VOYAGER COVERAGE - - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 22, 2000
235-236

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 42m 20s

1200 RTLTL=21h 42m 32s

0000 RTLTL=21h 42m 44s

VOYAGER 1

1021 | 1022 PWS/RH

↓ 2352 X/B LOW POWER

↓ 2356 BAY 1 HTR ON

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

----- TLC (SHORT-FORM) -----

| D/L -| 0041

1021
GS-4B 1022

FDS MODE
XB DATA RATE (MI)

UV-5A
600(36)

CR-5T
160(32)

31

| 0715 14 [T]

1520 | -----

63 [D] -----

0025 | ----- 25 [D] -----

DSN COVERAGE
HPTXR

32

0825 | -----

34 [0] -----

| 1730

0530 | 45 [D] -----

HPTXR

1200 RTLTL=16h 56m 8s

0000 RTLTL=16h 56m 18s

RTLTL : 16h 56m 0s

VOYAGER 2

0921 | 0922 PWS/RH

FDSL : 11AF

1034 | PLSCAL -| 1217

1034 | --- MAGCAL --- | 1337

1034 | ----- PESCAL ----- | 1354

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0921
GS-4B 0922

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR -|

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 0921 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1021 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 23, 2000
236-237

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 42m 44s

1200 RTLT=21h 42m 56s

0000 RTLT=21h 43m 8s

VOYAGER 1

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0735 25 [D]

1600 |----- 63 [D] -----| 2135

2115 - 0625 |----- 14 [D] -----|

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1850

HPTXR

RTLT : 16h 56m 18s

1200 RTLT=16h 56m 28s

0000 RTLT=16h 56m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 24, 2000
237-238

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 43m 8s

1200 RTLT=21h 43m 20s

0000 RTLT=21h 43m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A036

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2330 |----- 14 [D] -----

DSN COVERAGE
HPTXR

32

0930 |----- 45 [D] -----| 1915

HPTXR

RTLT : 16h 56m 38s

1200 RTLT=16h 56m 48s

0000 RTLT=16h 56m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B109

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 25, 2000
238-239

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 43m 32s

1200 RTLT=21h 43m 44s 0000 RTLT=21h 43m 56s

VOYAGER 1

↓ 1352 SLEW->HELIO-20B

↓ 0153 SLEW->HELIO-19B

FDSL : 11AF

▼ 1700 DUMMY (14:44)

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 14 [D]

1340 |-----63-----| 2330 |-----25 [D]-----|
2235

DSN COVERAGE
HPTXR

32

1405 |-----45 [D]-----| 1805 0520 |-----45 [D]-----|

HPTXR

RTLT : 16h 56m 58s

1200 RTLT=16h 57m 6s 0000 RTLT=16h 57m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + - VGR - + ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 26, 2000
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 43m 56s

1200 RTLT=21h 44m 8s

0000 RTLT=21h 44m 18s

VOYAGER 1

↓ 1353 SLEW->HELIO-18B

↓ 0153 SLEW->HELIO-17B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 ---| 0740 25 [D]

1245 |----- 63 [D] -----| 1640

2245 |----- 24 [D] -----| 0445

1800 |----- 65 [D] -----| 2105

DSN COVERAGE
HPTXR

32 ----- 45 [D] -----| 1520

HPTXR

RTLT : 16h 57m 16s

1200 RTLT=16h 57m 26s

0000 RTLT=16h 57m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 27, 2000
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 44m 18s

1200 RTLT=21h 44m 30s

0000 RTLT=21h 44m 42s

VOYAGER 1

↓ 1353 SLEW->HELIO-16B

↓ 0153 SLEW->HELIO-15B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1245

63 [D]

2235

0045

25 [D]

DSN COVERAGE
HPTXR

32

0750

45 [D]

1850

0445

45 [D]

HPTXR

RTLT : 16h 57m 36s

1200 RTLT=16h 57m 46s

0000 RTLT=16h 57m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 28, 2000
241-242

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 44m 42s

1200 RTLT=21h 44m 54s

0000 RTLT=21h 45m 6s

VOYAGER 1

↓ 1353 SLEW->HELIO-14B

↓ 0153 SLEW->HELIO-13B

FDSL : 11AF

U/L 0105 | - | - - - - - TLC (SHORT-FORM) - - - - -

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 25 [D]

1905 | - - - - - 54 [D] - - - - - | 2245

2345 | - - - - - 14 [T] - - - - - | 0605

DSN COVERAGE
HPTXR

32 - - - - - 45 [D] - - - - - | 1845

0250 - 0700 | - - - - - 45 [D] - - - - -

HPTXR

RTLT : 16h 57m 56s

1200 RTLT=16h 58m 6s

0000 RTLT=16h 58m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 29, 2000
242-243

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 45m 6s

1200 RTLTL=21h 45m 18s

0000 RTLTL=21h 45m 30s

VOYAGER 1

0959 | 1000 PWS/RH

↓ 1353 SLEW->HELIO-12B

↓ 0153 SLEW->HELIO-11B

FDSL : 11AF

TLC (SHORT-FORM)

D/L -|0018

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

0959
GS-4B 1000

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

1235

63 [D]

2315

2255

15 [D]

0545

DSN COVERAGE HPTXR

32

0700 45 [D]

1200

34 [o]

1825

45 [D] 0605

HPTXR

1200 RTLTL=16h 58m 26s

0000 RTLTL=16h 58m 36s

RTLTL : 16h 58m 16s

VOYAGER 2

0858 | 0859 PWS/RH

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

0858
GS-4B 0859

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

ON CALL

NOTES

- [1] S/C 32=GS-4B @ 0858 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0959 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 30, 2000
243-244

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 21h 45m 30s

1200 RTLTL=21h 45m 42s

0000 RTLTL=21h 45m 54s

VOYAGER 1

↓ 1854 SLEW->MIDPNT-B

↓ 0154 SLEW->HELIO-10B

FDSL : 11AF

▼ 2145 DUMMY (19:31)

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1700 |----- 65 [D] -----| 2100

2045 |----- 14 -----| 0600

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1715

HPTXR

RTLTL : 16h 58m 36s

1200 RTLTL=16h 58m 48s

0000 RTLTL=16h 58m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 31, 2000
244-245

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 45m 54s

1200 RTLT=21h 46m 6s

0000 RTLT=21h 46m 18s

VOYAGER 1

↓ 1354 SLEW->HELIO-9B

↓ 0154 SLEW->HELIO-8B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1600

63 [D]

2230

2330

15 [D]

DSN COVERAGE
HPTXR

32

0945

34 [o]

1830

0255

45 [D]

HPTXR

RTLT : 16h 58m 58s

1200 RTLT=16h 59m 8s

0000 RTLT=16h 59m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 1, 2000
245-246

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 46m 18s

1200 RTLT=21h 46m 30s

0000 RTLT=21h 46m 42s

VOYAGER 1

↓ 1354 SLEW->HELIO-7B

↓ 0154 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

| 0715 15 [D]

1225

| ----- 63 [D] -----

| 1555

0045 - 0650

| ----- 15 [D] -----

HPTXR

32

----- 45 [D] ----- | 1515

0345 - 0645

| ----- 34 [D] -----

HPTXR

RTLT : 16h 59m 18s

1200 RTLT=16h 59m 28s

0000 RTLT=16h 59m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 2, 2000
246-247

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 46m 42s

1200 RTLT=21h 46m 54s

0000 RTLT=21h 47m 6s

VOYAGER 1

↓ 1354 SLEW->HELIO-5B

↓ 0154 SLEW->HELIO-4B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1220

63 [D]

2230

0045

25 [D]

DSN COVERAGE
HPTXR

32

1430

34 [D]

1730

HPTXR

RTLT : 16h 59m 38s

1200 RTLT=16h 59m 50s

0000 RTLT=17h 0m 0s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/15/00 - 14:54

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 3, 2000
247-248

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 21h 47m 6s

1200 RTLT=21h 47m 18s

0000 RTLT=21h 47m 30s

VOYAGER 1

↓ 1354 SLEW->HELIO-3B

↓ 0154 SLEW->HELIO-2B

FDSL : 11AF

CCSL : A036
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0705 25 [D]

1410 |-----63 [D]-----| 2205

0045 |-----15 [D]-----|

DSN COVERAGE
HPTXR

32

0935 |-----45 [D]-----| 1820

34 [D] 0630 |-----|

HPTXR

RTLT : 17h 0m 0s

1200 RTLT=17h 0m 10s

0000 RTLT=17h 0m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7