

ISSUE DATE: 10/25/00 - 12:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
OCTOBER 26, 2000
300-301

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 6m 32s

1200 RTLTL=22h 6m 42s

0000 RTLTL=22h 6m 52s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -19.802 sec

1830 |---TAPPOS---| 2046

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1930 |-----24 [D]-----| 2355

2330 |-----14 [D]-----| 0405

DSN COVERAGE
HPTXR

32 |-----45 [D]-----| 1250

0305 |-----45 [D]-----|

HPTXR

RTLTL : 17h 20m 26s

1200 RTLTL=17h 20m 38s

0000 RTLTL=17h 20m 50s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -46.758 sec

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/25/00 - 12:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
OCTOBER 27, 2000
301-302

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 6m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1200 RTLTL=22h 7m 0s

0000 RTLTL=22h 7m 10s

↓ 1916 GYROS BC ON
↓ 1917 GYRO INIT
↓ 1926 GYRO FAULT TEST

↓ 1633 CCS MEMUPD

1720 || 1724 CCS MRO

2030 || 2037 CCSTIM (B)

1707
EH-12 1724

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

0900 |-----63 [D]-----| 2035

2015 |-----15 [D]-----| 0315

DSN COVERAGE
HPTXR

32

-----45 [D]-----| 1445

0515 |-----45 [D]-----

HPTXR

RTLTL : 17h 20m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLTL=17h 21m 2s

0000 RTLTL=17h 21m 12s

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

-----ON CALL-----| - VGR - | ON CALL | - VGR - |-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/25/00 - 12:45

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
OCTOBER 28, 2000
302-303

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 7m 10s

1200 RTLT=22h 7m 18s

0000 RTLT=22h 7m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0845 |----- 63 [D] -----| 1250

1725 |-- 14 [D] ---| 1940

1920 |----- 24 [D] -----| 2345

HPTXR

DSN COVERAGE

32

----- 45 [D] -----| 1440

HPTXR

RTLT : 17h 21m 12s

1200 RTLT=17h 21m 24s

0000 RTLT=17h 21m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 10/25/00 - 12:45

PDT: 0 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
OCTOBER 29, 2000
303-304

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 7m 28s

1200¹ RTLTL=22h 7m¹36s

0000¹ RTLTL=22h 7m¹46s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0940 |---- 65 [D] ----| 1230

1530 |----- 54 [D] -----| 1845

HPTXR

1945 |----- 24 [D] -----| 0255

DSN COVERAGE

32

|----- 34 [D] -----| 0715 - 1245

34 [D] 0715 |-----

HPTXR

RTLTL : 17h 21m 36s

1200 RTLTL=17h 21m 48s

0000 RTLTL=17h 21m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

|----- ON CALL -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
OCTOBER 30, 2000
304-305

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 7m 46s

1200 RTLTL=22h 7m 54s

0000 RTLTL=22h 8m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1655 | - 54 [D] - - | 1840

2250 | - - - - - 24 [D] - - - - - | 0250

DSN COVERAGE HPTXR

32

----- 34 [D] ----- | 1200

0510 | - - - - 45 [D] - - - -

HPTXR

RTLTL : 17h 21m 58s

1200 RTLTL=17h 22m 10s

0000 RTLTL=17h 22m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 1, 2000
306-307

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 8m 20s

1200 RTLT=22h 8m 28s

0000 RTLT=22h 8m 38s

VOYAGER 1

----- TLC (SHORT-FORM) ----- + D/L -| 1721

↓ 2205 SLEW->The Hya

FDSL : 11AF

▼ 1900 DUMMY (17:09)

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

0906	1506	
CR-5T	UV-5A	CR-5T
160(32)	600(36)	160(32)

31

----- 63 [D] ----- | 0835 - 1650
1715 | ----- 24 ----- | 0225

DSN COVERAGE
HPTXR

32

----- 34 [D] ----- | 1100
0530 | ----- 45 [D] -----

HPTXR

RTLT : 17h 22m 44s

1200 RTLT=17h 22m 56s

0000 RTLT=17h 23m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

	CR-5T
	160(32)

VOYAGER COVERAGE

----- ON CALL ----- + - VGR - + ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 2, 2000
307-308

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 8m 38s

1200 RTLTL=22h 8m 46s

0000 RTLTL=22h 8m 54s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1005 |----- 54 [D] -----| 1830

2250 |--- 14 [D] ---| 0100

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1425

0230 |----- 34 [D] -----| 0700

HPTXR

RTLTL : 17h 23m 6s

1200 RTLTL=17h 23m 18s

0000 RTLTL=17h 23m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 4, 2000
309-310

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 9m 12s

1200 RTLTL=22h 9m 20s

0000 RTLTL=22h 9m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE	1306	1906	
XB DATA RATE (MI)	CR-5T 160(32)	UV-5A 600(36)	CR-5T 160(32)

31 |-----63 [D]-----| 0830 - 2005
1945 |-----15 [D]-----| 0245

DSN COVERAGE HPTXR

32 |-----34 [o]-----| 1400
0200 |-----34 [o]-----|

HPTXR

RTLTL : 17h 23m 52s

1200 RTLTL=17h 24m 2s

0000 RTLTL=17h 24m 14s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 5, 2000
310-311

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 9m 28s

1200 RTLTL=22h 9m 36s

0000 RTLTL=22h 9m 44s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

-----63 [D] -----|0825- 1310

1250 |-----54 [D] -----|1720

2020 |-----24 [D] -----|0145

DSN COVERAGE
HPTXR

32

-----34 [o] -----|1145

0545 |--34 [o] --

HPTXR

2330 |-----43 [D] -----|0340

RTLTL : 17h 24m 14s

1200 RTLTL=17h 24m 26s

0000 RTLTL=17h 24m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
NOVEMBER 6, 2000
311-312

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 9m 44s

1200 RTLT=22h 9m 52s

0000 RTLT=22h 10m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 63 [D] -----| 0840 - 1225

1655 |----- 25 [D] -----| 2005

2245 |----- 24 [D] -----| 0220

DSN COVERAGE
HPTXR

32 |----- 34 [o] -----| 1405

0435 |----- 45 [D] -----|

HPTXR

RTLT : 17h 24m 36s

1200 RTLT=17h 24m 48s

0000 RTLT=17h 24m 58s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
NOVEMBER 7, 2000
312-313

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 10m 0s

1200 RTLTL=22h 10m 8s

0000 RTLTL=22h 10m 16s

0235 | 0236 PWS/RH

VOYAGER 1

FDSL : 11AF

U/L 1030 |-----| TLC (SHORT-FORM) |-----|

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

0235
GS-4B 0236

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 |-----| 63 [T] |-----| 0835 - 1220

2340 |----| 24 [D] |----| 0220

DSN COVERAGE
HPTXR

32 |-----| 45 [D] |-----| 1300

0215 |-----| 34 [D] |-----|

HPTXR

RTLTL : 17h 24m 58s

1200 RTLTL=17h 25m 10s

0000 RTLTL=17h 25m 20s

0135 | 0136 PWS/RH

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

0135
GS-4B 0136

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 32=GS-4B @ 0135 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 0235 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
NOVEMBER 8, 2000
313-314

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 10m 16s

1200 RTLTL=22h 10m 24s

0000 RTLTL=22h 10m 32s

VOYAGER 1

1851 | PLSCAL -| 2033
1851 | --- MAGCAL --- | 2153
1851 | --- PESCAL --- | 2211

FDSL : 11AF

TLC (SHORT-FORM)

-----| D/L -| 1008

↓ 0300 X/B LOW POWER

↓ 0304 BAY 1 HTR ON

CCSL : A037
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1000 |----- 54 [D] -----| 1635

1615 |----- 63 [D] -----| 1950

1930 |----- 15 [D] -----| 0310

DSN COVERAGE
HPTXR

32

--- 34 [D] ---| 1045

0530 |--- 45 [D] ---|

HPTXR

RTLTL : 17h 25m 20s

1200 RTLTL=17h 25m 32s

0000 RTLTL=17h 25m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ - VGR - +

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
NOVEMBER 9, 2000
314-315

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 10m 32s

1200 RTLT=22h 10m 40s

0000 RTLT=22h 10m 46s

VOYAGER 1

FDSL : 11AF

▼ 1800 DUMMY (16:11)

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1130 |--- 54 [D] ---| 1345

1325 |----- 63 -----| 1945

0030 |--- 25 [D] ---| 0240

DSN COVERAGE
HPTXR

32

----- 45 [D] -----| 1320

2300 |----- 34 [o] -----

HPTXR

RTLT : 17h 25m 42s

1200 RTLT=17h 25m 52s

0000 RTLT=17h 26m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ - VGR - +

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
NOVEMBER 10, 2000
315-316

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 10m 46s

1200 RTLTL=22h 10m 54s

0000 RTLTL=22h 11m 2s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1330 | --- 54 [D] --- | 1600

63 [D] 0800

1540 | ----- 14 [D] ----- | 2015

2000 | ----- 15 [D] ----- | 0220

DSN COVERAGE HPTXR

32

----- 34 [o] ----- | 1145

2235 | ----- 34 [o] -----

HPTXR

RTLTL : 17h 26m 4s

1200 RTLTL=17h 26m 14s

0000 RTLTL=17h 26m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
NOVEMBER 11, 2000
316-317

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 11m 2s

1200 RTLTL=22h 11m 10s

0000 RTLTL=22h 11m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A037

TWNC : ON

SB : OFF XB : LOW

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -----63 [D] ----- | 0800 - 1215

1815 | ----- 24 [D] ----- | 2220

2200 | ----- 15 [D] ----- | 0230

DSN COVERAGE
HPTXR

32 -----34 [o] ----- | 1335

2250 | ----- 34 [D] -----

HPTXR

RTLTL : 17h 26m 26s

1200 RTLTL=17h 26m 36s

0000 RTLTL=17h 26m 46s

VOYAGER 2

FDSL : 11AF

CCSL : B109

TWNC : ON

SB : OFF XB : LOW

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 10/25/00 - 12:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
NOVEMBER 12, 2000
317-318

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 11m 18s

1200 RTLT=22h 11m 24s

0000 RTLT=22h 11m 32s

VOYAGER 1

FDSL : 11AF

CCSL : A037
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1145 |-----54 [D]-----| 1750

1915 |-----15 [D]-----| 0235

DSN COVERAGE
HPTXR

32

-----34 [D]-----| 1345

43 [B] 0715 |-----

HPTXR

RTLT : 17h 26m 46s

1200 RTLT=17h 26m 58s

0000 RTLT=17h 27m 8s

VOYAGER 2

FDSL : 11AF

CCSL : B109
TWNC : ON
SB : OFF XB : LOW
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8