

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 8, 2001  
039-040

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 18s

1200 RTLTL=22h 18m 16s

0000 RTLTL=22h 18m 14s

VOYAGER 1

↓ 1210 SLEW->MIDPNT-A

FDSL : 11AF

S/C 31 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -20.452 sec

ROLLREF = RIGIL  
KENTAURUS

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1200 |----- 15 [D] -----| 1545

0355 - 0745 |----- 54 [D] -----|

DSN COVERAGE  
HPTXR

32

1650 |----- 34 [D] -----| 0025

HPTXR

RTLTL : 17h 43m 34s

1200 RTLTL=17h 43m 34s

0000 RTLTL=17h 43m 34s

VOYAGER 2

S/C 32 STATUS

FDS CLOCK DRIFT:  
ADD TO S/C EVENT  
ERT: -57.720 sec

ROLLREF = VEGA

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 9, 2001  
040-041

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 14s

1200 RTLT=22h 18m 12s

0000 RTLT=22h 18m 12s

VOYAGER 1

↓ 1210 SLEW->HELIO-11A

↓ 0010 SLEW->HELIO-12A

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1120 |----- 25 [D] -----| 1545

0155 |----- 63 [D] -----|

DSN COVERAGE  
HPTXR

32

1840 |----- 45 [D] -----| 0310

HPTXR

RTLT : 17h 43m 34s

1200 RTLT=17h 43m 34s

0000 RTLT=17h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 10, 2001  
041-042

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 12s

1200 RTLTL=22h 18m 10s

0000 RTLTL=22h 18m 8s

VOYAGER 1

↓ 1210 SLEW->HELIO-13A

↓ 0010 SLEW->HELIO-14A

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

31 | 0825 63 [D]  
1010 |----- 15 [D] ----- | 1550

0205 |----- 63 [D] ----- | 0655

DSN COVERAGE  
HPTXR

32 |----- 1625 |----- 45 [D] ----- | 0245

HPTXR

RTLTL : 17h 43m 34s

1200 RTLTL=17h 43m 34s

0000 RTLTL=17h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
FEBRUARY 11, 2001  
042-043

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 18m 8s

1200 RTLT=22h 18m 6s

0000 RTLT=22h 18m 4s

VOYAGER 1

↓ 1210 SLEW->HELIO-15A

↓ 0010 SLEW->HELIO-16A

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31

1040 |----- 25 [D] -----| 1540

0200 |----- 63 [D] -----|

DSN COVERAGE  
HPTXR

32

1650 |----- 45 [D] -----| 0115

HPTXR

RTLT : 17h 43m 34s

1200 RTLT=17h 43m 34s

0000 RTLT=17h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 12, 2001  
043-044

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 4s

1200 RTLTL=22h 18m 2s

0000 RTLTL=22h 18m 0s

VOYAGER 1

↓ 1210 SLEW->HELIO-17A

↓ 0010 SLEW->HELIO-18A

FDSL : 11AF

↓ 1802 MEMUPD - ENA AHELIO

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0820 63 [D]

1200 |-----25 [D]-----| 2000

0240 |-----65 [D]-----| 0645

DSN COVERAGE  
HPTXR

32

1615 |-----45 [D]-----| 0215

HPTXR

RTLTL : 17h 43m 34s

1200 RTLTL=17h 43m 34s

0000 RTLTL=17h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
FEBRUARY 13, 2001  
044-045

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 18m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

XB DATA RATE (MI)

31

CR-5T

160 (32)

1450 |-----25 [D]-----|

2025

CR-5T

160(32)

0210 |-----63 [T]-----|

0700

DSN COVERAGE

HPTXR

32

1550 |-----43 [B]-----|

2250

2300 |-----45 [D]-----|

0155

0135 |-----34 [o]-----|

0700

HPTXR

RTLTL : 17h 43m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR ----- |

----- ON CALL ----- |

NOTES

[1] S/C 32=GS-4B @ 2008 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 2103 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

1200 RTLTL=22h 17m 58s

0000 RTLTL=22h 17m 56s

↓ 1210 SLEW->HELIO-19A

2103 | 2104 PWS/RH

↓ 0010 SLEW->HELIO-20A

U/L 0555 |-----|  
TLC (SHORT-FORM) ↑

TAPPOS 0745 - 0759 |-----|

2103  
GS-4B

2104

▼ 1817 DUMMY (5 MIN BRACKETED - NO D/L)

2008  
GS-4B

2009

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
FEBRUARY 14, 2001  
045-046

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 56s

1200 RTLTL=22h 17m 54s

0000 RTLTL=22h 17m 52s

VOYAGER 1

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

TLC (SHORT-FORM)

D/L -| 0541

1050  
GS-4B 1051

2010  
GS-4B 2011

0530  
GS-4B 0531

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

63 [T] | 0900

1230 | ----- 25 [D] ----- | 2010

0150 | ----- 63 [D] ----- | 0645

DSN COVERAGE  
HPTXR

32

2020 | ----- 34 [O] ----- | 0555

HPTXR

RTLTL : 17h 43m 32s

1200 RTLTL=17h 43m 32s

0000 RTLTL=17h 43m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 1050 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2010 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0530 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 15, 2001  
046-047

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 52s

1200 RTLTL=22h 17m 50s

0000 RTLTL=22h 17m 48s

VOYAGER 1

FDSL : 11AF

▼ 1530 DUMMY (13:48)

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

▼ 1540 CRS RECONFIG (13:58)

1450  
GS-4B 1451

0010  
GS-4B 0011

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

31

0910 |----- 14 -----| 1545

0245 |----- 65 [D] -----| 0645

DSN COVERAGE  
HPTXR

32

1605 |----- 45 [D] -----| 2045

2150 |----- 34 [o] -----| 0410

HPTXR

RTLTL : 17h 43m 32s

1200 RTLTL=17h 43m 30s

0000 RTLTL=17h 43m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR -- | ----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 1450 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 0010 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 16, 2001  
047-048

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 48s

1200 RTLTL=22h 17m 46s

0000 RTLTL=22h 17m 44s

VOYAGER 1

FDSL : 11AF

\* 1358 CRS RECONFIG

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0934 GS-4B 0935

1854 GS-4B 1855

0414 GS-4B 0415

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31 1030 |----- 25 [D] -----| 1545

0140 |----- 63 [D] -----|

DSN COVERAGE

HPTXR

32

1620 - 0730 |----- 34 [o] -----|

HPTXR

RTLTL : 17h 43m 30s

1200 RTLTL=17h 43m 30s

0000 RTLTL=17h 43m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 0934 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1854 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0414 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 17, 2001  
048-049

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 44s

1200 RTLTL=22h 17m 42s

0000 RTLTL=22h 17m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1334  
GS-4B 1335

2254  
GS-4B 2255

FDS MODE  
XB DATA RATE (MI)

CR-5T

CR-5T

CR-5T

160(32)

160(32)

160(32)

31

63 [D]

1110

1200

25 [D]

1955

DSN COVERAGE  
HPTXR

32

1630

34 [D]

2245

0200 - 0720

34 [o]

HPTXR

RTLTL : 17h 43m 28s

1200 RTLTL=17h 43m 28s

0000 RTLTL=17h 43m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

[1] S/C 31=GS-4B @ 1334 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 2254 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
FEBRUARY 18, 2001  
049-050

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 40s

1200 RTLTL=22h 17m 38s

0000 RTLTL=22h 17m 36s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

0814  
GS-4B 0815

1738  
GS-4B 1739

0258  
GS-4B 0259

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

31

1025 | --- 24 [D] --- | 1300

1245 | ----- 25 [D] ----- | 1955

0135 | ----- 63 [D] -----

DSN COVERAGE  
HPTXR

32

1525 | -- 43 [D] -- | 1730

1710 | ----- 45 [D] ----- | 2045

HPTXR

RTLTL : 17h 43m 26s

1200 RTLTL=17h 43m 26s

0000 RTLTL=17h 43m 24s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 31=CR-5T @ 2255 XB=160(32)
- [2] S/C 31=GS-4B @ 0814 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 1738 XB=2.8K(41) NOT RECOVERABLE
- [4] S/C 31=GS-4B @ 0258 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 19, 2001  
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 17m 36s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

TAPPOS 0701 | - - - -

1218 GS-4B 1219 2138 GS-4B 2139 0658 GS-4B 0659

FDS MODE	CR-5T	CR-5T	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)	160(32)	160(32)

DSN COVERAGE

HPTXR

31 ----- 63 [D] ----- | 1100  
1120 | ----- 25 [D] ----- | 1950  
0215 | ----- 65 [D] ----- | 0645

HPTXR

32 1525 | ----- 43 [D] ----- | 2045

HPTXR

RTLT : 17h 43m 24s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLT=17h 43m 24s 0000 RTLT=17h 43m 22s

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES


[1] S/C 31=GS-4B @ 1218 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 2138 XB=2.8K(41) NOT RECOVERABLE  
[3] S/C 31=GS-4B @ 0658 XB=2.8K(41) NOT RECOVERABLE

## Presidents' Day Holiday

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
FEBRUARY 21, 2001  
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 28s

1200 RTLTL=22h 17m 26s

0000 RTLTL=22h 17m 24s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 0521

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0858 TAPPOS

▼ 1545 DUMMY (14:02)

1026 GS-4B 1027

1946 GS-4B 1947

0506 GS-4B 0507

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

1140 |--- 25 [D] ---| 1405  
1345 |--- 14 ---| 1600

0110 |----- 63 [D] -----| 0645

DSN COVERAGE  
HPTXR

32

1800 - 0710 |----- 34 [o] -----|

HPTXR

RTLTL : 17h 43m 20s

1200 RTLTL=17h 43m 20s

0000 RTLTL=17h 43m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | ----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 1026 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1946 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0506 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 22, 2001  
053-054

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 24s

1200 RTLTL=22h 17m 22s

0000 RTLTL=22h 17m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1426  
GS-4B 1427

2346  
GS-4B 2347

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

31

1525 |----- 25 [D] -----| 1950

0200 |----- 65 [D] -----| 0515

HPTXR

DSN COVERAGE

32

|----- 14 -----| 0840 - 1545

1625 |----- 43 -----| 0230

HPTXR

RTLTL : 17h 43m 18s

1200 RTLTL=17h 43m 16s

0000 RTLTL=17h 43m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

▼ 0112 DUMMY (5 MIN BRACKETED - 18:56)

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- ON CALL -----| VGR |----- ON CALL -----|

NOTES

- [1] S/C 31=GS-4B @ 1426 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2346 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 23, 2001  
054-055

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 20s

1200 RTLTL=22h 17m 18s

0000 RTLTL=22h 17m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

0910  
GS-4B 0911

1830  
GS-4B 1831

0350  
GS-4B 0351

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

1135 |----- 25 [D] -----| 1545

0230 |----- 63 [D] -----|

DSN COVERAGE  
HPTXR

32

1850 |----- 34 [D] -----| 2345

0245 |----- 34 [D] -----| 0705

HPTXR

RTLTL : 17h 43m 16s

1200 RTLTL=17h 43m 14s

0000 RTLTL=17h 43m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 0910 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1830 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0350 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/07/01 - 10:42

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 24, 2001  
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 16s

1200 RTLTL=22h 17m 14s

0000 RTLTL=22h 17m 12s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1310 GS-4B 1311

2230 GS-4B 2231

0750 GS-4B 0751 CR-5T

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

31

63 [D]

1045

1130

25 [D]

1930

0055

63 [D]

DSN COVERAGE  
HPTXR

32

2045

34 [D]

0325

HPTXR

RTLTL : 17h 43m 12s

1200 RTLTL=17h 43m 12s

0000 RTLTL=17h 43m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

- [1] S/C 31=GS-4B @ 1310 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2230 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0750 XB=2.8K(41) NOT RECOVERABLE
- [4] S/C 31=CR-5T @ 0751 XB=160(32)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

