


ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 16, 2001  
047-048

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 48s

1200 RTLTL=22h 17m 46s

0000 RTLTL=22h 17m 44s

VOYAGER 1

FDSL : 11AF

\* 1358 CRS RECONFIG

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0934 GS-4B 0935

1854 GS-4B 1855

0414 GS-4B 0415

FDS MODE  
XB DATA RATE (MI)

CR-5T	CR-5T	CR-5T	CR-5T
160(32)	160(32)	160(32)	160(32)

31 1030 |----- 25 [D] -----| 1545 0140 |----- 63 [D] -----|

DSN COVERAGE

HPTXR

32 1620 - 0730 |----- 34 [o] -----|

HPTXR

RTLTL : 17h 43m 30s

1200 RTLTL=17h 43m 30s

0000 RTLTL=17h 43m 28s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

----- ON CALL ----- | - VGR - | ----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 0934 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 1854 XB=2.8K(41) NOT RECOVERABLE  
[3] S/C 31=GS-4B @ 0414 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 17, 2001  
048-049

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 44s

1200 RTLTL=22h 17m 42s

0000 RTLTL=22h 17m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1334  
GS-4B 1335

2254  
GS-4B 2255

FDS MODE  
XB DATA RATE (MI)

CR-5T

CR-5T

CR-5T

160(32)

160(32)

160(32)

31

63 [D] 1110

1200 25 [D] 1955

DSN COVERAGE  
HPTXR

32

1630 34 [D] 2245

0200 - 0720 34 [o]

HPTXR

RTLTL : 17h 43m 28s

1200 RTLTL=17h 43m 28s

0000 RTLTL=17h 43m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES


[1] S/C 31=GS-4B @ 1334 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 2254 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 19, 2001  
050-051

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 17m 36s

1200 RTLT=22h 17m 34s

0000 RTLT=22h 17m 32s

VOYAGER 1

FDSL : 11AF

TAPPOS 0701 | - - - -

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1218  
GS-4B 1219

2138  
GS-4B 2139

0658  
GS-4B 0659

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T

31

63 [D] | 1100  
1120 | - - - - - | 1950

0215 | - - - - - 65 [D] - - - - - | 0645

DSN COVERAGE  
HPTXR

32

1525 | - - - - - 43 [D] - - - - - | 2045

HPTXR

RTLT : 17h 43m 24s

1200 RTLT=17h 43m 24s

0000 RTLT=17h 43m 22s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160 (32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - -

NOTES

- [1] S/C 31=GS-4B @ 1218 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2138 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0658 XB=2.8K(41) NOT RECOVERABLE

**Presidents' Day Holiday**

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
FEBRUARY 20, 2001  
051-052

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 32s

1200 RTLTL=22h 17m 30s

0000 RTLTL=22h 17m 28s

VOYAGER 1

FDSL : 11AF

0809 TAPPOS

U/L 0535 | - | - - - - -  
TLC (SHORT-FORM) ↑

TAPPOS 0721 | - -

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

2039  
GS-4B 2040

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

31

1015 | - - - - - 25 [D] - - - - - 1945

0120 | - - - - - 63 [T] - - - - - 0645

DSN COVERAGE  
HPTXR

32

1625 | - - - - - 34 [D] - - - - - 2245

0320 - 0710 | - - - - - 34 [o] - - - - -

HPTXR

RTLTL : 17h 43m 22s

1200 RTLTL=17h 43m 22s

0000 RTLTL=17h 43m 20s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1944  
GS-4B 1944

FDS MODE  
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

[1] S/C 32=GS-4B @ 1944 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 2039 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
FEBRUARY 21, 2001  
052-053

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 28s

1200 RTLTL=22h 17m 26s

0000 RTLTL=22h 17m 24s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 0521

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0858 TAPPOS

▼ 1545 DUMMY (14:02)

1026 GS-4B 1027

1946 GS-4B 1947

0506 GS-4B 0507

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

1140 |--- 25 [D] ---| 1405  
1345 |--- 14 ---| 1600

0110 |----- 63 [D] -----| 0645

DSN COVERAGE  
HPTXR

32

1800 - 0710 |----- 34 [o] -----|

HPTXR

RTLTL : 17h 43m 20s

1200 RTLTL=17h 43m 20s

0000 RTLTL=17h 43m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | ----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 1026 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1946 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0506 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
FEBRUARY 22, 2001  
053-054

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 24s

1200 RTLTL=22h 17m 22s

0000 RTLTL=22h 17m 20s

VOYAGER 1

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1426  
GS-4B 1427

2346  
GS-4B 2347

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

CR-5T

160(32)

31

1525 |----- 25 [D] -----| 1950

0200 |----- 65 [D] -----| 0515

DSN COVERAGE  
HPTXR

|----- 14 [D] -----| 0840 - 1545

32

1625 |----- 43 -----| 0230

HPTXR

RTLTL : 17h 43m 18s

1200 RTLTL=17h 43m 16s

0000 RTLTL=17h 43m 16s

VOYAGER 2

FDSL : 11AF

▼ 0112 DUMMY (5 MIN BRACKETED - 18:56)

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + VGR + ----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 1426 XB=2.8K(41) NOT RECOVERABLE

[2] S/C 31=GS-4B @ 2346 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
FEBRUARY 23, 2001  
054-055

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 20s

1200 RTLTL=22h 17m 18s

0000 RTLTL=22h 17m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

0910  
GS-4B 0911

1830  
GS-4B 1831

0350  
GS-4B 0351

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

1135 |----- 25 [D] -----| 1545

0230 |----- 63 [D] -----|

DSN COVERAGE  
HPTXR

32

1850 |----- 34 [D] -----| 2345

0300 |----- 34 [o] -----| 0705

HPTXR

RTLTL : 17h 43m 16s

1200 RTLTL=17h 43m 14s

0000 RTLTL=17h 43m 12s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 0910 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 1830 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0350 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
FEBRUARY 24, 2001  
055-056

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 16s  
VOYAGER 1  
FDSL : 11AF  
CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLTL=22h 17m 14s | 0000 RTLTL=22h 17m 12s

1310 GS-4B 1311 2230 GS-4B 2231 0750 GS-4B 0751 CR-5T

FDS MODE	CR-5T	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)	160(32)

31 --- 63 [D] --- | 1045 0055 | --- 63 [D] ---  
1130 | --- 25 [D] --- | 1930

DSN COVERAGE HPTXR

32 2100 | --- 34 [o] --- | 0325

HPTXR

RTLTL : 17h 43m 12s  
VOYAGER 2  
FDSL : 11AF  
CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1200 RTLTL=17h 43m 12s | 0000 RTLTL=17h 43m 10s

FDS MODE	CR-5T
XB DATA RATE (MI)	160(32)

VOYAGER COVERAGE --- ON CALL ---

NOTES

[1] S/C 31=GS-4B @ 1310 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 2230 XB=2.8K(41) NOT RECOVERABLE  
[3] S/C 31=GS-4B @ 0750 XB=2.8K(41) NOT RECOVERABLE  
[4] S/C 31=CR-5T @ 0751 XB=160(32)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
FEBRUARY 25, 2001  
056-057

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 12s

1200 RTLTL=22h 17m 10s

0000 RTLTL=22h 17m 6s

VOYAGER 1

U/L 0605 | - | - - - - -  
TLC (SHORT-FORM) ↑

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1714  
GS-4B

1715

0234  
GS-4B

0235

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31 ----- 63 [D] ----- 1040  
1025 |----- 25 [D] ----- | 1940  
0050 |----- 63 [T] ----- | 0645

DSN COVERAGE  
HPTXR

32  
1500 |----- 43 [D] ----- | 1745

HPTXR

RTLTL : 17h 43m 10s

1200 RTLTL=17h 43m 8s

0000 RTLTL=17h 43m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 31=GS-4B @ 1714 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 0234 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY  
FEBRUARY 26, 2001  
057-058

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 17m 6s

1200 RTLTL=22h 17m 4s

0000 RTLTL=22h 17m 2s

VOYAGER 1

TLC (SHORT-FORM)

D/L -|0550

FDSL : 11AF

▼ 1530 DUMMY (NO D/L)

TAPPOS 0636 -|0651

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

↓ 1802 MEMUPD - DIS AHELIO

1154 GS-4B 1155

2114 GS-4B 2115

0634 GS-4B 0635

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

CR-5T  
160(32)

31

-----14-----|0840 - 1545

0215 |-----65 [D]-----|0645

DSN COVERAGE  
HPTXR

32

1455 |-----43 [D]-----|2045

0100 |-----45 [D]-----|0550

HPTXR

RTLTL : 17h 43m 6s

1200 RTLTL=17h 43m 4s

0000 RTLTL=17h 43m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

-|VGR -|

----- ON CALL -----

NOTES

- [1] S/C 31=GS-4B @ 1154 XB=2.8K(41) NOT RECOVERABLE
- [2] S/C 31=GS-4B @ 2114 XB=2.8K(41) NOT RECOVERABLE
- [3] S/C 31=GS-4B @ 0634 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY  
FEBRUARY 27, 2001  
058-059

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 17m 2s

1200 RTLT=22h 17m 0s

0000 RTLT=22h 16m 58s

VOYAGER 1

2015 | 2015 PWS/RH

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

2015  
GS-4B 2015

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

31

1655 | --- 25 [D] --- | 1935

0230 | ----- 54 [D] ----- |

DSN COVERAGE  
HPTXR

32

1450 | --- 43 [B] --- | 1750

1730 | ----- 45 [D] ----- | 0345

HPTXR

RTLT : 17h 43m 4s

1200 RTLT=17h 43m 2s

0000 RTLT=17h 43m 0s

VOYAGER 2

1919 | 1920 PWS/RH

FDSL : 11AF

▼ 1612 DUMMY (5 MIN BRACKETED - NO D/L)

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

1919  
GS-4B 1920

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR | ----- ON CALL ----- |

NOTES

[1] S/C 32=GS-4B @ 1919 XB=2.8K(41) NOT RECOVERABLE  
[2] S/C 31=GS-4B @ 2015 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY  
FEBRUARY 28, 2001  
059-060

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 58s

1200 RTLTL=22h 16m 56s

0000 RTLTL=22h 16m 54s

VOYAGER 1

1230 | PLSCAL - | 1412

1230 | --- MAGCAL --- | 1532

1230 | --- PESCAL --- | 1550

FDSL : 11AF

↓ 1815 MEMUPD - LECP/CRS INIT CMDS

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

1923 | -- | 2006 CCS PROC B DRIBBLE R/O

FDS MODE  
XB DATA RATE (MI)

1858 2007

CR-5T

EL-40

CR-5T

160(32)

40(30)

160(32)

31 -- 54 [D] - | 0935

1135 | ----- 25 [D] ----- | 1915

1855 | 45 [D] - | 2015

0225 | --- 54 [D] --- | 0505

DSN COVERAGE  
HPTXR

32

1500 | --- 45 [D] --- | 1810

2100 | - 45 [D] - | 2245

0000 | ----- 34 [o] ----- | 0645

HPTXR

RTLTL : 17h 43m 0s

1200 RTLTL=17h 42m 58s

0000 RTLTL=17h 42m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- + --- VGR --- + ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY  
MARCH 1, 2001  
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 54s

1200 RTLTL=22h 16m 52s

0000 RTLTL=22h 16m 50s

VOYAGER 1

↓ 1109 SLEW->HELIO-19B

↓ 2309 SLEW->HELIO-18B

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31

0930 |----- 25 [D] -----| 1500

0150 |----- 65 [D] -----|

1450 |----- 15 [D] -----| 1745

DSN COVERAGE  
HPTXR

32

2110 |----- 34 [D] -----| 0110

0050 |----- 45 [D] -----| 0455

HPTXR

RTLTL : 17h 42m 56s

1200 RTLTL=17h 42m 54s

0000 RTLTL=17h 42m 52s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY  
MARCH 2, 2001  
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 50s  
 VOYAGER 1  
 FDSL : 11AF  
 CCSL : A038  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=22h 16m 48s  
 0000 RTLT=22h 16m 44s

↓ 1109 SLEW->HELIO-17B  
 ↓ 2309 SLEW->HELIO-16B

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

DSN COVERAGE

31  
 HPTXR  
 0850 65 [D]  
 14 [D] 0830 - 0930  
 0925 |----- 25 [D] -----| 1545  
 0215 |--- 54 [D] ---| 0450 63 [D] 0730 |---

32  
 HPTXR  
 1615 |----- 34 [D] -----| 2145

RTLT : 17h 42m 52s  
 VOYAGER 2  
 FDSL : 11AF  
 CCSL : B110  
 TWNC : ON  
 SB : OFF XB : LOW  
 PYR : .05/ .10/ .25  
 GYROS : OFF

1200 RTLT=17h 42m 50s  
 0000 RTLT=17h 42m 48s

FDS MODE CR-5T  
 XB DATA RATE (MI) 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8



ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY  
MARCH 3, 2001  
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 44s

1200 RTLT=22h 16m 42s

0000 RTLT=22h 16m 40s

VOYAGER 1

↓ 1109 SLEW->HELIO-15B

↓ 2309 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

31 ----- 63 [D] ----- 1030 ----- 63 [D] 0730 -----

1030 |----- 24 [D] -----| 1725

DSN COVERAGE  
HPTXR

32 ----- 1500 ----- 45 [D] ----- 0630 -----

HPTXR

RTLT : 17h 42m 48s

1200 RTLT=17h 42m 46s

0000 RTLT=17h 42m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T  
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 02/14/01 - 14:33

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY  
MARCH 4, 2001  
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 40s

1200 RTLT=22h 16m 38s

0000 RTLT=22h 16m 36s

VOYAGER 1

↓ 1109 SLEW->HELIO-13B

↓ 2309 SLEW->HELIO-12B

FDSL : 11AF

CCSL : A038  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

31 --- 63 [D] --- | 1015

0955 |

----- 25 [D] ----- | 1915

0030 |----- 63 [D] -----

DSN COVERAGE  
HPTXR

32

1530 |----- 34 [D] ----- | 2245

0245 |----- 45 [D] ----- | 0630

HPTXR

RTLT : 17h 42m 44s

1200 RTLT=17h 42m 42s

0000 RTLT=17h 42m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B110  
TWNC : ON  
SB : OFF XB : LOW  
PYR : .05/ .10/ .25  
GYROS : OFF

FDS MODE  
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8