

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 1, 2001
060-061

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 54s

1200 RTLTL=22h 16m 52s

0000 RTLTL=22h 16m 50s

VOYAGER 1

↓ 1109 SLEW->HELIO-19B

↓ 2309 SLEW->HELIO-18B

FDSL : 11AF

S/C 31 STATUS

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -20.656 sec

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0930 |----- 25 [D] -----| 1500

1450 |----- 15 [D] -----| 1745

0150 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

2125 |----- 34 [o] -----| 0110

0050 |----- 45 [D] -----| 0455

HPTXR

RTLTL : 17h 42m 56s

1200 RTLTL=17h 42m 54s

0000 RTLTL=17h 42m 52s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -60.212 sec

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 2, 2001
061-062

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 50s

1200 RTLT=22h 16m 48s

0000 RTLT=22h 16m 44s

VOYAGER 1

↓ 1109 SLEW->HELIO-17B

↓ 2309 SLEW->HELIO-16B

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 |-----| 0850 65 [D] |-----| 0215 |-----| 54 [D] |-----| 0450 63 [D] 0730 |-----|

| 14 [D] | 0830 - 0930

0925 |-----| 25 [D] |-----| 1545

DSN COVERAGE

32

1615 |-----| 34 [D] |-----| 2055

HPTXR

RTLT : 17h 42m 52s

1200 RTLT=17h 42m 50s

0000 RTLT=17h 42m 48s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 3, 2001
062-063

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 44s

1200 RTLTL=22h 16m 42s

0000 RTLTL=22h 16m 40s

VOYAGER 1

↓ 1109 SLEW->HELIO-15B

↓ 2309 SLEW->HELIO-14B

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 ----- 63 [D] ----- 1030 ----- 63 [D] 0730 -----

1030 |----- 24 [D] -----| 1725

DSN COVERAGE
HPTXR

32 ----- 1500 ----- 45 [D] ----- 0630 -----

HPTXR

RTLTL : 17h 42m 48s

1200 RTLTL=17h 42m 46s

0000 RTLTL=17h 42m 44s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 4, 2001
063-064

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 40s

1200 RTLTL=22h 16m 38s

0000 RTLTL=22h 16m 36s

VOYAGER 1

↓ 1109 SLEW->HELIO-13B

↓ 2309 SLEW->HELIO-12B

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 --- 63 [D] --- | 1015 0030 |----- 63 [D] -----

0955 |----- 25 [D] ----- | 1915

DSN COVERAGE
HPTXR

32 1530 |----- 34 [D] ----- | 2245

0245 |----- 45 [D] ----- | 0630

HPTXR

RTLTL : 17h 42m 44s

1200 RTLTL=17h 42m 42s

0000 RTLTL=17h 42m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 5, 2001
064-065

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 36s

1200 RTLT=22h 16m 34s

0000 RTLT=22h 16m 32s

VOYAGER 1

↓ 1109 SLEW->HELIO-11B

↓ 2309 SLEW->MIDPNT-B

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

31 | 0815 63 [D]

1435 |----- 25 [D] -----| 1855

0135 |----- 65 [D] -----|

DSN COVERAGE
HPTXR

32

1530 |----- 43 -----| 2045

0300 | 45 [D] -| 0425

HPTXR

RTLT : 17h 42m 40s

1200 RTLT=17h 42m 38s

0000 RTLT=17h 42m 36s

VOYAGER 2

▼ 1912 DUMMY (5 MIN BRACKETED NO D/L)

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

VOYAGER COVERAGE

----- ON CALL -----

+ VGR +

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>WEDNESDAY MARCH 7, 2001 066-067</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 22h 16m 28s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A038 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=22h 16m 26s</p> <p>0000 RTLTL=22h 16m 24s</p> <p>↓ 1109 SLEW->HELIO-8B</p> <p>↓ 2309 SLEW->HELIO-7B</p> <p>----- TLC (SHORT-FORM) -----</p> <p>----- D/L - 0549</p> <p>----- CR-5T -----</p> <p>----- 160(32) -----</p>
<p>31</p> <p>DSN COVERAGE HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>1225 ----- 25 [D] ----- 1845</p> <p>0030 ----- 63 [D] ----- 0645</p> <p>14 0800</p> <p>1420 ----- 43 [D] ----- 0600</p>
<p>RTLTL : 17h 42m 30s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B110 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=17h 42m 28s</p> <p>0000 RTLTL=17h 42m 26s</p> <p>----- COMMAND MORATORIUM -----</p> <p>↓ 1754 BAY 1 HTR OFF</p> <p>↓ 1758 X/B HI POWER</p> <p>↓ 1854 YAW=.05</p> <p>↓ 0153 YAW=.10</p> <p>1903 ----- PWSPB ----- 0138</p> <p>1903</p> <p>0138</p> <p>----- CR-5T -----</p> <p>----- 160(32) -----</p> <p>----- PB-14 -----</p> <p>----- 1.4K(39) -----</p> <p>----- CR-5T -----</p> <p>----- 160(32) -----</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL ----- + ----- VGR ----- + ----- ON CALL -----</p>
<p>NOTES</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p>	

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 8, 2001
067-068

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 24s

1200 RTLT=22h 16m 20s

0000 RTLT=22h 16m 18s

VOYAGER 1

↓ 1109 SLEW->HELIO-6B

↓ 2309 SLEW->HELIO-5B

FDSL : 11AF

▼ 1530 DUMMY (13:46)

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

----- 14 ----- | 0800 - 1545

0415 |----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1500 |----- 34 [D] ----- | 1900

0300 |----- 45 [D] ----- | 0615

HPTXR

RTLT : 17h 42m 26s

1200 RTLT=17h 42m 24s

0000 RTLT=17h 42m 20s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

↓ 1748 GYROS BC ON

↓ 1748 GYRO INIT

↓ 1758 GYRO FAULT TEST

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

1726 || 1733 TAPPOS

1852 || 1858 CCSTIM (B)

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - | - | VGR ----- | ON CALL -----

↑ ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 9, 2001
068-069

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 18s

1200 RTLT=22h 16m 16s

0000 RTLT=22h 16m 14s

VOYAGER 1

↓ 1109 SLEW->HELIO-4B

↓ 2309 SLEW->HELIO-3B

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 63 [D] - | 0930

0910 |----- 24 [D] -----| 1405

0005 |----- 63 [D] -----| 0530

1345 |----- 15 [D] -----| 1745

HPTXR
DSN COVERAGE

32

1530 |----- 34 [o] -----| 0155

HPTXR

RTLT : 17h 42m 20s

1200 RTLT=17h 42m 18s

0000 RTLT=17h 42m 16s

----- COMMAND MORATORIUM -----

| 0006

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 10, 2001
069-070

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 14s

1200 RTLT=22h 16m 12s

0000 RTLT=22h 16m 10s

VOYAGER 1

↓ 1109 SLEW->HELIO-2B

↓ 2309 SLEW->HELIO-1B

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0850 |-----25 [D]-----| 1835 0020 |-----63 [D]-----|

DSN COVERAGE
HPTXR

32

1525 |-----34 [o]-----| 0320
0300 |-----45 [D]-----| 0545

HPTXR

RTLT : 17h 42m 16s

1200 RTLT=17h 42m 14s

0000 RTLT=17h 42m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B110

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 11, 2001
070-071

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 10s

1200 RTLTL=22h 16m 8s

0000 RTLTL=22h 16m 6s

VOYAGER 1

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 63 [D] | 0910

0850 |----- 25 [D] ----- | 1830

0040 |----- 63 [D] -----

DSN COVERAGE
HPTXR

32

1450 |----- 34 [D] ----- | 2045

HPTXR

RTLTL : 17h 42m 10s

1200 RTLTL=17h 42m 8s

0000 RTLTL=17h 42m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
MARCH 12, 2001
071-072

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 16m 6s

1200 RTLT=22h 16m 4s

0000 RTLT=22h 16m 2s

VOYAGER 1

↓ 1309 SLEW->HELIO-1A

U/L 0650 | - | - | - |

FDSL : 11AF

TLC (SHORT-FORM) ↑

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 -- 63 [D] - | 0935

2350 | - - - - - 63 [T] - - - - -

| - - - - - 15 [D] - - - - - | 0845 - 1300

DSN COVERAGE
HPTXR

1415 | - - - - - 43 [B] - - - - - | 2045

32

0300 | - - - - 45 [D] - - - - | 0605

HPTXR

RTLT : 17h 42m 6s

1200 RTLT=17h 42m 2s

0000 RTLT=17h 42m 0s

VOYAGER 2

↓ 1832 BEGIN SEQUENCE B111

FDSL : 11AF

↓ 1904 ALL DB=.05

↓ 1920 AAI

1920 | - - | 1958 ASCAL

CCSL : B110
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : BC ON

DUMMY (5 MIN BRACKETED - NO D/L) 1712 ▼

↓ 1955 RAI

↓ 1958 CRU

↓ 2006 YAW=.10

↓ 2006 ROLL=.25

↓ 2008 GYRO FAULT TEST

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

1848 2000

EL-40

40(30)

CR-5T

160(32)

VOYAGER COVERAGE

- - - - - ON CALL - - - - - | - - - - - VGR - - - - - | - - - - - ON CALL - - - - -

NOTES

[1] S/C 32 - D/L AGC/SNR VARIATIONS EXPECTED DURING ASCAL (1920-1958)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
MARCH 13, 2001
072-073

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 16m 2s

1200 RTLTL=22h 16m 0s

0000 RTLTL=22h 15m 58s

VOYAGER 1

↓ 1309 SLEW->HELIO-2A

FDSL : 11AF

TLC (SHORT-FORM)

D/L 0634

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1926 | 1927 PWS/RH

1926
GS-4B 1927

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31 63 [T] - | 0925

1330 | ----- 15 [D] ----- | 1820

0005 | ----- 63 [D] ----- | 0645

DSN COVERAGE
HPTXR

32

1525 | ----- 34 [D] ----- | 2145

0300 | ----- 45 [D] ----- | 0610

HPTXR

RTLTL : 17h 42m 0s

1200 RTLTL=17h 41m 58s

0000 RTLTL=17h 41m 54s

VOYAGER 2

1831 | 1832 PWS/RH

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : BC ON

1831
GS-4B 1832

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 1831 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1926 XB=2.8K(41) NOT RECOVERABLE

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
MARCH 14, 2001
073-074

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 58s

1200 RTLTL=22h 15m 56s

0000 RTLTL=22h 15m 54s

VOYAGER 1

↓ 1309 SLEW->HELIO-3A

FDSL : 11AF

▼ 0040 DUMMY (NO D/L)

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0905 |----- 25 [D] -----| 1545

0015 |----- 63 -----| 0645

DSN COVERAGE
HPTXR

32

1445 |----- 34 [D] -----| 1935

HPTXR

RTLTL : 17h 41m 54s

1200 RTLTL=17h 41m 52s

0000 RTLTL=17h 41m 50s

COMMAND MORATORIUM 0744 |

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : BC ON

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - VGR - |

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
MARCH 15, 2001
074-075

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 54s

1200 RTLT=22h 15m 52s

0000 RTLT=22h 15m 50s

VOYAGER 1

↓ 1309 SLEW->HELIO-4A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 0900 |----- 15 [D] -----| 1300

0000 - 0750 |----- 63 [D] -----| 14 [D] 0730 |--|

DSN COVERAGE
HPTXR

32

1435 |----- 43 [D] -----| 0120

HPTXR

RTLT : 17h 41m 50s

1200 RTLT=17h 41m 46s

0000 RTLT=17h 41m 44s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

↓ 1858 AAI

CCSL : B111
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : BC ON

1901 |----- MAGROL -----| 0056

↓ 0049 RAI
↓ 0056 CRU
↓ 0056 GYROS OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL ----- |----- VGR -----| ----- ON CALL -----

NOTES

[1] S/C 32 - D/L AGC VARIATIONS EXPECTED DURING MAGROL (1901-0056)

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
MARCH 16, 2001
075-076

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 50s

1200 RTLT=22h 15m 48s

0000 RTLT=22h 15m 46s

VOYAGER 1

↓ 1309 SLEW->HELIO-5A

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

14 [D]

1300

2350

63 [D]

1240

15 [D]

1655

DSN COVERAGE
HPTXR

32

1445

34 [o]

2300

HPTXR

RTLT : 17h 41m 44s

1200 RTLT=17h 41m 40s

0000 RTLT=17h 41m 38s

VOYAGER 2

COMMAND MORATORIUM

0714

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
MARCH 17, 2001
076-077

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 22h 15m 46s

1200 RTLTL=22h 15m 44s

0000 RTLTL=22h 15m 42s

VOYAGER 1

↓ 1308 SLEW->HELIO-6A

FDSL : 11AF

CCSL : A038

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

0850 63 [D]

24 [D]

0830 - 1545

2350

63 [D]

DSN COVERAGE
HPTXR

32

1355

43 [D]

1915

1910

34 [o]

0145

HPTXR

RTLTL : 17h 41m 38s

1200 RTLTL=17h 41m 34s

0000 RTLTL=17h 41m 32s

VOYAGER 2

FDSL : 11AF

CCSL : B111

TWNC : ON

SB : OFF XB : HI

PYR : .05 / .10 / .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 03/02/01 - 11:45

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
MARCH 18, 2001
077-078

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 22h 15m 42s

1200 RTLT=22h 15m 40s

0000 RTLT=22h 15m 38s

VOYAGER 1

↓ 1308 SLEW->HELIO-7A

U/L 0750

FDSL : 11AF

CCSL : A038
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- { 0845 63 [D]

1405 |----- 15 [D] -----| 1800

0000 |----- 63 [T] -----|

DSN COVERAGE
HPTXR

32

1430 |----- 34 [D] -----| 1930

0300 |----- 45 [D] -----| 0550

HPTXR

RTLT : 17h 41m 32s

1200 RTLT=17h 41m 28s

0000 RTLT=17h 41m 26s

VOYAGER 2

FDSL : 11AF

CCSL : B111
TWNC : ON
SB : OFF XB : HI
PYR : .05 / .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8