

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 23, 2001
235-236

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 42m 30s

1200 RTLT=22h 42m 42s

0000 RTLT=22h 42m 54s

VOYAGER 1

S/C 31 STATUS

FDLSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -21.907 sec

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0710 24 [D]

1715 | ----- 65 [D] -----

0130 | ----- 25 [D] -----

| 0025

DSN COVERAGE
HPTXR

32

1150 | ----- 34 [D] ----- | 1915

HPTXR

RTLT : 17h 47m 38s

1200 RTLT=17h 47m 48s

0000 RTLT=17h 47m 58s

VOYAGER 2

S/C 32 STATUS

FDLSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -79.959 sec

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 24, 2001
236-237

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 42m 54s

1200 RTLT=22h 43m 6s

0000 RTLT=22h 43m 18s

VOYAGER 1

FDSL : 11AF

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0720 25 [D]

1650 | --- 65 [D] --- | 1905

0445 | --- 25 [D] ---

DSN COVERAGE
HPTXR

32

1145 | ----- 34 [o] ----- | 1910

HPTXR

RTLT : 17h 47m 58s

1200 RTLT=17h 48m 6s

0000 RTLT=17h 48m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

2122 | 2122 PWS/RH

1820 | --- | 1914 TAPPOS

2330 | --- | 0038 TAPPOS

2122
GS-4B 2122

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

[1] S/C 32=GS-4B @ 2122 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
AUGUST 25, 2001
237-238

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 43m 18s

1200 RTLT=22h 43m 30s

0000 RTLT=22h 43m 40s

VOYAGER 1

FDSL : 11AF

CCSL : A040

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

0730 25 [D]

1825

65 [D]

0000

0330

25 [D]

2330

24 [1]

0300

DSN COVERAGE

HPTXR

32

1000

43 [o]

1710

0320

43 [D]

HPTXR

RTLT : 17h 48m 16s

1200 RTLT=17h 48m 26s

0000 RTLT=17h 48m 36s

VOYAGER 2

FDSL : 11AF

CCSL : B113

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

[1] S/C 31 - NMC TEST - DATA UNCOMMITTED

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
AUGUST 26, 2001
238-239

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 43m 40s

1200 RTLT=22h 43m 52s

0000 RTLT=22h 44m 4s

VOYAGER 1

FDSL : 11AF

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 | 0710 25 [D]

0115 | ----- 25 [D] -----

1405 | ----- 65 [D] -----

| 0015

HPTXR
DSN COVERAGE

32 ----- 43 [D] ----- | 1440

HPTXR

RTLT : 17h 48m 36s

1200 RTLT=17h 48m 46s

0000 RTLT=17h 48m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
AUGUST 27, 2001
239-240

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 44m 4s

1200 RTLT=22h 44m 16s

0000 RTLT=22h 44m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A040

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31 - 0720 25 [D]

1400 |-----65 [D]-----| 0010

DSN COVERAGE
HPTXR

32

1125 |-----34 [D]-----| 1845

HPTXR

RTLT : 17h 48m 56s

1200 RTLT=17h 49m 6s

0000 RTLT=17h 49m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B113

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

TUESDAY
AUGUST 28, 2001
240-241

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 44m 28s
VOYAGER 1
FDSL : 11AF
CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=22h 44m 40s | 0000 RTLT=22h 44m 52s

1004 | 1005 PWS/RH

1004 GS-4B | 1005

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160 (32)	160(32)

31 1405 |----- 65 [D] -----| 1805

DSN COVERAGE HPTXR

32 1010 |----- 43 [o,B] -----| 1740

HPTXR

RTLT : 17h 49m 16s
VOYAGER 2
FDSL : 11AF
CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=17h 49m 26s | 0000 RTLT=17h 49m 36s

0858 | 0859 PWS/RH

▼ 1612 DUMMY CC (5 MIN BRACKETED - 10:02)

0858 GS-4B | 0859

FDS MODE	CR-5T	CR-5T
XB DATA RATE (MI)	160(32)	160(32)

VOYAGER COVERAGE ----- ON CALL ----- |----- VGR -----| ----- ON CALL -----

NOTES
[1] S/C 32=GS-4B @ 0858 XB=2.8K(41) NOT RECOVERABLE
[2] S/C 31=GS-4B @ 1005 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
AUGUST 29, 2001
241-242

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 44m 52s

1200 RTLT=22h 45m 4s

0000 RTLT=22h 45m 16s

VOYAGER 1

U/L 0605 | - | -
TLC (SHORT-FORM) | - | -

FDSL : 11AF

▼ 0015 DUMMY (23:00)

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1350 |

65 [D] |

| 0000

2345 - 0655 |

14 [T] |

DSN COVERAGE
HPTXR

32

0755 |

34 [D] |

1850

HPTXR

RTLT : 17h 49m 36s

1200 RTLT=17h 49m 46s

0000 RTLT=17h 49m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

+ VGR - +

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
AUGUST 30, 2001
242-243

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLTL : 22h 45m 16s

1200 RTLTL=22h 45m 28s

0000 RTLTL=22h 45m 40s

VOYAGER 1

- 0619 | D/L -|

FDSL : 11AF

TLC (SHORT-FORM)

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1500 |

65 [D]

2215 |

2235

25 [D]

DSN COVERAGE
HPTXR

32

43 [o]

0745 - 1520

34 [D] 0630 |

HPTXR

RTLTL : 17h 49m 56s

1200 RTLTL=17h 50m 6s

0000 RTLTL=17h 50m 16s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

ON CALL

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
AUGUST 31, 2001
243-244

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 45m 40s
VOYAGER 1
FDSL : 11AF
CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=22h 45m 52s | 0000 RTLT=22h 46m 4s

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

DSN COVERAGE HPTXR
31 0705 25 [D] | 2140 | ----- 24 [D] ----- | 0200
32 ----- 34 [D] ----- | 1830
HPTXR

RTLT : 17h 50m 16s
VOYAGER 2
FDSL : 11AF
CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

1200 RTLT=17h 50m 26s | 0000 RTLT=17h 50m 36s

1757 | TAPPOS | 1919 | 2307 | TAPPOS | 0042

2059 GS-4B | 2100

FDS MODE CR-5T | CR-5T
XB DATA RATE (MI) 160(32) | 160(32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES [1] S/C 32=GS-4B @ 2059 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 1, 2001
244-245

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 46m 4s

1200 RTLT=22h 46m 16s

0000 RTLT=22h 46m 28s

VOYAGER 1

FDSL : 11AF

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1855 |----- 65 [D] -----| 2350

0245 |----- 15 [D] -----|

DSN COVERAGE HPTXR

32

0945 |----- 34 [o] -----| 1415

0250 |----- 43 [D] -----|

HPTXR

RTLT : 17h 50m 36s

1200 RTLT=17h 50m 46s

0000 RTLT=17h 50m 56s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 2, 2001
245-246

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 46m 28s

1200 RTLT=22h 46m 40s

0000 RTLT=22h 46m 52s

↓ 0124 SLEW->HELIO-13B

VOYAGER 1

FDSL : 11AF

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 | 0715 15 [D]

1335 |----- 65 [D] -----| 2345

0000 |----- 14 [D] -----| 0320

DSN COVERAGE
HPTXR

32 |--- 43 [D] ---| 0930

HPTXR

RTLT : 17h 50m 56s

1200 RTLT=17h 51m 6s

0000 RTLT=17h 51m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
SEPTEMBER 3, 2001
246-247

Labor Day Holiday

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 46m 52s

1200 RTLT=22h 47m 4s

0000 RTLT=22h 47m 16s

VOYAGER 1

FDSL : 11AF

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2105 |-----15 [D]-----

DSN COVERAGE HPTXR

32

0835 |-----43 [B]-----| 1415

HPTXR

RTLT : 17h 51m 18s

1200 RTLT=17h 51m 28s

0000 RTLT=17h 51m 38s

VOYAGER 2

FDSL : 11AF

CCSL : B113
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
SEPTEMBER 5, 2001
248-249

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 47m 38s

1200 RTLT=22h 47m 50s

0000 RTLT=22h 48m 2s

VOYAGER 1

FDSL : 11AF

TLC (SHORT-FORM)

D/L -| 0606

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 --- | 0745 14 [T]

0315 - 0625 |----- 24 [D] -----|

DSN COVERAGE HPTXR

32 ----- 43 [B] ----- | 1430

HPTXR

RTLT : 17h 52m 0s

1200 RTLT=17h 52m 10s

0000 RTLT=17h 52m 20s

VOYAGER 2

COMMAND MORATORIUM

FDSL : 11AF

↓ 1357 YAW=.10

CCSL : B113
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .05 / .25
GYROS : OFF

|----- PWSPB -----| 0708 - 1343

0531 | TAPPOS

FDS MODE
XB DATA RATE (MI)

0708

1343

PB-14

1.4K(39)

CR-5T

160(32)

VOYAGER COVERAGE

----- VGR ----- |----- ON CALL -----|

NOTES

[1] S/C 32=CR-5T @ 0836 XB=160(32)

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
SEPTEMBER 6, 2001
249-250

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 48m 2s

1200 RTLT=22h 48m 14s

0000 RTLT=22h 48m 26s

VOYAGER 1

FDSL : 11AF

CCSL : A040

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31 |----- 34 [D] -----| 0705 - 1035

0250 - 0640 |----- 25 [D] -----|

DSN COVERAGE HPTXR

32 |----- 1135 |----- 34 -----| 1805

0555 | 34 [o] |

HPTXR

RTLT : 17h 52m 20s

1200 RTLT=17h 52m 32s

0000 RTLT=17h 52m 42s

VOYAGER 2

--- COMMAND MORATORIUM ---| 1210
1254 |-----

--- COMMAND MORATORIUM ---|-----

FDSL : 11AF

CCSL : B113

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : OFF

GYROS BC ON 0617 ↓

GYRO INIT 0617 ↓

GYRO FAULT TEST 0627 ↓

--- | 0742 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

|----- ON CALL -----|----- VGR -----|

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

FRIDAY
SEPTEMBER 7, 2001
250-251

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 48m 26s

1200 RTLT=22h 48m 38s

0000 RTLT=22h 48m 50s

VOYAGER 1

FDSL : 11AF

▼ 1700 DUMMY (NO D/L)

CCSL : A040
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1615 |----- 54 -----| 2020

2035 |----- 15 [D] -----| 0120

34 [D] 0615 |-----

DSN COVERAGE HPTXR

32

----- 34 [o] -----| 1815

HPTXR

1200 RTLT=17h 52m 52s

0000 RTLT=17h 53m 4s

RTLT : 17h 52m 42s

VOYAGER 2

----- COMMAND MORATORIUM -----

FDSL : 11AF

| 0721 - 0727 CCSTIM(B)

2036 | 2037 PWS/RH

1734 | | 1749 TAPPOS

2244 | 2245 TAPPOS

CCSL : B113
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : BC ON

2036
GS-4B 2037

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

CR-5T

160(32)

VOYAGER COVERAGE

|----- ON CALL -----| - VGR - |----- ON CALL -----|
↑ VGR

NOTES

[1] S/C 32=GS-4B @ 2036 XB=2.8K(41) NOT RECOVERABLE

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
SEPTEMBER 8, 2001
251-252

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 48m 50s

1200 RTLT=22h 49m 2s

0000 RTLT=22h 49m 14s

VOYAGER 1

FDSL : 11AF

CCSL : A040

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

31

----- 34 [D] ----- | 1025

0300 - 0700 |----- 43 [D] -----

HPTXR

DSN COVERAGE

32

1125 |----- 34 [o] ----- | 1755

HPTXR

RTLT : 17h 53m 4s

1200 RTLT=17h 53m 14s

0000 RTLT=17h 53m 24s

VOYAGER 2

----- COMMAND MORATORIUM ----- | 1224

FDSL : 11AF

CCSL : B113

TWNC : ON

SB : OFF XB : HI

PYR : .05/ .10 / .25

GYROS : BC ON

FDS MODE

CR-5T

XB DATA RATE (MI)

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

ISSUE DATE: 08/22/01 - 15:16

PDT: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
SEPTEMBER 9, 2001
252-253

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7

RTLT : 22h 49m 14s
 VOYAGER 1
 FDSL : 11AF
 CCSL : A040
 TWNC : ON
 SB : OFF XB : LOW
 PYR : .05/ .10/ .25
 GYROS : OFF

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=22h 49m 26s
 0000 RTLT=22h 49m 38s

DSN COVERAGE HPTXR
 31 0700 43 [D] 1530 |----- 54 [D] -----| 1950 2215 |----- 24 [D] -----| 0530
 HPTXR
 32 |----- 43 [D] -----| 0745 - 1630

RTLT : 17h 53m 24s
 VOYAGER 2
 FDSL : 11AF
 CCSL : B113
 TWNC : ON
 SB : OFF XB : HI
 PYR : .05/ .10 / .25
 GYROS : BC ON

FDS MODE CR-5T
 XB DATA RATE (MI) 160(32)

1200 RTLT=17h 53m 36s
 0000 RTLT=17h 53m 46s

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7