

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 9, 2003
009-010

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 54s

1200 RTLT=24h 18m 54s

0000 RTLT=24h 18m 56s

VOYAGER 1

S/C 31 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -22.984 sec

CCSL : A045
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = RIGIL
KENTAURUS

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

31

1630 |-----25 [D]-----| 2235

0045 |-----45 [D]-----| 0335

DSN COVERAGE HPTXR

32

-----| 0855 45 [D]

0420 |-----45 [D]-----

HPTXR

RTLT : 19h 24m 18s

1200 RTLT=19h 24m 22s

0000 RTLT=19h 24m 28s

VOYAGER 2

S/C 32 STATUS

FDSL : 11AF

FDS CLOCK DRIFT:
ADD TO S/C EVENT
ERT: -2:18.036 min

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

ROLLREF = VEGA

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

-----ON CALL-----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY JANUARY 10, 2003 010-011</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 24h 18m 56s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A045 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=24h 18m 56s</p> <p>0000 RTLTL=24h 18m 56s</p> <p>PWS/RH 0628 0628</p> <p>0325 - TAPPOS - 0516</p> <p>0628 GS-4B 0628</p> <p>CR-5T 160 (32)</p> <p>CR-5T 160(32)</p> <p>31 1320 --- 63 [D] --- 1600</p> <p>2145 ----- 34 [D] ----- 0150</p> <p>DSN COVERAGE HPTXR</p> <p>32 --- 45 [D] --- 1015</p> <p>0040 ----- 45 [D] -----</p> <p>HPTXR</p> <p>1200 RTLTL=19h 24m 32s</p> <p>0000 RTLTL=19h 24m 36s</p> <p>RTLTL : 19h 24m 28s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B118 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p> <p>CR-5T 160 (32)</p> <p>CR-5T 160(32)</p> <p>VOYAGER COVERAGE</p> <p>----- ON CALL -----</p> <p>NOTES</p> <p>[1] S/C 31=GS-4B @ 0628 XB=2.8K(41) NOT RECOVERABLE</p>
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p>	

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 11, 2003
011-012

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 18m 56s

1200 RTLTL=24h 18m 58s

0000 RTLTL=24h 18m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A045
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

- - TAPPOS - - 0835 - 1039

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1320 | --- 63 [D] --- | 1555

1535 | ----- 25 [D] ----- | 2225

DSN COVERAGE
HPTXR

32

--- 45 [D] --- | 1015

2225 | ----- 34 [D] -----

HPTXR

RTLTL : 19h 24m 36s

1200 RTLTL=19h 24m 38s

0000 RTLTL=19h 24m 42s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160 (32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 12, 2003
012-013

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 58s
VOYAGER 1
FDSL : 11AF
CCSL : A045
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160(32)

31 1315 | --- 63 [D] --- | 1550
1530 | ----- 25 [D] ----- | 2215
DSN COVERAGE HPTXR
32 --- | 0845 34 [D]
HPTXR 0510 | --- 45 [D] ---

RTLT : 19h 24m 42s
VOYAGER 2
FDSL : 11AF
CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE CR-5T
XB DATA RATE (MI) 160 (32)

VOYAGER COVERAGE ----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 13, 2003
013-014

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A045
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

31

1845 |----- 15 [D] -----| 2245

DSN COVERAGE HPTXR

32

0510 |----- 45 [D] -----

-- 45 [D] - | 0935

HPTXR

RTLT : 19h 24m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160 (32)

| 1200 RTLT=19h 24m 54s

| 0000 RTLT=19h 24m 58s

VOYAGER COVERAGE


----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 15, 2003
015-016

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 19m 0s

1200 RTLT=24h 19m 0s

0000 RTLT=24h 19m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : HI
PYR : .05/ .10 / .25
GYROS : OFF

↓ 1645 X/B LOW POWER

*
2125 | 2130 CCS CHKSUM

↓ 1649 BAY 1 HTR ON

*
2140 | 2141 CCS MRO

*
2103
EL-40

*
2148

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

CR-5T
160(32)

31

1630 |-----15 [D]-----| 2240

0600 |--54 [D]--|

DSN COVERAGE
HPTXR

32

--45 [D]--|1000

0100-0755 |-----34 [o]-----|

45 [D] 0735 |--

HPTXR

RTLT : 19h 25m 4s

1200 RTLT=19h 25m 8s

0000 RTLT=19h 25m 10s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T
160(32)

VOYAGER COVERAGE

----- ON CALL ----- | VGR - |----- ON CALL ----- | VGR - |----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 16, 2003
016-017

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 19m 0s

1200 RTLT=24h 19m 0s

0000 RTLT=24h 19m 0s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1800 |----- 24 [D] -----| 2205

54 [D] | 0900

DSN COVERAGE
HPTXR

32

45 [D] | 0925

2220 |----- 45 [D] -----|

HPTXR

RTLT : 19h 25m 10s

1200 RTLT=19h 25m 14s

0000 RTLT=19h 25m 18s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY JANUARY 17, 2003 017-018</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 24h 19m 0s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A046 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=24h 19m 0s</p> <p>0000 RTLTL=24h 19m 0s</p> <p>PWS/RH 0604 0605</p> <p>0301 - TAPPOS - 0452</p> <p>0604 GS-4B 0605</p> <p>CR-5T 160(32)</p> <p>CR-5T 160(32)</p>
<p>31</p> <p>DSN COVERAGE HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>1205 ----- 25 [D] ----- 1545</p> <p>45 [D] - 0920</p> <p>1805 ----- 45 [D] ----- 2350</p> <p>0445 ----- 34 [D] -----</p>
<p>RTLTL : 19h 25m 18s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B118 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 25m 20s</p> <p>0000 RTLTL=19h 25m 24s</p> <p>CR-5T 160(32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL -----</p>
<p>NOTES</p>	<p>[1] S/C 31=GS-4B @ 0604 XB=2.8K(41) NOT RECOVERABLE</p>
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p>	

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 18, 2003
018-019

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 19m 0s

1200 RTLTL=24h 19m 0s

0000 RTLTL=24h 19m 0s

VOYAGER 1

FDSL : 11AF

TAPPOS -- 0811 - 1015

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1240 |----- 63 [D] -----| 1530

1905 |---- 25 [D] ----| 2145

DSN COVERAGE
HPTXR

32

34 [D] | 0920

0235 |----- 45 [D] -----

HPTXR

RTLTL : 19h 25m 24s

1200 RTLTL=19h 25m 26s

0000 RTLTL=19h 25m 30s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 19, 2003
019-020

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 19m 0s

1200 RTLT=24h 19m 0s

0000 RTLT=24h 18m 58s

VOYAGER 1

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1515 |----- 15 [D] -----| 2140

DSN COVERAGE HPTXR

32

45 [D] - | 0940

0045 |----- 45 [D] -----|

HPTXR

RTLT : 19h 25m 30s

1200 RTLT=19h 25m 32s

0000 RTLT=19h 25m 34s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

MONDAY
JANUARY 20, 2003
020-021

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 58s

1200 RTLT=24h 18m 58s

0000 RTLT=24h 18m 58s

VOYAGER 1

↓ 1610 SLEW->HELIO-1B

FDSL : 11AF

↓ 2059 MEMUPD ENA AHELI1

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10 / .25
GYROS : OFF

2059 | 2101 CCS MRO

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1630 |----- 15 [D] -----| 2220

DSN COVERAGE
HPTXR

32

-- 45 [D] - | 0940

1755 |----- 45 [D] -----| 2055

0505 |----- 45 [D] -----|

HPTXR

RTLT : 19h 25m 34s

1200 RTLT=19h 25m 38s

0000 RTLT=19h 25m 40s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----


NOTES

MARTIN LUTHER KING JR. HOLIDAY

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0



ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

WEDNESDAY
JANUARY 22, 2003
022-023

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 58s

1200 RTLT=24h 18m 58s

0000 RTLT=24h 18m 56s

VOYAGER 1

↓ 1610 SLEW->HELIO-3B

FDSL : 11AF

▼ 2120 DUMMY (21:39)

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

U/L 2200 | - | ----- TLC (SHORT-FORM) -----

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1445 | ----- 15 [D] -----

1940 | ----- 14 [T] ----- | 2000

1940 | ----- 14 [T] ----- | 2240

DSN COVERAGE
HPTXR

32

45 [D] - | 0930

1745 | ----- 45 [D] ----- | 2245

0530 | ----- 45 [D] -----

HPTXR

RTLT : 19h 25m 46s

1200 RTLT=19h 25m 48s

0000 RTLT=19h 25m 50s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

| - | VGR - |

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

THURSDAY
JANUARY 23, 2003
023-024

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 56s

1200 RTLT=24h 18m 56s

0000 RTLT=24h 18m 56s

VOYAGER 1

↓ 1610 SLEW->HELIO-4B

FDSL : 11AF

CCSL : A046

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

----- TLC (SHORT-FORM) ----- + D/L -| 2246

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

2050 |----- 34 [D] -----| 0045

DSN COVERAGE
HPTXR

32

45 [D] -| 0930

1740 |----- 45 [D] -----| 2245

0145 |----- 34 [o] -----| 0620

HPTXR

RTLT : 19h 25m 50s

1200 RTLT=19h 25m 52s

0000 RTLT=19h 25m 54s

VOYAGER 2

FDSL : 11AF

CCSL : B118

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

<p>FRIDAY JANUARY 24, 2003 024-025</p>	
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p> <p>RTLTL : 24h 18m 56s</p> <p>VOYAGER 1</p> <p>FDSL : 11AF</p> <p>CCSL : A046 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=24h 18m 54s</p> <p>0000 RTLTL=24h 18m 54s</p> <p>↓ 1610 SLEW->HELIO-5B</p> <p>0540 0540 PWS/RH</p> <p>0237 - 0305 TAPPOS</p> <p>TAPPOS 0747 </p> <p>0540 GS-4B 0540</p> <p>CR-5T 160(32)</p> <p>CR-5T 160(32)</p>
<p>31</p> <p>DSN COVERAGE</p> <p>HPTXR</p> <p>32</p> <p>HPTXR</p>	<p>1245 - - - 63 [D] - - - 1505</p> <p>1450 - - - - - 24 [D] - - - - - 1915</p> <p>2135 - - - - - 34 [D] - - - - - 0025</p> <p>0400 - - - - - 45 [D] - - - - -</p>
<p>RTLTL : 19h 25m 54s</p> <p>VOYAGER 2</p> <p>FDSL : 11AF</p> <p>CCSL : B118 TWNC : ON SB : OFF XB : LOW PYR : .05/ .10/ .25 GYROS : OFF</p> <p>FDS MODE XB DATA RATE (MI)</p>	<p>1200 RTLTL=19h 25m 56s</p> <p>0000 RTLTL=19h 25m 58s</p> <p>CR-5T 160(32)</p>
<p>VOYAGER COVERAGE</p>	<p>----- ON CALL -----</p>
<p>NOTES</p>	<p>[1] S/C 31=GS-4B @ 0540 XB=2.8K(41) NOT RECOVERABLE</p>
<p>UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8</p>	

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SATURDAY
JANUARY 25, 2003
025-026

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLT : 24h 18m 54s

1200 RTLT=24h 18m 54s

0000 RTLT=24h 18m 52s

VOYAGER 1

↓ 1610 SLEW->HELIO-6B

FDSL : 11AF

CCSL : A046

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10 / .25

GYROS : OFF

0801 TAPPOS

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1430 |-----25 [D]-----| 2130

DSN COVERAGE
HPTXR

32

45 [D] | 0920

1735 |-----45 [D]-----|

HPTXR

RTLT : 19h 25m 58s

1200 RTLT=19h 26m 2s

0000 RTLT=19h 26m 4s

VOYAGER 2

FDSL : 11AF

CCSL : B118

TWNC : ON

SB : OFF XB : LOW

PYR : .05/ .10/ .25

GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

ISSUE DATE: 01/13/03 - 14:15

PST: 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0

SUNDAY
JANUARY 26, 2003
026-027

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8

RTLTL : 24h 18m 52s

1200 RTLTL=24h 18m 52s

0000 RTLTL=24h 18m 52s

VOYAGER 1

↓ 1610 SLEW->HELIO-7B

FDSL : 11AF

CCSL : A046
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

31

1450 |-----25 [D]-----| 2125

DSN COVERAGE HPTXR

32

45 [D] | 0915

0500 |-----45 [D]-----|

HPTXR

RTLTL : 19h 26m 4s

1200 RTLTL=19h 26m 4s

0000 RTLTL=19h 26m 6s

VOYAGER 2

FDSL : 11AF

CCSL : B118
TWNC : ON
SB : OFF XB : LOW
PYR : .05/ .10/ .25
GYROS : OFF

FDS MODE
XB DATA RATE (MI)

CR-5T

160(32)

VOYAGER COVERAGE

----- ON CALL -----

NOTES

UTC: 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 0 1 2 3 4 5 6 7 8